

TABLE OF CONTENTSChapter I : INTUITIVE APPROACH TO THE BASIC IDEAS OF LANDAU'S THEORY

1 - INTRODUCTION	1
2 - MODEL EXAMPLE OF PHASE TRANSITION IN A CRYSTAL	2
2.1 - The system and its degrees of freedom	2
2.2 - Symmetry of the two phases	3
2.3 - Variational free-energy associated to the system	4
2.4 - Symmetry properties of F and form of its 2 nd degree Taylor expansion	5
2.5 - Decoupling of the (p_x, p_y) and p_z degrees of freedom Order parameter	6
2.6 - Need for an expansion of degree higher than 2, below T_c	8
2.7 - Simple physical consequences of the 4 th degree order-parameter expansion	8
2.8 - Symmetry considerations	15
2.9 - Secondary order-parameters	19
3 - CONCLUSIONS	23

Chapter II : FORMULATION OF LANDAU'S THEORY

1 - INTRODUCTION	25
2 - BASIC CONCEPTS OF GROUP REPRESENTATIONS	25
2.1 - Irreducible representations of a group G_0	26
2.2 - Group theoretical properties used in the formulation of Landau's theory	31
3 - LANDAU'S THEORY	35
3.1 - Variational and equilibrium particle density and free-energy	35
3.2 - Decomposition of the density increment into irreducible parts	36
3.3 - Scalar variational degrees of freedom	38
3.4 - Second degree Taylor expansion of $F(\eta_{kr})$	39
3.5 - Definition of the order-parameter	40
3.6 - Order-parameter expansion and nature of the symmetry change	41
4 - TECHNICAL GROUP THEORETICAL ASPECTS OF LANDAU'S THEORY	47
4.1 - Reduction of an invariant space into irreducible spaces	47
4.2 - Tensorial products of invariant spaces n^{th} power of a representation	48
4.3 - Symmetrized n^{th} power of a representation	49

4.4 - The Landau Condition	53
4.5 - Invariant polynomials and image of G_0 in the OP-representation	56
4.6 - Minimization of the free-energy and symmetry breaking	66
5 - SECONDARY ORDER-PARAMETER	88
5.1 - Coupling between secondary and primary OP	88
5.2 - Possible symmetries of secondary OP, and form of θ (ϵ_s, η_r)	89
5.3 - Equilibrium value of the secondary OP nearby T_c	91
5.4 - Irrelevance of the secondary OP, to the symmetry below T_c	92
6 - CONCLUSIONS	93
<u>Chapter III</u> : CONTINUOUS STRUCTURAL TRANSITIONS BETWEEN PERIODIC PHASES	
1 - INTRODUCTION	96
2 - CRYSTALLOGRAPHIC SPACE-GROUPS AND THEIR REPRESENTATIONS	97
2.1 - Crystallographic space-groups	97
2.2 - Irreducible representations of the space-groups	103
3 - THE LIFSCHITZ CRITERION	110
3.1 - Derivation of the Lifschitz criterion	111
3.2 - Procedure of application of the Lifschitz criterion	115
3.3 - Selection of \vec{k}_0 -vectors resulting from the Lifschitz criterion	118
3.4 - Lifschitz criterion and periodicity of the low-symmetry phases	120
4 - IMAGES AND FREE-ENERGIES FOR ACTIVE REPRESENTATIONS	122
4.1 - Active representations of a space-group	122
4.2 - Images of G_0 for active representations	123
4.3 - Free-energies for active representations	125
5 - DETERMINATION OF THE LOW-SYMMETRY SPACE GROUP G	127
6 - FERROIC CLASSIFICATION OF STRUCTURAL PHASE TRANSITIONS	130
6.1 - Ferroicity and point-symmetry change at T_c	131
6.2 - Proper and improper ferroics	137
6.3 - Pseudo proper ferroics	143
7 - EXAMPLE OF THE STRUCTURAL TRANSITION IN GADOLINIUM MOLYBDATE	144
7.1 - Symmetry of the primary order-parameter	144
7.2 - Secondary OP and free-energy expansion	147

7.3 - Phenomenological theory of GMO	148
8 - CONNECTIONS TO THE EXPERIMENTAL SITUATION	153
8.1 - Physical nature of the order-parameter	153
8.2 - Physical realization of different OP-symmetries	159
9 - CONCLUSION	161

Chapter IV : FIRST ORDER TRANSITIONS

1 - INTRODUCTION	166
2 - FIRST ORDER TRANSITIONS ASSOCIATED WITH HIGH-DEGREE EXPANSIONS OF THE ORDER-PARAMETER	167
2.1 - Case with $n=1$ and $d=6$: general features of first-order transitions	168
2.2 - General features of phase diagrams with one-component order-parameter expansions	172
2.3 - Phase diagrams with two-component order-parameters	176
2.4 - Phase diagrams with multi-component order-parameters	179
2.5 - Experimental examples	183
3 - TRANSITIONS PREDICTED TO BE DISCONTINUOUS BY THE LANDAU CONDITION	185
3.1 - Role of third order invariants of the order-parameter in the phenomenological description of structural transitions	185
3.2 - Experimental examples	190
4 - TRANSITIONS PREDICTED TO BE DISCONTINUOUS BY THE LIFSCHITZ CONDITION	190
5 - TRANSITIONS ASSOCIATED WITH MORE THAN ONE ORDER-PARAMETER	193
5.1 - General properties of phase transitions associated with several order-parameters	193
5.2 - Examples of phase diagrams associated with two order-parameters	195
6 - PHENOMENOLOGICAL THEORY OF PHASE TRANSITIONS WHICH HAVE NO GROUP-SUBGROUP RELATIONSHIP BETWEEN THE PHASES	202
6.1 - Reconstructive transitions for which the order-parameter is a sinusoidal function of the atomic shifts	202
6.2 - Reconstructive transitions for which the variational parameter is the degree of occupation of a latent unit cell	207
7 - SINGULAR POINTS IN PHASE DIAGRAMS	210

Chapter V : LANDAU THEORY OF INCOMMENSURATE PHASES

1 - INTRODUCTION	215
1.1 - Standard experimental scheme for INC systems	215
1.2 - Basic ideas for the adaptation of Landau's theory	218
2 - SYMMETRY PROPERTIES OF THE ORDER-PARAMETER AND OF THE FREE-ENERGY	220
2.1 - Order-parameter and free-energy for an incommensurate wavevector	220
2.2 - Order-parameter and free-energy for the lock-in vector k_L	231
2.3 - Free-energy density for a modulated order-parameter; Lifschitz invariant	239
2.4 - Three standard examples	250
3 - QUALITATIVE INTERPRETATION OF THE EXPERIMENTAL SITUATION	254
3.1 - Simplified formulation of the first theoretical scheme	255
3.2 - Refinement of the first theoretical scheme	257
3.3 - Second theoretical scheme, in the presence of a Lifschitz invariant	261
4 - PHENOMENOLOGICAL THEORY FOR A TWO-COMPONENT ORDER-PARAMETER IN THE PMA APPROXIMATION	263
4.1 - The θ -equation	265
4.2 - The sinusoidal limit ($\mu^2 \approx 0$; $T < T_L$)	269
4.3 - General form of the free energy for $\mu^2 \neq 0$	270
4.4 - Multisoliton limit ($\mu^2 \approx 1$; $T \approx T_L$)	271
4.5 - Macroscopic quantities and anomalies of the susceptibilities	278
5 - EXTENSIONS	283
5.1 - Lifting of the PMA	284
5.2 - Phenomenological theory in the absence of a Lifschitz invariant	287
5.3 - Effect of additional spatially dispersive terms	293
5.4 - Higher number of order-parameter components and of modulation directions	295
6 - CONCLUSIONS	302

Chapter VI : THE LANDAU THEORY OF MAGNETIC TRANSITIONS

1 - INTRODUCTION	307
2 - MAGNETIC SYMMETRY	308
2.1 - Magnetic point-groups	308
2.2 - Identification of the type of magnetic ordering associated with a given magnetic group	310

2.3 - Magnetic lattices and magnetic space-groups	312
3 - IRREDUCIBLE COREPRESENTATIONS OF THE MAGNETIC GROUPS	313
4 - SPECIFIC FORMULATION OF THE LANDAU THEORY FOR MAGNETIC SYSTEMS AND EXCHANGE SYMMETRIES	315
4.1 - Formulation of the Landau theory	315
4.2 - Exchange symmetry	317
5 - PRACTICAL APPLICATION OF THE LANDAU THEORY TO MAGNETIC TRANSITIONS : SOME EXAMPLES	321
5.1 - Introduction	321
5.2 - Phase transitions from the paramagnetic group $Pca2_1 1'$ at $k=0$	321
5.3 - Phase transitions in $\alpha\text{-Fe}_2\text{O}_3$	329
5.4 - Latent antiferromagnetism in nickel-iodine boracite	341
6 - APPLICABILITY OF THE LANDAU THEORY TO MAGNETIC SYSTEMS : ORDER PARAMETER SYMMETRIES, FIRST-ORDER TRANSITIONS AND INCOMMENSURATE MAGNETIC PHASES	349
6.1 - Order-parameter symmetries for second and first-order transitions in magnetic systems	349
6.2 - Specific features of the Landau theory of incommensurate magnetic systems	353
7 - COUPLING OF THE MAGNETIC ORDER-PARAMETER TO NON-MAGNETIC PHYSICAL QUANTITIES : SPONTANEOUS MAGNETOSTRUCTURAL EFFECTS	361
7.1 - Introduction	361
7.2 - Spontaneous magnetostriction	362
7.3 - Spontaneous piezomagnetism	365
7.4 - Spontaneous magnetoelectricity	367
7.5 - Coupling between structural and magnetic transitions	369
 <u>Chapter VII : THE LANDAU THEORY OF LIQUID CRYSTALS</u>	
1 - INTRODUCTION	374
2 - SYMMETRY GROUPS OF LIQUID-CRYSTALS	374
2.1 - An introductory example	374
2.2 - The macroscopic space-groups of liquid crystals	377
3 - THE IRREDUCIBLE REPRESENTATIONS OF LIQUID CRYSTAL GROUPS	379
3.1 - Irreducible representations of the G point-groups	379
3.2 - Irreducible representations of the space-groups S	383
4 - PROBABILITY DENSITIES, ORDER-PARAMETERS AND THERMODYNAMIC POTENTIALS FOR LIQUID CRYSTAL TRANSITIONS	388
4.1 - Probability densities	388
4.2 - Primary and secondary order-parameters	389

4.3 - Thermodynamic potentials	390
4.4 - Practical procedure for the determination of the symmetry changes which take place at Liquid Crystal Transitions	391
5 - APPLICABILITY OF THE LANDAU THEORY TO PHASE TRANSITIONS IN LIQUID-CRYSTALS	399
5.1 - The nematic to smectic A transition	400
5.2 - The nematic-smectic A-smectic C phase diagram	404
5.3 - Reentrant nematic phases	407
5.4 - The uniaxial to biaxial nematic transition	407
5.5 - Transitions between smectic phases	408
6 - MODULATED LIQUID CRYSTAL PHASES	410
7 - TILTING ORDER AND BOND-ORIENTATIONAL ORDER IN SMECTIC PHASES	413
8 - FERROELECTRIC, FLEXOELECTRIC AND PIEZOELECTRIC EFFECTS	414
9 - TRANSITIONS FROM THE ISOTROPIC PHASE	417
<u>Chapter VIII</u> : RECENT DEVELOPMENTS AND FIELD OF VALIDITY OF LANDAU'S THEORY	425
1 - INTRODUCTION	425
2 - STABILITY OF ICOSAHEDRAL QUASI-CRYSTALLINE PHASES	425
2.1 - Landau's model of the liquid-solid phase transition	427
2.2 - Alexander and Mc Tague's extension of the model	428
2.3 - Application of the model to icosahedral phase	430
3 - INFLUENCE OF DEFECTS ON PHASE TRANSITIONS	433
3.1 - Classification of defects	434
3.2 - Phenomenological theory for symmetry-breaking point defects	435
4 - VALIDITY OF LANDAU'S THEORY	440
4.1 - Validity of the theory and statistical fluctuations	440
4.2 - Preservation of the validity of the symmetry aspects of Landau's theory	442
4.3 - Cases in which the thermodynamical results of Landau's theory are preserved	443
4.4 - Behaviour of physical quantities in the critical range	444