

Contents

1. Introduction	1
1.1 Example. Three points on the line	2
1.2 Brief description of the contents	9
1.3 Acknowledgements	14
2. Construction of complexes calculating homology of the complement of a configuration	15
2.1 Configuration in a real space	15
2.2 Configuration in a complex space	18
2.3 Homology	19
2.4 Compatible orientation of cells of complexes $Q, Q'/Q'', X$	22
2.5 Local system $\mathcal{S}^*(a)$ and distinguished sections over cells	22
2.6 Quantum bilinear form of a configuration	25
2.7 Homomorphism of the projection on the real part	29
2.8 Action of a group preserving configuration	33
2.9 Abstract complexes of a real configuration	35
3. Construction of homology complexes for discriminantal configuration	39
3.1 Discriminantal configuration	39
3.2 Facets of a discriminantal configuration	40
3.3 Centers of top-dimensional facets	41
3.4 Basic polytopes	42
3.5 Centers of facets of arbitrary codimension	42
3.6 Cells of the construction of Sec. 2 are convex polytopes	43
3.7 Description of basic polytopes by inequalities	45
3.8 Admissible monomials	46
3.9 Equalities and inequalities defining cells	48
3.10 Distinguished coorientation of a discriminantal configuration	50
3.11 Weights of $\mathcal{C}_{n,k}(z_1, \dots, z_n)$ and the reduced quantum bilinear form for $n \leq 1$	53
3.12 Complexes $C.(Q'/Q'', \mathcal{S}^*(a)), C.(X, \mathcal{S}^*(a))$ for a discriminantal configuration $\mathcal{C}_{n,k}$	54

3.13	Action of the permutation group Σ_k on a discriminantal configuration $\mathcal{C}_{n,k}(z)$	58
3.14	Complexes $\mathcal{X}(\mathcal{C}_{n,k})$ and $Q(\mathcal{C}_{n,k})$	61
3.15	Homology of $Q(\mathcal{C}_{n,k})$	62
3.16	Action of the permutation group on $\mathcal{X}(\mathcal{C}_{n,k})$, $Q(\mathcal{C}_{n,k})$	62
4.	Algebraic interpretation of chain complexes of a discriminantal configuration	67
4.1	Quantum groups	67
4.2	Contravariant form	69
4.3	Coalgebra structure on $U_q\mathfrak{n}_-$, algebra structure on $(U_q\mathfrak{n}_-)^*$	75
4.4	Hochschild homology	79
4.5	Two-sided Hochschild complexes connected with a discriminantal configuration	80
4.6	Algebraic interpretation of the abstract complexes $\mathcal{X}(\mathcal{C}_{n,k})$ and $Q(\mathcal{C}_{n,k})$ of a discriminantal configuration	82
4.7	Geometric interpretation of complexes $C.({}^+U_q\bar{\mathfrak{n}}'_-; \bar{M}; 2; {}^+\Delta)_\lambda$ and $C.*({}^+U_q\bar{\mathfrak{n}}'_-; \bar{M}; 2; \mu)_\lambda$ defined in (4.5)	85
4.8	Symmetrization	88
4.9	Proof of Theorem (4.7.5)	91
5.	Quasiisomorphism of two-sided Hochschild complexes to suitable one-sided Hochschild complexes	93
5.1	One-sided Hochschild complexes connected with a discriminantal configuration	93
5.2	Complexes (5.1.1) and (5.1.24) as subcomplexes of complexes (4.5.5)	100
5.3	Construction of a monomorphism $\varphi : C.({}^+U_q\mathfrak{n}_-; M; {}^+\Delta)_\lambda \rightarrow C.({}^+U_q\bar{\mathfrak{n}}'_-; \bar{M}; 2; {}^+\Delta)_{\bar{\lambda}}$	106
5.4	Theorem. <i>The monomorphism $\varphi : C.*({}^+U_q\mathfrak{n}_-; M; \mu)_\lambda \rightarrow C.*({}^+U_q\bar{\mathfrak{n}}'_-; \bar{M}; 2; \mu)_{\bar{\lambda}}$ is a quasiisomorphism</i>	115
5.5	Theorem. <i>The monomorphism $\varphi : C.({}^+U_q\mathfrak{n}_-; M; {}^+\Delta)_\lambda \rightarrow C.({}^+U_q\bar{\mathfrak{n}}'_-; \bar{M}; 2; {}^+\Delta)_{\bar{\lambda}}$ is a quasiisomorphism</i>	118
5.6	Filtration in $C.({}^+U_q\bar{\mathfrak{n}}'_-; \bar{M}; {}^+\Delta)$	119
5.7	Degree	120
5.8	Proof of Theorem 5.6.12	121
5.9	Proof of Theorem 5.6.11	123
5.10	Remark	126

5.11	Geometric interpretation of Theorems 5.3.43, 5.4, and 5.5	126
6.	Bundle properties of a discriminantal configuration	145
6.1	Subordinated monomials	145
6.2	Leaves	145
6.3	Properties of leaves	147
6.4	Proof of Theorem 6.2.4	151
7.	R-matrix for the two-sided Hochschild complexes	155
7.1	Bistuctures on $({}^+U_q\mathfrak{n}_-)^{\otimes n}$, $({}^+U_q\mathfrak{n}_-)^{* \otimes n}$	155
7.2	$U_q\mathfrak{n}_-$ -bimodule structure on $(U_q\mathfrak{n}_-)^*$	158
7.3	$(U_q\mathfrak{n}_-)^*$ -bimodule structure on $U_q\mathfrak{n}_-$	158
7.4	R-matrix	159
7.5	Symmetrization and R-matrix	165
7.6	R-matrix for Verma modules	166
7.7	Connection of R-matrices for two- and one-sided Hochschild complexes	168
8.	Monodromy	171
8.1	Gauss–Manin connection	171
8.2	Chain complexes over real points of the base	173
8.3	Parallel translations along special curves	176
8.4	Isotopy of the real line	178
8.5	Factorization properties of cells	180
8.6	Involution	183
8.7	Bundle property	183
8.8	Construction of T_t	185
8.9	Lemma. <i>The deformation T_t defined on each cell separately is compatible on intersections of cells</i>	186
8.10	Example	188
8.11	Computation of the action $T_1 : C.(Q'/Q'', S^*(A), z^0) \rightarrow C.(Q'/Q'', S^*(A), z^0)$ for the isotropy T_t constructed in (8.8)	189
8.12	Proof of Theorem 8.3.4 for T_t^u	190
8.13	Geometric interpretation of the R-matrix operators acting on the two-sided Hochschild complexes constructed in Sec. 4	191
8.14	Geometric interpretation of the R-matrix operators on the complexes $C.({}^+U_q\mathfrak{n}_-; M_\delta; {}^+\Delta)_{\lambda'}$ and $C.({}^+U_q\mathfrak{n}_-; M_\delta; \mu)_{\lambda'}$ constructed in Sec. 5.	194

9.	R-matrix operator as the canonical element, quantum doubles	197
9.1	Quantum double	197
9.2	Quantum doubles $\mathcal{D}((U_q \mathfrak{b}_-)')$ and $\mathcal{D}(U_q \mathfrak{b}_+)$	198
9.3	The action of the quantum doubles on Verma modules and their duals	202
9.4	The quotient complex $C.(+U_q \mathfrak{n}_-; M_\sigma; +\Delta)/\ker S$	207
9.5	Quantum groups corresponding to Kac–Moody algebras	210
10.	Hypergeometric integrals	215
10.1	Orlik–Solomon algebra and flags	215
10.2	Framings and bases	216
10.3	Quasiclassical contravariant form of a configuration	218
10.4	Relative complexes	220
10.5	Integrable connection on the horizontal complexes	223
10.6	Hypergeometric differential forms	228
10.7	Hypergeometric integrals	230
10.8	Resolution of singularities of a configuration of hyperplanes	233
10.9	Integration pairings and symmetric frames	236
10.10	Hypergeometric differential equations	239
11.	Kac–Moody Lie algebras without Serre’s relations and their doubles	247
11.1	Kac–Moody Lie algebras without Serre’s relations	247
11.2	Complexes	250
11.3	The double	252
11.4	Homology in degree zero	261
11.5	Knizhnik–Zamolodchikov differential equation	261
12.	Hypergeometric integrals of a discriminantal configuration	265
12.1	Complexes of a discriminantal configuration	265
12.2	Hypergeometric pairings	271
12.3	Hypergeometric integrals and the Knizhnik–Zamolodchikov connection	278
12.4	Resonances	285
12.5	Nondegeneracy of the hypergeometric pairing $J(z) : H_0(C.(\bar{\mathfrak{n}}_-; L)_\lambda) \otimes H_0(C.(+U_q \bar{\mathfrak{n}}_-; L(q); \delta)_\lambda) \rightarrow \mathbb{C}$ for almost all κ . Asymptotics for $\kappa \rightarrow \infty$.	290

13. Resonances at infinity	295
13.1 Projective transformations of the complex line and discriminantal configurations	295
13.2 Complementary weight	296
13.3 The inversion isomorphism for one Verma module	298
13.4 An inversion isomorphism for n Verma modules	303
13.5 Generic sets	309
13.6 Transformations of flag forms	310
13.7 The kernel of the hypergeometric pairing for sl_2	312
13.8 Remarks on the representation theory of the quantum double of the subalgebra $U_q\mathfrak{b}_- \subset U_qsl_2$	317
14. Degenerations of discriminantal configurations	329
14.1 Composition of singular vectors	329
14.2 Asymptotics of the hypergeometric pairing	337
14.3 Rank of the hypergeometric pairing	341
14.4 Remarks on the kernel of the hypergeometric pairing	342
14.5 The Selberg formula	343
14.6 The hypergeometric pairing for $\mathfrak{g} = sl_2$ and two modules	344
15. Remarks on homology groups of a configuration with coefficients in local systems more general than complex one-dimensional	347
15.1 Complexified real configuration	347
15.2 Universal quantum group	349
15.3 Discriminantal configuration	352
15.4 Remarks on homology groups of braid groups	357
15.5 Local systems of rank greater than 1	359
References	367