

# Contents

Preface	v
Contents	ix
1. Two Curious Mathematical Cuneiform Texts from Old Babylonian Mari	1
1.1. M. 7857. A Fanciful Interpretation of a Geometric Progression. . . . .	2
1.1 a. M. 7857. A text with three kinds of counting numbers. . . . .	2
1.1 b. OB texts with ascending or descending geometric progressions. . . . .	5
1.1 c. A Late Babylonian text using the trailing part algorithm. . . . .	8
1.1 d. The sum of a geometric progression in an Old Babylonian text . . . . .	8
1.1 e. The sum of a geometric progression in a Seleucid text . . . . .	10
1.1 f. <i>P.Rhind</i> # 79: a parallel to M. 7857 in a hieratic papyrus . . . . .	11
1.1 g. Summary. The Mesopotamian roots of a <i>Mother Goose</i> riddle . . . . .	12
1.2. M. 8631. Another Curious Mathematical Text from OB Mari . . . . .	14
1.2 a. M. 8631. A fanciful interpretation of 30 doublings . . . . .	14
1.2 b. The Old Babylonian doubling and halving algorithm . . . . .	18
1.2 c. <i>P.IFAO 88</i> : A parallel to M. 8631 in a Greek-Egyptian papyrus . . . . .	19
1.2 d. Summary. The Mesopotamian roots of a well known legend . . . . .	22
2. Hieratic Mathematical Papyri and Cuneiform Mathematical Texts	25
2.1. Themes in <i>P.Rhind</i> , a Large Hieratic Mathematical Papyrus Roll . . . . .	26
2.1 a. <i>P.Rhind</i> , a hieratic mathematical recombination text . . . . .	26
<i>P.Rhind</i> : Contents . . . . .	27
2.1 b. Theme E: division problems ( <i>P.Rhind</i> ## 24-38) . . . . .	29
2.1 c. Theme F: sharing problems ( <i>P.Rhind</i> ## 39-40, 63-65, 68) . . . . .	36
2.1 d. Theme G: geometry problems ( <i>P.Rhind</i> ## 41-46, 48-60) . . . . .	40
2.1 e. Theme H: baking or brewing numbers ( <i>P.Rhind</i> ## 69-78) . . . . .	59
2.1 f. Theme I: a combined price problem ( <i>P.Rhind</i> # 62) . . . . .	67
2.2. Themes in <i>P.Moscow</i> , a Smaller Hieratic Mathematical Papyrus Roll . . . . .	69
<i>P.Moscow</i> : Contents . . . . .	69
2.2 a. <i>P.Moscow</i> : Another Egyptian mathematical recombination text . . . . .	69
2.2 b. <i>P.Moscow</i> # 23: A combined work norm . . . . .	69
2.2 c. <i>P.Moscow</i> ## 6-7, 17: Metric algebra . . . . .	71
2.2 d. <i>P.Moscow</i> # 14: The volume of a truncated pyramid . . . . .	74
2.2 e. <i>P.Moscow</i> # 10: The area of a semicircle(?) . . . . .	78

2.3. Hieratic Mathematical Papyrus Fragments . . . . .	81
2.3 a. <i>P.Berlin 6619</i> # 1: Metric algebra . . . . .	81
2.3 b. <i>P.UC 32160</i> (= <i>Kahun IV. 3</i> ) # 1: A cylindrical granary . . . . .	85
2.3 c. <i>P.UC 32160</i> # 2: An arithmetic progression with 10 terms . . . . .	89
2.3 d. <i>P.UC 32161</i> (= <i>Kahun XLV. 1</i> ): A list of large numbers . . . . .	90
2.4. Conclusion	
New thoughts about the nature of <i>P.Rhind</i> . . . . .	92
Summary: Comparison of hieratic Egyptian and OB mathematics . . . . .	102
3. Demotic Mathematical Papyri and Cuneiform Mathematical Texts . . . . .	105
3.1. Themes in <i>P.Cairo</i> (Ptolemaic, 3rd C. BCE.) . . . . .	105
3.1 a. <i>P.Cairo</i> , a hieratic mathematical recombination text . . . . .	105
3.1 b. <i>P.Cairo</i> § 8 ( <i>DMP</i> ## 24-31). A pole against a wall . . . . .	107
3.1 c. <i>P.Cairo</i> § 1 ( <i>DMP</i> ## 2-3). Two closely related division problems . . . . .	109
3.1 d. <i>P.Cairo</i> § 2 ( <i>DMP</i> ## 4-6). Completion problems . . . . .	112
3.1 e. <i>P.Cairo</i> § 3 ( <i>DMP</i> ## 7, 15-16, 18). A rectangular sail . . . . .	115
3.1 f. <i>P.Cairo</i> § 4 ( <i>DMP</i> ## 8-12, 14, 17). Reshaping a rectangular cloth . . . . .	115
3.1 g. <i>P.Cairo</i> § 7 ( <i>DMP</i> # 23). Shares in a geometric progression . . . . .	120
3.1 h. <i>P.Cairo</i> § 9 ( <i>DMP</i> ## 32-33). Diameter of a circle with given area . . . . .	122
3.1 i. <i>P.Cairo</i> § 10 ( <i>DMP</i> ## 34-35). Metric algebra . . . . .	124
3.1 j. <i>P.Cairo</i> § 11 ( <i>DMP</i> ## 36, 38). An equilateral triangle in a circle . . . . .	126
3.1 k. <i>P.Cairo</i> § 12 ( <i>DMP</i> # 37). A square inscribed in a circle . . . . .	130
3.1 l. <i>P.Cairo</i> §§ 13-14 ( <i>DMP</i> ## 39-40). Pyramids with a square base . . . . .	136
3.1 m. <i>P.Cairo</i> §§ 15-16 (## “32-33”). Metric algebra . . . . .	136
3.2. <i>P.British Museum 10399</i> (Ptolemaic, Later than <i>P.Cairo</i> ) . . . . .	137
3.2 a. <i>P.BM 10399</i> § 1 ( <i>DMP</i> # 41). A circle-and -chord problem . . . . .	137
3.2 b. <i>P.BM 10399</i> § 2 ( <i>DMP</i> ## 42-45). Masts (truncated cones) . . . . .	141
3.2 c. <i>P.BM 10399</i> § 3 ( <i>DMP</i> ## 46-51). The reciprocal of $1 + 1/n$ , etc. . . . .	143
3.3. <i>P.British Museum 10520</i> (Early(?) Roman) . . . . .	145
3.3 a. <i>P.BM 10520</i> § 1 ( <i>DMP</i> # 53). The iterated sum of 1 through 10 . . . . .	145
3.3 b. <i>P.BM 10520</i> § 2 ( <i>DMP</i> # 54). A multiplication table for 64 . . . . .	148
3.3 c. <i>P.BM 10520</i> § 3 ( <i>DMP</i> # 55). A new multiplication rule . . . . .	149
3.3 d. <i>P.BM 10520</i> § 4 ( <i>DMP</i> # 56). $2/35$ expressed as a sum of parts . . . . .	149
3.3 e. <i>P.BM 10520</i> § 5 ( <i>DMP</i> ## 57-61). Operations with fractions . . . . .	150
3.3 f. <i>P.BM 10520</i> § 6 ( <i>DMP</i> ## 62-63). The square side rule . . . . .	154
3.3 g. <i>P.BM 10520</i> § 7 ( <i>DMP</i> ## 64-65). The quadrilateral area rule . . . . .	156
3.4. <i>P.British Museum 10794</i> (Date Uncertain) . . . . .	165
3.4 a. Multiplication tables for 90 and 150 ( <i>DMP</i> ## 66-67) . . . . .	165
3.5. <i>P.Carlsberg 30</i> (Probably 2nd C. BCE) . . . . .	166
3.5 a. <i>P.Carlsberg 30</i> # 1 ( <i>DMP</i> # 69). The diagonal of a square, etc. . . . .	167
3.5 b. <i>P.Carlsberg 30</i> # 2 ( <i>DMP</i> ## 71-72). A system of linear equations . . . . .	168
3.6. <i>P.Griffith Inst. I. E. 7</i> (Late Ptolemaic or Early Roman) . . . . .	173
3.6 a. A theme text with linear equations . . . . .	173
3.7. <i>P.Heidelberg 663</i> (Ptolemaic, 2nd or 1st C. BCE) . . . . .	174
3.7 a. <i>P.Heidelberg 663</i> # 1. A vertically striped trapezoid . . . . .	174

3.7 b. <i>P.Heidelberg</i> 663 # 2. A horizontally striped trapezoid . . . . .	177
The lengths of the transversals. . . . .	177
The lengths of the partial heights. . . . .	179
The lengths of the sloping sides. . . . .	180
3.7 c. <i>P.Heidelberg</i> 663. Parallel texts . . . . .	180
3.7 d. Conclusion . . . . .	189
The importance of <i>P.Cairo</i> for the history of mathematics. . . . .	189
The other demotic mathematical papyri . . . . .	191
4. Greek-Egyptian Mathematical Documents and Cuneiform Mathematical Texts . . . . .	193
4.1. <i>O.Bodl.</i> ii 1847 (30 BCE). An Ostrakon with Schematic Field Plans. . . . .	194
4.2. <i>P.Oxyrhynchus</i> iii 470 (3rd C. CE). A Water Clock . . . . .	195
4.3. <i>P.Vindobonensis</i> G. 26740. Five Illustrated Geometric Exercises . . . . .	196
4.3 a. <i>P.Vindob. G.</i> 26740 # 1. A segment of a circular band . . . . .	196
4.3 b. <i>P.Vindob. G.</i> 26740 ## 2-4. A circle area found in three ways . . . . .	198
4.3 c. <i>P.Vindob. G.</i> 26740 # 2. . . . .	198
4.3 d. <i>P.Vindob. G.</i> 26740 # 3. . . . .	198
4.3 e. <i>P.Vindob. G.</i> 26740 # 4. . . . .	198
4.3 f. <i>P.Vindob. G.</i> 26740 # 5. The area of a semicircle. . . . .	199
4.4. <i>P.Mich.</i> 620 (2nd C. CE). Systems of Linear Equations. Tabular Arrays. . . . .	200
4.4 a. <i>P.Mich.</i> 620 # 1. A system of linear equations: four unknowns. . . . .	200
4.4 b. <i>P.Mich.</i> 620 # 2. A system of linear equations: two unknowns . . . . .	202
4.4 c. <i>P.Mich.</i> 620 # 3. A system of linear equations: three unknowns . . . . .	202
4.5. <i>P.Akhmîm</i> (7th C. CE). Calculations with Fractions . . . . .	208
4.5 a. <i>P.Akhmîm</i> : Contents . . . . .	208
4.5 b. <i>P.Akhmîm</i> . Ten tables of fractions . . . . .	210
4.5 c. <i>P.Akhmîm</i> § 1. The capacity measure(?) of a truncated cone . . . . .	211
4.5 d. <i>P.Akhmîm</i> § 2. The capacity measure of a rectangular granary . . . . .	211
4.5 e. <i>P.Akhmîm</i> §§ 3, 5. Unequal sharing, and division exercises . . . . .	212
4.5 f. <i>P.Akhmîm</i> §§ 4-10. Examples of counting with fractions. . . . .	212
4.5 g. <i>P.Akhmîm</i> § 9. Prices and market rates . . . . .	214
4.6. <i>WT.Michael.</i> 62 (7th? C. CE). Prices and Market Rates . . . . .	215
4.7. Problems for Right Triangles and Quadrilaterals . . . . .	220
4.7 a. <i>P.Genève</i> 259. Problems for the sides of a right triangle . . . . .	220
4.7 b. <i>P.Chicago litt.</i> 3 (1st C. CE?). Three types of non-symmetric trapezoids . . . . .	221
4.7 c. <i>P.Cornell</i> 69. Non-symmetric trapezoids, and a birectangle . . . . .	226
4.8. <i>P.Vindobonensis</i> G. 19996 (1st C. CE?). Stereometric Exercises . . . . .	233
4.8 a. <i>P.Vindob. G.</i> 19996: Contents . . . . .	234
4.8 b. <i>P.Vindob. G.</i> 19996 # 10. A pyramid with a triangular base . . . . .	235
4.8 c. <i>P.Vindob. G.</i> 19996 # 13. A truncated triangular pyramid. . . . .	241
4.8 d. <i>P.Vindob. G.</i> 19996 # 18. A square pyramid . . . . .	241
4.8 e. <i>P.Vindob. G.</i> 19996 # 19. A truncated square pyramid . . . . .	241
4.8 f. <i>P.Vindob. G.</i> 19996 # 24. A truncated circular cone. . . . .	242
4.8 g. Pyramids and cones in Old Babylonian mathematical texts. . . . .	243
The volume of a truncated square pyramid . . . . .	243

The volume and grain measure of a ridge pyramid . . . . .	245
The grain measure of a ridge pyramid truncated at mid-height. . . . .	251
Systems of linear equations for the length $u$ and the ridge $r$ . . . . .	254
Rectangular-linear systems of equations . . . . .	256
Problems for a circular cone and its 'feed' . . . . .	257
Problems for truncated circular cones . . . . .	262
4.9. Conclusion . . . . .	268
Relations between Greek-Egyptian and Babylonian mathematics . . . . .	268
 New Thoughts About the Early History of Mathematics	 269
 Index of Texts	 271
 Index of Subjects	 277
 Bibliography	 283