

# Contents

<i>Preface</i>	vii
1. Introductory Chapter	1
1.1 Elementary act of impact ionization . . . . .	1
1.2 Auger recombination . . . . .	5
1.3 Energy of electrons and holes as a function of electric field . . . . .	8
1.4 Main approaches for describing ionization phenomena . . . . .	10
1.4.1 Approximation of the characteristic breakdown field $F_i$ . . .	10
1.4.2 Monte-Carlo simulation . . . . .	13
1.4.3 Approximation of ionization rates . . . . .	14
2. Avalanche Multiplication	21
2.1 Fundamentals of avalanche multiplication . . . . .	21
2.2 Avalanche photodiodes . . . . .	26
2.2.1 Spectral sensitivity . . . . .	26
2.2.2 Dark current . . . . .	27
2.2.3 Quantum efficiency . . . . .	29
2.2.4 Time response . . . . .	29
2.2.5 Multiplication factor . . . . .	32
2.2.6 Avalanche excess noise . . . . .	36
3. Static Avalanche Breakdown	39
3.1 Introduction . . . . .	39
3.2 General form of the static “breakdown” current-voltage characteristic	39
3.2.1 Microplasma breakdown . . . . .	41
3.2.2 Homogeneous (“mature”) breakdown . . . . .	44
3.2.2.1 Contact resistivity . . . . .	44
3.2.2.2 Thermal resistance . . . . .	45
3.2.2.3 Space-charge resistance . . . . .	47

3.2.3	Negative differential resistance . . . . .	50
3.2.3.1	Qualitative consideration . . . . .	50
3.2.3.2	The zero doping ( $p - i - n$ ) structure . . . . .	50
3.2.3.3	Computer simulation . . . . .	55
3.2.4	Second part of the current-voltage characteristic, with positive differential resistance at very high current densities . . . . .	58
3.3	Avalanche suppressor diodes . . . . .	60
3.3.1	Principle of operation . . . . .	60
3.3.2	Main parameters . . . . .	62
3.4	IMPATT diodes . . . . .	65
3.4.1	Principle of operation . . . . .	66
3.4.2	Some physical problems that arise at very high frequencies . . . . .	75
4.	Avalanche Injection . . . . .	81
4.1	Introduction . . . . .	81
4.2	Avalanche injection in $n^+ - n - n^+$ ( $p^+ - p - p^+$ ) structures . . . . .	81
4.3	Avalanche injection in bipolar transistors . . . . .	91
4.3.1	Introduction . . . . .	91
4.3.2	Avalanche transistor: conventional regime of operation . . . . .	92
4.3.2.1	Difference in breakdown voltages of a BJT between the common-base and common-emitter configurations . . . . .	92
4.3.2.2	Dependence of the bipolar transistor gain coefficient $\alpha_0$ on current density . . . . .	98
4.3.2.3	Main features of ABT operation in a conventional regime . . . . .	103
4.4	Operation regime of a Si avalanche transistor at very high current densities . . . . .	105
4.4.1	Introduction . . . . .	105
4.4.2	Steady-state collector field distribution. Residual collector voltage . . . . .	109
4.4.3	Transient properties of Si avalanche transistor at extreme current densities . . . . .	115
4.5	Operation regime of GaAs avalanche transistor at very high current densities . . . . .	122
4.5.1	Experimental results . . . . .	122
4.5.2	Breakdown in moving Gunn domain in GaAs: qualitative analysis . . . . .	124
4.5.3	Computer simulations of superfast switching in GaAs avalanche transistor . . . . .	133
5.	Dynamic Breakdown . . . . .	137
5.1	Introduction . . . . .	137

5.2	Impact ionization front (TRAPATT zone) . . . . .	140
5.3	Silicon Avalanche Sharpers (SAS) . . . . .	142
5.3.1	Computer simulations and comparison with experimental results	144
5.3.2	Stability of the plane ionization front . . . . .	148
5.3.2.1	Short-wavelength instability of the plane ionization front . . . . .	150
5.3.2.2	Long-wave length instability of the plane ionization front . . . . .	152
5.3.3	The problem of the initial carriers . . . . .	154
5.4	GaAs diodes with delayed breakdown . . . . .	157
5.5	Superfast switching of GaAs thyristors . . . . .	162
5.6	Main features of streamer breakdown . . . . .	168
5.6.1	Introduction . . . . .	168
5.6.2	Analytical theory of a streamer discharge . . . . .	169
5.6.3	Computer simulation . . . . .	176
	<i>Conclusion</i> . . . . .	179
	<i>List of Symbols</i> . . . . .	181
	<i>Bibliography</i> . . . . .	185
	<i>Index</i> . . . . .	195