

Contents

| | |
|---|-----------|
| Foreword | vi |
| Preface | vii |
| Introduction | 1 |
| 1. Meaning and Its Representation | 7 |
| 1.1 Concept Relation Net (CRN) | 9 |
| 1.2 Attribute Relation Net (ARN) | 11 |
| 2. Overview of HowNet | 15 |
| 2.1 The History of HowNet | 15 |
| 2.2 The Nature of HowNet | 17 |
| 2.3 The Architecture of HowNet | 20 |
| 3. Sememes | 23 |
| 3.1 What is a Sememe | 23 |
| 3.2 Acquisition of a Sememe set | 24 |
| 3.3 Inspiration from Chinese | 24 |
| 4. Concept Classification and Property Description | 31 |
| 4.1 Concept Classification | 31 |
| 4.2 Arbitrariness and Purpose of Classification | 32 |
| 4.3 Classification by Top-down or Bottom-up | 33 |
| 4.4 General Guidelines for Concept Classification in HowNet | 33 |
| 4.5 Root-nodes in HowNet | 35 |
| 5. Semantic Roles | 37 |
| 5.1 What is a Semantic Role | 37 |
| 5.2 Semantic Roles in HowNet | 37 |

| | |
|--|-----------|
| 6. Taxonomy | 61 |
| 6.1 Event Taxonomy | 61 |
| 6.1.1 Biaxial theory | 62 |
| 6.1.1.1 Development of things | 63 |
| 6.1.1.2 Correspondence between static events and dynamic events | 63 |
| 6.1.2 Event frames | 67 |
| 6.1.3 Typical actors or selectional restrictions | 68 |
| 6.2 Entity Taxonomy | 69 |
| 6.2.1 Things | 70 |
| 6.2.2 Components | 74 |
| 6.2.3 Space | 76 |
| 6.2.4 Time | 76 |
| 6.3 Attribute Taxonomy | 78 |
| 6.4 Attribute-value Taxonomy | 79 |
| 6.5 Secondary Features List | 81 |
| 6.6 Antonymous and Converse Sememes Lists | 83 |
| 7. Knowledge Dictionary of HowNet | 85 |
| 7.1 Lexical Entry | 86 |
| 7.1.1 Chinese words and expressions | 87 |
| 7.1.2 English words and expressions | 88 |
| 7.2 Part-of-Speech (POS) | 89 |
| 7.2.1 Part-of-speech of Chinese | 89 |
| 7.2.2 Part-of-speech of English | 91 |
| 7.3 Example | 93 |
| 7.4 Concept Definition | 95 |
| 8. Knowledge Database Mark-up Language and Concept Defining | 97 |
| 8.1 Extended BNF of KDML | 98 |
| 8.2 Identifiers of KDML and Referent Signs | 99 |
| 8.2.1 Identifiers of KDML | 99 |
| 8.2.2 Referent signs | 102 |
| 8.3 Defining Regulations | 106 |
| 8.3.1 General regulations | 106 |
| 8.3.2 Specific regulations | 108 |
| 8.3.2.1 Regulations for defining things | 109 |
| 8.3.2.2 Regulations for defining events | 111 |
| 8.3.2.3 Regulations for defining components | 113 |
| 8.3.2.4 Regulations for defining attributes | 114 |
| 8.3.2.5 Regulations for defining attribute-values | 117 |

| | |
|---|------------|
| 8.3.2.6 Regulations for defining time..... | 118 |
| 8.3.2.7 Regulations for defining space | 121 |
| 8.4 Principles of Defining Concepts..... | 122 |
| 8.4.1 Static defining and dynamic activating | 123 |
| 8.4.2 Uniformity in various levels of language structure | 124 |
| 8.4.3 Language-independent | 126 |
| 9. Revelation of Relations in HowNet | 129 |
| 9.1 Explicit Relations..... | 129 |
| 9.1.1 Synonym | 129 |
| 9.1.2 Synclass | 134 |
| 9.1.3 Antonym and converse..... | 136 |
| 9.1.4 Hypernym..... | 138 |
| 9.1.5 Hyponym..... | 142 |
| 9.1.6 Value-to-attribute..... | 149 |
| 9.1.7 Part-to-whole | 150 |
| 9.1.8 Attribute-to-host..... | 151 |
| 9.1.9 Semantic-roles-to-event..... | 153 |
| 9.1.10 Cognate role-frame | 154 |
| 9.2 Implicit Relations..... | 157 |
| 9.3 Axiomatic Relation of Events and Role Shifting..... | 159 |
| 10. Browser — HowNet’s Device of Computation of Meaning | 163 |
| 10.1 Dictionary Page..... | 163 |
| 10.1.1 Layout of dictionary page..... | 163 |
| 10.1.2 Functions of dictionary page..... | 169 |
| 10.1.3 Search modes of dictionary page | 173 |
| 10.2 Taxonomy Page | 183 |
| 10.2.1 Layout of taxonomy page..... | 183 |
| 11. Secondary Resources — HowNet’s Devices of Computation of Meaning | 187 |
| 11.1 Concept Relevance Calculator (CRC) | 187 |
| 11.1.1 Algorithm of CRC..... | 189 |
| 11.2 Concept Similarity Measure (CSM) | 195 |
| 11.2.1 Algorithm of CSM | 197 |
| 11.3 Query Expansion Tool (QET)..... | 207 |
| 11.3.1 Three ranks..... | 207 |
| 11.3.2 Cross-language | 208 |
| 11.3.3 Restraint of over-expansion..... | 212 |

| | |
|--|------------|
| 12. HowNet as a Software | 213 |
| 12.1 Data Construction | 213 |
| 12.1.1 Basic principles of programming | 213 |
| 12.1.2 Different types of database in HowNet | 214 |
| 12.1.3 KDML compilation | 215 |
| 12.2 Application Program Interface (API) of HowNet | 218 |
| 13. New Resources Activating New Technology — Some Applications of HowNet | 241 |
| 13.1 Word Sense Disambiguation (WSD) | 241 |
| 13.1.1 Types of semantic ambiguity | 242 |
| 13.1.2 Special resources in HowNet for WSD | 244 |
| 13.2 Question Analysis in Question Answering | 247 |
| 13.2.1 Separation of questions | 247 |
| 13.2.2 Question type | 248 |
| 13.2.3 Mapping of language expressions | 252 |
| 13.2.4 Prediction of answers | 253 |
| 13.3 Domain-specific Seed Word List Updating | 255 |
| 13.3.1 Domain-specific seed word lists in HowNet | 255 |
| 13.3.2 Domain-specific seed word list updating | 256 |
| 14. Some Views of Chinese Through HowNet | 259 |
| 14.1 Words or No Words | 259 |
| 14.2 Part-of-Speech — Semantics-first | 261 |
| 14.3 Aspect of Chinese Verbs | 265 |
| Bibliography | 275 |
| Appendix | 285 |
| Index | 301 |