

# CONTENTS

<b>Preface</b> . . . . .	xv
<b>CHAPTER 1</b>	
<b>Introduction</b> . . . . .	1
<b>CHAPTER 2</b>	
<b>Lagrangian Method</b> . . . . .	5
2.1 Introduction . . . . .	6
2.2 Definition of Variable and Notation . . . . .	7
2.3 The Governing Equation . . . . .	13
2.4 Equation of State . . . . .	15
2.5 Calculation Procedures and Finite Differences . . . . .	15
2.6 Sliding Interface Treatments . . . . .	24
References . . . . .	30
<b>CHAPTER 3</b>	
<b>Eulerian Method</b> . . . . .	31
3.1 Introduction . . . . .	32
3.2 General Description of Physical Formulation . . . . .	33
3.2.1 The Conservation Equation for a Stress-Supporting Medium . . . . .	33
3.2.2 Equation of State . . . . .	34
3.2.2.1 Stress in Elastic Regime . . . . .	34
3.2.2.2 Stresses in Plastic Regime . . . . .	35
3.2.2.3 Hydrostatic Pressure . . . . .	36
3.2.2.4 Yield Criterion . . . . .	36
3.2.2.5 Stress Correction for Rigid Body Rotation . . . . .	37

3.2.3	Spall . . . . .	38
3.2.3.1	Melting . . . . .	38
3.2.3.2	Spall . . . . .	39
3.2.3.3	Fracture . . . . .	39
3.3	Computational Scheme . . . . .	39
3.3.1	General Discussion . . . . .	39
3.3.2	Summary of Calculation Procedure . . . . .	40
3.3.2.1	Phase I: Lagrangian Phase . . . . .	40
3.3.2.2	Phase II: Particle Transport and Remapping . . . . .	41
3.3.3	Lagrangian Phase . . . . .	41
3.3.3.1	Equations to be Solved in the Radial Direction . . . . .	41
3.3.3.2	Lagrangian Phase Calculation . . . . .	43
3.3.3.3	Summary of Equations in the Axial Direction . . . . .	49
3.3.4	Stress Calculation in the Plastic Regime of Flow . . . . .	51
3.3.4.1	Radial Direction . . . . .	51
3.3.4.2	Axial Direction . . . . .	54
3.3.5	Particle Transport and Remapping . . . . .	55
3.3.5.1	Average Velocity for the Particle . . . . .	55
3.3.5.2	Particle Treatment for Void or Multi-material Cell . . . . .	55
3.3.6	Computation for Spall . . . . .	58
3.3.6.1	When Spalled . . . . .	58
3.3.6.2	Recombination . . . . .	59
3.3.6.3	Propagation of Fracture Surface . . . . .	59
3.3.7	Time Step Control . . . . .	59
3.4	Truncation Error Analysis . . . . .	61
3.4.1	Mass . . . . .	61
3.4.2	Radial Momentum . . . . .	63
3.4.3	Axial Momentum . . . . .	66
3.4.4	Internal Energy . . . . .	68
3.4.5	Deviatoric Stresses . . . . .	69
3.5	Equivalent Plastic Strain . . . . .	70
3.6	FCT Applied to Second-Order PIC . . . . .	72
3.6.1	Introduction . . . . .	72
3.6.2	Modified Mass Transport . . . . .	72

3.6.3	The Modified FCT Analysis . . . . .	76
	References . . . . .	78
 <b>CHAPTER 4</b>		
	<b>Artificial Viscosity and Shock Calculations . . . . .</b>	<b>81</b>
4.1	Introduction . . . . .	82
4.2	Basic Governing Equations . . . . .	83
4.3	Artificial Viscosity in One-Dimensional Code . . . . .	84
4.4	Artificial Viscosity in Two-Dimensional Code . . . . .	86
4.5	With and Without Artificial Viscosity Methods . . . . .	87
4.6	Sample Problem Calculations . . . . .	89
4.7	Conclusions and Discussions . . . . .	94
	References . . . . .	97
 <b>CHAPTER 5</b>		
	<b>Numerical Simulations of Oblique</b>	
	<b>Shock-Wave Reflection . . . . .</b>	<b>99</b>
5.1	Introduction . . . . .	100
5.2	Eulerian Method . . . . .	101
5.3	Lagrangian Method . . . . .	103
5.4	Numerical Calculations and Results . . . . .	105
	5.4.1 Regular Reflection . . . . .	107
	5.4.2 Mach Reflection . . . . .	112
5.5	Conclusions . . . . .	114
	References . . . . .	115
 <b>CHAPTER 6</b>		
	<b>Comparisons Between the Cell-Centered and Staggered</b>	
	<b>Mesh Lagrangian Hydrodynamics . . . . .</b>	<b>117</b>
6.1	Introduction . . . . .	118
6.2	A TVD Lagrangian Scheme . . . . .	120
6.3	The DIVU Limiter . . . . .	123
6.4	Vertex Velocity Definition . . . . .	123
6.5	Staggered Mesh . . . . .	125
6.6	The Mesa and Unicorn Method . . . . .	126
6.7	Sample Results . . . . .	128
6.8	Conclusions . . . . .	132
	References . . . . .	135

**CHAPTER 7**

<b>Multiphase Flow Treatment</b> . . . . .	137
7.1 Introduction . . . . .	138
7.2 Two-phase Flow Model Equations . . . . .	140
7.2.1 Basic Equation Set . . . . .	140
7.2.2 Soo's Momentum Equations . . . . .	142
7.2.3 Extended 'Rudinger-Chang' Momentum Equations . . . . .	143
7.2.4 Hancox <i>et al.</i> Momentum Equations . . . . .	144
7.2.5 Gidaspow's Momentum Equations . . . . .	145
7.3 Characteristics for the Five Two-phase Flow Equation Sets . . . . .	146
7.4 The Drag Function and Phase Change Rates . . . . .	148
7.5 Numerical Solution Procedure . . . . .	150
7.6 A More Stable Numerical Scheme . . . . .	152
7.7 Description of Test Problems . . . . .	153
7.7.1 Batch Settling of a Two-phase Mixture . . . . .	154
7.7.2 One-dimensional Fluidized Bed . . . . .	154
7.7.3 Simulation of Two-phase Jet Impinged on Vertical Plate . . . . .	155
7.7.4 Results of Computations and Discussion . . . . .	155
7.8 Conclusions . . . . .	161
References . . . . .	162

**CHAPTER 8**

<b>Equation of State, Constitutive Relationship and High Explosive</b> . . . . .	165
8.1 Introduction to the Equation of State . . . . .	165
8.2 The Mie-Grüneisen EOS and the Simple $u_s$ , $u_p$ Model . . . . .	165
8.3 The Osborne Model . . . . .	167
8.4 The Tillotson Equation of State . . . . .	167
8.5 Introduction to the Constitutive Relationship . . . . .	168
8.6 Quadratic Model . . . . .	168
8.7 Steinberg-Guinan Model . . . . .	169
8.8 Steinberg's New Model . . . . .	171
8.9 High Explosive . . . . .	174

8.9.1	Introduction . . . . .	174
8.9.2	JWL Equation of State . . . . .	175
8.9.3	Small Variation of JWL-EOS . . . . .	177
	References . . . . .	177
<b>CHAPTER 9</b>		
	<b>Shaped Charge Problems . . . . .</b>	<b>179</b>
9.1	Introduction . . . . .	179
9.2	Shaped Charge Calculations by Lagrangian Method without Slip . . . . .	179
9.3	Calculation of Shaped Charge Problem with Slip by Lagrangian Method . . . . .	180
9.4	Shaped Charge Calculations using Eulerian Method . . . . .	185
9.4.1	Viper Shaped Charge . . . . .	185
9.4.2	Tantalum Hemi-spherical Shaped Charge . . . . .	187
9.4.3	Bi-conical Copper Shaped Charge . . . . .	190
9.4.4	Oil Well Perforator P-C . . . . .	194
9.4.5	Copper Hemi-spherical Liner with PBX-W-113 (Energetic Explosive) . . . . .	194
9.4.6	Calculations of the Hemi-spherical Copper Shaped Charge . . . . .	194
9.4.7	Bi-conical Copper Shaped Charge with PBX-9404 . . . . .	204
9.4.8	Calculations of the BRL Precision Copper Shaped Charge . . . . .	206
9.4.9	Shaped Charges of Tungsten-copper Alloy . . . . .	208
	References . . . . .	215
<b>CHAPTER 10</b>		
	<b>Explosive Formed Projectile . . . . .</b>	<b>217</b>
10.1	Introduction . . . . .	217
10.2	Calculation of Explosive Formed Projectile with Combination of Lagrangian and Eulerian Codes . . . . .	217
10.3	Copper EFP with Foam . . . . .	218
10.4	Copper EFP without Foam . . . . .	226
10.5	Non-axisymmetric Tantalum EFP Warhead . . . . .	226

**CHAPTER 11**

<b>The Penetration of Shaped Charge Jet . . . . .</b>	<b>233</b>
11.1 Introduction . . . . .	233
11.2 Calculations of Tungsten Rod Penetrating Aluminum Target . . . . .	233
11.3 Calculations of Copper Rod Penetrating Steel Plate . . . . .	235
11.4 Tantalum Shaped Charge Penetrates into Steel Block . . . . .	238
11.5 Tantalum Shaped Charge Penetrates into Steel Plate, Water, and Another Steel Plate . . . . .	239
11.6 Copper-lead Shaped Charge Penetrates into Steel Block . . . . .	240
11.7 Bi-conical Copper-lead Powder Shaped Charge Penetrates into Steel Block . . . . .	246
11.8 Bi-conical Copper Shaped Charge Penetrates into Thin Steel Plate, Water, Thick Steel Plate and Rock . . . . .	246
11.9 Viper Shaped Charge Penetrates into Steel Block . . . . .	246
11.10 Computational Assessment of LEAP Performance with Different Lethality Enhancements . . . . .	252
11.11 Lethality Assessments for Ascent-phase Interceptor Impacts on a Generic Chemical Submunition Target . . . . .	256
References . . . . .	267

**CHAPTER 12**

<b>Oil Well Perforator Design Using 2D Eulerian Code . . . . .</b>	<b>269</b>
12.1 Introduction . . . . .	270
12.2 Description of the 2D Eulerian Code . . . . .	274
12.3 Equation of State and Constitutive Relation . . . . .	277
12.4 Shaped Charge Jet Characteristics . . . . .	278
12.5 Jet Formation and Penetration as Compared with Experimental Data . . . . .	280
12.6 Perforators of 4.4 cm Charge Diameter . . . . .	283
12.7 Perforators of 3.6 cm Charge Diameter . . . . .	289
12.8 Discussions . . . . .	294
12.9 Conclusions . . . . .	298
References . . . . .	299

**APPENDIX A**

<b>One Dimensional Radiation Hydrodynamics . . . . .</b>	<b>301</b>
A.1 Introduction . . . . .	302

A.2	Mathematical Theory of Radiation Hydrodynamics . . . . .	303
A.2.1	Introduction . . . . .	303
A.2.2	Radiation Transport Equation . . . . .	305
A.2.3	Non-equilibrium Diffusion Equation with Compton Scattering . . . . .	307
A.2.4	Non-equilibrium Diffusion Equations in an Inertial Frame . . . . .	311
A.2.5	Conservation Laws . . . . .	314
A.3	Numerical Analysis . . . . .	316
A.3.1	Difference Equations . . . . .	316
A.3.2	Boundary Conditions . . . . .	324
A.3.3	Opacity Averaging Procedure . . . . .	326
A.3.4	Variable Eddington Factor . . . . .	330
A.3.5	Scattering Terms . . . . .	338
A.3.6	Difference Equation for the Conservation of Momentum and Energy . . . . .	345
A.4	Formulae for the First Moment of the Radiative Transfer Equation in 1D Geometry . . . . .	347
A.5	Properties of an Implicit Difference Approximation to the Wave Equation . . . . .	353
	References . . . . .	356
 <b>APPENDIX B</b>		
	<b>Thermonuclear Burn of Deuterium-Tritium Sphere . . . . .</b>	<b>357</b>
B.1	Introduction . . . . .	358
B.2	The Governing Equations . . . . .	359
B.3	The Thermonuclear Reaction Rate . . . . .	362
B.4	Calculation Procedure . . . . .	364
B.5	Radiation Transport Calculation . . . . .	366
B.6	Some Important Fission Reactions . . . . .	369
	References . . . . .	370
 <b>APPENDIX C</b>		
	<b>Hugoniot Data . . . . .</b>	<b>371</b>
	<b>Author Index . . . . .</b>	<b>375</b>
	<b>Subject Index . . . . .</b>	<b>377</b>