

Contents

Preface

vii

| | |
|---|----------|
| Overview of Quantum Mechanical Techniques | 1 |
| 1. Quantum Mechanics: Perspectives | 3 |
| 1.1 Wave Mechanics of Particles: Schrödinger Wave Function | 7 |
| 1.1.1 Some Algebraic Relations of Q and P | 10 |
| 1.1.2 Deterministic Schrödinger Wave Equation | 11 |
| 1.1.3 Isotopic Wavefunction and Many-Body Wavefunction . . . | 12 |
| 1.1.3.1 Decoupling of Isotopic Degrees of Freedom . . . | 13 |
| 1.1.3.2 Phenomenological ‘Decoupling’ or Reduction of Many-Body Problems | 14 |
| 1.2 Generator of Position Eigenstates | 14 |
| 1.3 Discrete Phase Space on Finite Fields | 18 |
| 1.4 Non-Hermitian Canonical Variables | 18 |
| 1.4.1 Left and Right Eigenvectors of Non-Hermitian Operators . | 19 |
| 1.5 Coherent State Formulation as a Mixed q - p Representation | 21 |
| 2. Quantum Mechanics of Classical Fields | 23 |
| 2.1 Quantization of Harmonic Oscillator | 23 |
| 2.1.1 The Complex Canonical Variables | 23 |
| 2.1.2 Classical Schrödinger-Like Equation for Harmonic Oscillator | 25 |
| 2.1.3 Second-quantization of the Schrödinger-Like Equation . . | 25 |
| 3. The Linear Chain of Atoms Coupled by Harmonic Forces | 26 |
| 3.1 Complex Dynamical Variables | 27 |

| | | |
|-------|---|----|
| 3.1.1 | Creation and Annihilation Operator for a Coupled Linear Chain of Atoms | 27 |
| 4. | Lattice Vibrations in Crystalline Solids: Phonons | 30 |
| 4.1 | Elementary Lattice Dynamics: The Linear Chain | 30 |
| 4.1.1 | Quantization of the Vibrational Mode: Phonons | 35 |
| 4.2 | Lattice Vibrations in Three Dimensions | 36 |
| 4.3 | Normal Coordinates in Three Dimensions | 37 |
| 4.3.1 | Acoustic and Optic Modes | 42 |
| 4.3.2 | Frequency Distribution of Normal Modes | 44 |
| 4.4 | Experimental Probes: Elastic Constants | 46 |
| 4.5 | Hamiltonian in Terms of Normal Coordinates | 46 |
| 4.6 | Phonons in Three Dimensions | 48 |
| 5. | Quantization of Electromagnetic Fields | 50 |
| 5.1 | Maxwell Equations | 50 |
| 5.2 | The Electromagnetic Wave Equations | 51 |
| 5.2.1 | A Single Electromagnetic Wave Equation | 52 |
| 5.3 | Covariant Formulation of Electrodynamics | 54 |
| 5.4 | Complex Dynamical Variables | 56 |
| 6. | Quantum States of Classical Fields | 62 |
| 6.1 | Wave Function for the Harmonic Oscillator | 62 |
| 6.2 | Second Quantization of the Classical ϕ and ϕ^* | 62 |
| 6.3 | Biorthogonal Bases | 65 |
| 6.4 | Coherent State Bases | 66 |
| 7. | Coherent States Formulation of Quantum Mechanics | 68 |
| 7.1 | Non-Orthogonality of Coherent States | 72 |
| 7.2 | Completeness of Coherent States | 73 |
| 7.3 | Generation of Coherent States | 73 |
| 7.4 | Displacement Operator | 75 |
| 7.5 | Linear Dependence of Coherent States | 76 |
| 7.6 | General Completeness Relation for States Generated by the Displacement Operator | 77 |
| 7.7 | Coordinate Representation of a Coherent State | 78 |
| 7.8 | The Power of Coherent State Representation and the Virtue of Over-Completeness | 79 |
| 8. | Density-Matrix Operator and Quasi-Probability Density | 82 |
| 8.1 | Diagonal Representation of Density-Matrix Operator | 83 |
| 8.2 | Procedures for Determining $\sigma(\alpha)$ | 84 |

| | | |
|---------|--|-----|
| 9. | Operator Algebra | 87 |
| 9.1 | General Operators | 87 |
| 9.2 | Boson Annihilation and Creation Operators, Ordering | 91 |
| 9.2.1 | Traces of Function of Boson Operators | 95 |
| 9.3 | Characteristic Functions and Distribution Functions | 98 |
| 9.3.1 | The Wigner Distribution Function | 100 |
| 9.3.1.1 | Q-function and P-Function | 104 |
| 9.3.2 | The Husimi Distribution Function | 105 |
| 9.4 | Generalized Coherent States and Squeezing | 109 |
| 9.5 | Algebra and Calculus within Ordered Products | 113 |
| 9.5.1 | Algebra within Ordered Products | 113 |
| 9.5.1.1 | Differentiation within Ordered Products | 114 |
| 9.5.2 | Integration within Ordered Products in Quantized Classical Field | 114 |
| 9.5.3 | Evaluation of Integral of Some Important Mapping Operators | 115 |
| 9.5.4 | Symplectic Transformation and Symplectic Group | 116 |
| 9.5.4.1 | Quadrature States | 119 |
| 9.5.5 | Complex Form of Symplectic Transformation Matrix | 120 |
| 10. | Discrete Quantum Mechanics of Bloch Electrons | 124 |
| 10.1 | Energy-Band Dynamics of Bloch Electrons | 124 |
| 10.1.1 | Wannier Function and Bloch Function | 124 |
| 10.1.2 | Lattice Weyl-Wigner Formulation of Energy-Band Dynamics | 125 |
| 10.2 | Application to Calculation of Magnetic Susceptibility | 131 |
| 11. | The Effective Hamiltonian | 135 |
| 11.1 | Two-Body Effective Hamiltonian | 136 |
| 11.2 | Effective Hamiltonian in Second Quantization | 137 |
| 11.3 | Effective Non-Hermitian Hamiltonian in a Magnetic Field | 141 |
| 12. | Path Integral Formulation | 146 |
| 12.1 | Evolution Operator and Sum over Trajectories | 146 |
| 12.2 | Path Integral in Quantum-Field Theory | 148 |
| 12.2.1 | Bose Systems | 148 |
| 12.2.2 | Path Integral for Fermion Systems | 149 |
| 13. | Gauge Theory and Geometric Phase in Quantum Systems | 157 |
| 13.1 | Directional (Covariant) Derivative on Curve Spaces | 158 |
| 13.2 | Parallel Transport in Curvilinear Space | 159 |
| 13.3 | Parallel Transport Around Closed Curve | 160 |

| | | |
|----------|--|-----|
| 13.4 | Generalization to Quantum Mechanics | 162 |
| 13.5 | Born-Oppenheimer Approximation | 166 |
| 14. | Generalizations of Geometric Phase: Fiber Bundles | 170 |
| 14.1 | The Fiber Bundle Concept | 170 |
| 14.2 | Generalizations of Berry's Geometric Phase in Quantum Physics | 173 |
| 14.3 | Geometric Phase in Many-Body Systems | 174 |
| 14.3.1 | Localized Disturbances of the Ground State of 2+1-D Many-Body Systems | 176 |
| 14.3.2 | Reconstructing Statistical Quantum Fields in Many-Body Physics | 179 |
| 14.3.2.1 | Bosonization | 181 |
| 15. | Geometric Phase in Quantum Field Theories: Standard Model | 182 |
| 15.1 | Classical Gauge Theory | 182 |
| 15.2 | The Yang-Mills Lagrangian for the Gauge Field | 186 |
| 15.3 | Electrodynamics as a Gauge Theory | 187 |
| 15.4 | Quantization of Gauge Theories | 187 |
| 16. | String Theory | 189 |
| 16.1 | Feynman Diagrams | 189 |
| 16.2 | The Birth of String Theory | 190 |
| 16.3 | Need for Extra Dimensions in String Theory | 191 |
| 16.4 | Nanoelectronics and String Theory | 192 |

Mesoscopic Physics 195

| | | |
|--------|---|-----|
| 17. | Mesoscopic Physics | 197 |
| 17.1 | Introduction | 197 |
| 17.2 | Mesoscopic Quantum Transport | 198 |
| 17.3 | Electrical Resistance Due to a Quantum Scattering Event | 199 |
| 17.4 | The Multichannel Conductance Formula | 204 |
| 17.5 | Quantum Interference in Small-Ring Structures | 206 |
| 17.6 | Generalized Four-Probe Conductance Formula | 209 |
| 17.6.1 | Two-Probe Conductance Formula | 211 |
| 17.6.2 | Three-Probe Conductance Formula: Model of Inelastic Scatterers | 212 |
| 17.6.3 | Weakly-Coupled Voltage Probes: Barrier Point Contacts | 213 |
| 17.6.4 | The Landauer Four-Probe Conductance Limit | 214 |
| 18. | Model of an Inelastic Scatterer with Complete Randomization | 216 |

| | | |
|--------|---|------------|
| 18.1 | Conductance Formula for a Sample Containing an Inelastic Scatterer between Two Elastic Scatterers | 220 |
| 18.2 | Quantum Coherence in a Chain of Elastic and Inelastic Scatterers | 224 |
| 19. | Other Applications of Landauer-Büttiker Counting Argument | 228 |
| 19.1 | Integral and Fractional Quantum Hall Effect | 229 |
| 19.2 | Universal Conductance Fluctuations | 230 |
| 19.3 | Persistent Currents in Small Normal-Metal Loop | 230 |
| 19.4 | Transport in One-Channel Luttinger Liquid | 231 |
| 19.5 | Mesoscopic Thermal Noise and Excess Noise | 231 |
| 19.6 | High-Frequency Behavior | 232 |
| 20. | “Gated” Schrödinger Waveguide Structures and Ballistic Transport | 233 |
| 20.1 | Phenomena Associated with the Quantization of Charge | 233 |
| 21. | Steady-State Nonlinear Many-Body Quantum Transport | 237 |
| 21.1 | Correlation Functions | 237 |
| 21.2 | Integral Equations of Mesoscopic Physics | 240 |
| 21.3 | Tight-Binding Recursive Technique | 244 |
| 21.3.1 | Tight-Binding Expression for the Current | 245 |
| 21.3.2 | Multidimensional Current Expression | 250 |
| 21.3.3 | Mesoscopic Transport Along a Linear Atomic Chain | 250 |
| 21.3.4 | The Four-Probe Landauer Current Formula | 254 |
| 21.3.5 | Current Formula in the Presence of Real Phonon Scatterings | 254 |
| 22. | Numerical Matrix-Equation Technique in Steady-State Quantum Transport | 258 |
| 22.1 | Kinetic Equation at Low Temperatures | 259 |
| 22.2 | Kinetic Equation at Higher Temperatures and Arbitrary Bias | 262 |
| 22.3 | Relation with Multiple-Probe Büttiker Current Formula | 263 |
| 23. | Alternative Derivation of Büttiker Multiple-Probe Current Formula | 268 |
| | Heterostructure Quantum Devices: Nanoelectronics | 271 |
| 24. | Nanoelectronics | 273 |
| 24.1 | Introduction | 273 |
| 24.2 | Nanodevices | 276 |
| 24.3 | Vertical vs Lateral Transport in Nanotransistor Designs | 280 |

| | | |
|----------|---|-----|
| 24.4 | Nanotransistor Designs | 281 |
| 24.4.1 | Vertical Transport Designs | 281 |
| 24.4.2 | Lateral Transport Designs | 289 |
| 24.4.3 | GaAs/AlGaAs MODFET-Based Nanotransistors | 292 |
| 25. | Nanodevice Physics | 294 |
| 25.1 | Introduction | 294 |
| 25.2 | Time-Dependent Nonequilibrium Green's Function | 295 |
| 25.2.1 | Electron-Electron Interaction via Exchange of Phonons | 300 |
| 25.2.2 | Relaxation-Time Approximation | 301 |
| 25.3 | Intrinsic Bistability of RTD | 301 |
| 25.4 | Quantum Inductance and Equivalent Circuit Model for RTD | 305 |
| 25.4.1 | Transient Switching Behavior and Small-Signal Response of RTD from the QDF Approach | 311 |
| 25.4.2 | High-Frequency Behavior and Small Signal Response of RTD using an Equivalent Circuit Model | 313 |
| 25.4.2.1 | Linear Response | 313 |
| 25.4.2.2 | Nonlinear Response | 316 |
| 26. | QDF Approach and Classical Picture of Quantum Tunneling | 318 |
| 26.1 | Lattice Wigner Function and Band Structure Effects | 318 |
| 26.2 | Coherent and Incoherent Particle Tunneling Trajectories | 319 |
| 27. | RTD as a Two-State Memory Device, a Memdiode or a Memristor | 324 |
| 27.1 | Binary Information Storage at Zero Bias | 324 |
| 27.1.1 | Intrinsic Behavior of Double-Barrier Structures | 324 |
| 27.1.2 | The Physical Picture | 325 |
| 27.1.3 | Analysis of a RTD Memory or Memdiode | 326 |
| 27.1.4 | Two-State I-V and Two Charge States | 331 |
| 28. | RTD as a Tera-Hertz Source | 333 |
| 28.1 | Type I RTD High-Frequency Operation | 333 |
| 28.2 | Type II RTD High-Frequency Operation | 335 |
| 28.3 | Regional Block Renormalization: Type-I RTD | 338 |
| 28.3.1 | Estimation of J_2^c and J_1^c | 339 |
| 28.3.2 | Elimination of Fast-Relaxing Variable for Type-I RTD | 340 |
| 28.4 | Regional Block Renormalization: Type-II RTD | 341 |
| 28.5 | Two Sites Bloch-Equation 'Instanton' Approach | 343 |
| 28.5.1 | Type-I RTD | 343 |
| 28.5.1.1 | Tunneling Matrix Elements | 344 |
| 28.5.1.2 | Elimination of Off-Diagonal Elements of the Density-Matrix | 347 |

| | | |
|---|---|------------|
| 28.5.2 | Type-II RTD | 350 |
| 28.6 | Stability Analysis | 351 |
| 28.7 | Numerical Results | 352 |
| 28.8 | Perturbation Theory and Limit Cycle Solutions | 353 |
| General Theory of Nonequilibrium Quantum Physics | | 359 |
| 29. | General Theory of Nonequilibrium Quantum Physics in Real Time | 361 |
| 29.1 | Introduction | 361 |
| 29.2 | Quantum Dynamics in Liouville Space | 363 |
| 30. | Super-Green's Functions | 372 |
| 30.1 | Connected Diagrams: Correlation Function \mathcal{K} | 379 |
| 30.2 | Self-Consistent Equations for GQDF | 380 |
| 30.2.1 | Schwinger Equation as Generalization of the Kohn-Sham and Gross-Pitaevskii Equations | 381 |
| 30.2.2 | Closure Problem and Renormalization Procedure | 381 |
| 30.2.3 | Iterative Equations for the Vertex Functions | 384 |
| 31. | Quantum Transport Equations of Particle Systems | 387 |
| 31.1 | General Quantum Transport Equations | 390 |
| 31.2 | Transport Equations and Lattice Weyl Transformation | 392 |
| 32. | Generalized Bloch Equations | 396 |
| 32.1 | Generalized Bloch Equations in Quantum Optics | 397 |
| 32.2 | The Bloch Vector Representation | 401 |
| 32.3 | Bloch Vector Equations | 403 |
| 32.4 | Atomic Energy and Dipole Moment | 403 |
| 32.5 | Rotating Wave Approximation | 406 |
| 32.6 | Transformation to Rotating Frame | 406 |
| 32.6.1 | State Preparation and Adiabatic Following Phenomenon | 408 |
| 32.7 | Analytical Solutions of the Bloch Equations | 408 |
| 32.7.1 | The Rabi Problem | 408 |
| 32.7.2 | Response to Light Pulse | 410 |
| 32.7.3 | Self-Induced Transparency | 411 |
| 33. | Generalized Coherent-Wave Theory | 415 |
| 33.1 | The Tight-Binding Limit | 418 |
| 33.1.1 | Flat Band Case | 419 |
| 34. | Impact Ionization and Zener Effect | 421 |

| | | |
|--|---|------------|
| 34.1 | Coulomb Pair Potential Δ for Impact Ionization and Auger Recombination | 422 |
| 34.2 | Pair Potential Δ due to Zener Effect | 424 |
| 35. | Quantum Transport Equations in Phase Space | 426 |
| 35.1 | Conservation of Particle in Zener Tunneling | 429 |
| 35.2 | Nanosystem Applications | 429 |
| 35.2.1 | Resonant Tunneling Diode (RTD) | 429 |
| 36. | QSFT of Second-Quantized Classical Fields: Phonons | 431 |
| 36.1 | Liouvillian Space Phonon Dynamics | 433 |
| 36.2 | The Phonon Super-Green's Function | 435 |
| 36.3 | Transport Equation for the Phonon Super-Correlation Function | 438 |
| 36.4 | Phonon Transport Equations in Phase Space | 439 |
| 36.5 | The Phonon Boltzmann Equation | 442 |
| Operator Space Methods and Quantum Tomography | | 445 |
| 37. | Operator Hilbert-Space Methodology in Quantum Physics | 447 |
| 37.1 | The Density Operator in Operator Vector Space | 447 |
| 37.2 | Formulation in Terms of Translation Operators | 450 |
| 37.2.1 | Weyl Transform of GPM Operator | 452 |
| 37.2.2 | Weyl Transform of the GPM Eigenstate Projector | 454 |
| 37.3 | Point Projector in Terms of Line Projectors | 456 |
| 37.3.1 | $\check{\Delta}(p, q)$ in Terms of Intersecting Lines at Point (p, q) | 456 |
| 38. | The Wigner Function Construction | 460 |
| 38.1 | The Quasi-Probability Distribution and Radon Transform | 460 |
| 38.1.1 | The Radon Transform | 461 |
| 38.2 | Line Eigenstates and Line Projection Operators | 462 |
| 38.2.1 | Density Operator in Terms of Line Projectors | 465 |
| 38.3 | Translational Covariance of the Wigner Function | 467 |
| 38.4 | Transformation Properties of the Radon Transform | 469 |
| 38.5 | Intersection of Line Projectors: Mutually Unbiased Basis | 471 |
| Discrete Phase Space on Finite Fields | | 475 |
| 39. | Discrete Phase Space on Finite Fields | 477 |
| 39.1 | Discrete Wigner Function on Finite Fields | 477 |

| | | |
|--------|---|-----|
| 39.1.1 | Line in Discrete Phase Space: Pure Quantum State | 478 |
| 39.1.2 | Commutation Relation Between $Q(\lambda)$ and $T(q, p)^{sym}$. . | 479 |
| 39.2 | Generalized Pauli Matrices | 480 |
| 39.2.1 | Commutation Relations and Products of $Y_{q'p'}$ | 481 |
| 39.2.2 | Expansion of Operators: Hamiltonian in Terms of Generalized Pauli Matrices | 483 |
| 39.2.3 | Pauli Matrices | 484 |
| 39.3 | Discrete Fourier Transform and Generalized Hadamard Matrix . . | 486 |
| 39.3.1 | Eigenfunctions and Eigenvalues of $X_1, Z_1,$ and $Y_{1,1}$ | 487 |
| 39.3.2 | General Quantum State of a Two-Level System: Bloch Sphere | 489 |
| | 39.3.2.1 Range of the Parameters | 491 |
| | 39.3.2.2 Bloch Sphere | 491 |
| | 39.3.2.3 Quantum States on Opposite Points of Bloch Sphere | 493 |
| 39.3.3 | Exponential Map | 493 |
| | 39.3.3.1 Rotation about an Arbitrary Axis in Real 3-D Space | 497 |
| | 39.3.3.2 Arbitrary Unitary Operator for a Qubit: Quan- tum Control | 498 |
| 39.3.4 | Density Operator for a Two-Level System: Disordered and Pure States | 500 |
| 40. | Discrete Quantum Mechanics on Finite Fields | 501 |
| 40.1 | Tensor Product of Operators | 501 |
| 40.1.1 | Entanglement Due to Interactions | 505 |
| 40.1.2 | The No-Cloning Theorem | 506 |
| | 40.1.2.1 Consequences | 507 |
| 40.2 | Quantum Control | 507 |
| 40.2.1 | Pauli Operators over Power-of-Prime Finite Fields | 509 |
| | 40.2.1.1 Phase Space for a Spin- $\frac{1}{2}$ System or Single Qubit | 511 |
| 40.3 | Striations and Mutually Unbiased Bases | 512 |
| 41. | Discrete Wigner Distribution Function Construction | 517 |
| 41.1 | Discrete Wigner Function for a Single Qubit | 520 |
| 41.2 | Discrete Phase Space Structure for Two Qubits | 528 |
| 41.2.1 | Striations Construction | 529 |
| 41.2.2 | Binary String Encoding of Points in Discrete Phase Space | 531 |
| 41.2.3 | Construction of Dual Field Basis for Two Qubits | 533 |
| | 41.2.3.1 Commutation Relation | 534 |

| | | |
|---------|---|-----|
| 41.3 | Line Projectors for Two Qubit Systems | 535 |
| 41.3.1 | Product Hilbert Space for a Two Qubit System | 535 |
| 41.3.2 | Eigenvectors of Commuting Translation Operators | 541 |
| 41.3.3 | Vertical Striation Ray and ‘Position’ Basis | 541 |
| 41.3.4 | Horizontal Striation Ray and ‘Momentum’ Basis | 544 |
| 41.3.5 | Diagonal Striation Ray and ‘YY’ Basis | 547 |
| 41.3.6 | Low-Slope-Striation Ray and ‘Belle’ Basis | 550 |
| 41.3.7 | High-Slope-Striation Ray and ‘Beau’ Basis | 552 |
| 41.4 | Discrete Wigner Function for Two Qubits | 556 |
| 41.4.1 | The Origin in Phase Space, $q = 0, p = 0$ | 556 |
| 41.4.2 | The Point $(1, 0)$ in Phase Space Structure | 557 |
| 41.4.3 | The Point $(\omega, 0)$ | 557 |
| 41.4.4 | The Point $(\check{\omega}, 0)$ | 557 |
| 41.4.5 | The Point $(0, 1)$ | 558 |
| 41.4.6 | The Point $(0, \omega)$ | 558 |
| 41.4.7 | The Point $(0, \check{\omega})$ | 558 |
| 41.4.8 | The Point $(1, 1)$ | 559 |
| 41.4.9 | The Point (ω, ω) | 559 |
| 41.4.10 | The Point $(\check{\omega}, \check{\omega})$ | 559 |
| 41.4.11 | The Point $(\omega, 1)$ | 560 |
| 41.4.12 | The Point $(\check{\omega}, 1)$ | 560 |
| 41.4.13 | The Point $(\check{\omega}, \omega)$ | 560 |
| 41.4.14 | The Point $(1, \omega)$ | 561 |
| 41.4.15 | The Point $(\omega, \check{\omega})$ | 561 |
| 41.4.16 | The Point $(1, \check{\omega})$ | 561 |
| 41.5 | Examples of Two-Qubit Discrete Wigner Function | 562 |
| 41.5.1 | Example 1 | 562 |
| 41.5.2 | Example 2 | 562 |
| 41.5.3 | Example 3 | 563 |
| 41.6 | Quantum Nets: Arbitrary Assignment to a ‘Vacuum’ Line | 564 |
| 41.7 | Potential Applications | 565 |

Phenomenological Superoperator of Open Quantum Systems: Generalized Measurements 567

| | | |
|--------|---|-----|
| 42. | Interference and Measurement | 569 |
| 42.1 | Projective Measurements | 571 |
| 42.1.1 | Effects of Measurements | 573 |
| 42.1.2 | Effects of Measurements on Entanglement | 573 |
| 42.1.3 | Measurements in Quantum Teleportation | 574 |
| 43. | Quantum Operations on Density Operators | 575 |

| | | |
|--------|--|-----|
| 43.1 | The Kraus Representation Theorem | 576 |
| 43.2 | Examples of Quantum Operations | 576 |
| 43.2.1 | Unitary Evolution | 576 |
| 43.2.2 | Probabilistic Unitary Evolution | 576 |
| 43.2.3 | Von Neumann Measurements | 576 |
| 43.2.4 | POVMs | 577 |
| 44. | Generalized Measurements | 579 |
| 44.1 | Distinguishing Quantum States | 583 |
| 44.2 | Utility of POVM | 584 |
| 45. | Phenomenological Density Matrix Evolution | 586 |
| 45.1 | Quantum Channels | 588 |
| 45.1.1 | Time Evolution | 589 |
| 45.1.2 | Partial Trace | 589 |
| 45.2 | Depolarizing Channel | 589 |
| 45.2.1 | Unitary Representation of the Channel | 590 |
| 45.2.2 | Kraus Representation of the Channel | 590 |
| 45.2.3 | Relative-State Representation | 591 |
| 45.2.4 | Bloch Sphere Picture | 593 |
| 45.2.5 | Semigroup Property | 593 |
| 45.3 | Phase Damping Channel | 593 |
| 45.3.1 | Unitary Representation for the Whole System | 594 |
| 45.3.2 | Kraus Operators | 594 |
| 45.4 | Amplitude-Damping Channel | 595 |
| 45.4.1 | POVM and Unchanging Environment | 596 |
| 46. | Master Equation for the Density Operator | 598 |
| 46.1 | The Lindblad Master Equation | 599 |
| 46.2 | Examples | 603 |
| 46.2.1 | Spontaneous Emission | 603 |
| 46.2.2 | Bloch Equations in Magnetic Resonance for Spin 1/2 | 604 |
| 46.3 | The Pauli Master Equation | 605 |
| 46.4 | Lindblad Equation for a Damped Harmonic Oscillator | 606 |
| 46.5 | Lindblad Equation for Phase Damped Harmonic Oscillator | 608 |
| 46.6 | Coherent State and Decoherence | 610 |
| 47. | Microscopic Considerations of a Two-Level System Revisited | 612 |
| 47.1 | Quantized Radiation Field | 613 |
| 47.2 | Perturbation Expansion of Density Operator | 618 |
| 47.2.1 | First-order Contribution | 620 |
| 47.2.2 | Resonance Approximation | 621 |

| | | |
|--|---|------------|
| 47.2.3 | Bloch Equation | 622 |
| 47.3 | Second Order Contribution | 624 |
| 47.4 | Master Equation to Second Order | 626 |
| 47.4.1 | Thermal Reservoir | 629 |
| 48. | Stochastic Meaning of Nonequilibrium Quantum Superfield Theory | 634 |
| 48.1 | Kubo-Martin-Schwinger Condition | 636 |
| 48.1.1 | Mass, Dissipation, and Noise Kernels in Nonequilibrium Quantum Superfield Theory | 639 |
| 48.2 | A Two-State System Interacting with a Heat Bath | 641 |
| 48.3 | Nonequilibrium Quantum Superfield Theory Correlations | 644 |
| 48.4 | Lamb Shift, Dissipation Kernel, and Noise Kernel | 650 |
| 48.4.1 | Comparison with the Master Equation of Sec. 47.4 | 652 |
| Quantum Computing and Quantum Information: Discrete Phase Space Viewpoint | | 657 |
| 49. | Discrete Phase Space Viewpoint | 659 |
| 49.1 | Quantum Teleportation | 659 |
| 49.1.1 | Unified Teleportation Procedure | 664 |
| 49.2 | N-State Particles | 665 |
| 49.3 | Formal Derivation of Entangled Basis States | 665 |
| 49.3.1 | Bell Basis | 666 |
| 49.3.2 | Three-Qubit Entangled Basis | 670 |
| 49.3.3 | A Qubit Teleportation Using Three-Particle Entanglement | 672 |
| 49.4 | Teleportation Using Three-Particle Entanglement and an Ancilla . | 674 |
| 49.5 | Two-Qubit Teleportation Using Three-Particle Entanglement . . . | 676 |
| 50. | Superdense Coding | 680 |
| 50.1 | General Dense Coding Scheme | 684 |
| 50.2 | Reduced Density Matrices | 684 |
| 50.3 | Quantum Channel, Generalized Dense Coding | 685 |
| 51. | Quantum Algorithm | 687 |
| 51.1 | Quantum Fourier Transform | 687 |
| 51.1.1 | Order-Finding Algorithm | 693 |
| 51.1.2 | Phase Estimation Algorithm | 695 |
| 51.1.3 | Connection Between Root Finding and Phase Estimation . | 699 |
| 51.2 | Quantum Search Algorithm | 702 |
| 51.2.1 | Performance of the Search Algorithm | 704 |

| | | |
|------------|---|-----|
| 51.3 | Discrete Logarithms | 704 |
| 51.3.1 | Quantum Solution | 705 |
| 51.4 | Hidden Subgroup Problem | 706 |
| 51.4.1 | Quantum Hidden Subgroup Algorithm | 708 |
| Appendix A | Commutation Relation between Components of $\pi(x, t)$ and $A(x', t)$ | 711 |
| Appendix B | Lattice Weyl Transform of One-Particle Effective Hamiltonian in Magnetic Field | 715 |
| Appendix C | Second Quantization Operators in Solid-State Band Theory | 718 |
| Appendix D | Direct Construction of Fermionic Path Integral | 724 |
| Appendix E | Hot-Electron Green's Function | 730 |
| Appendix F | Derivation of Generalized Semiconductor Bloch Equations | 732 |
| Appendix G | Calculation of Nonequilibrium Self-Energies | 741 |
| G.1 | Nonequilibrium Self-Energy due to Electron-Electron Interaction | 741 |
| G.1.1 | First-Order Contribution to the Electron Self-Energy . . . | 741 |
| G.1.2 | Four-Point Vertex Function to Second Order | 742 |
| Appendix H | Radon Transformation of Phase Space Functions | 776 |
| Appendix I | Introduction to Finite Fields | 790 |
| I.1 | Constructing Finite Fields | 793 |
| I.1.1 | GF(9) | 793 |
| I.1.2 | GF(8) | 795 |
| I.2 | Constructing Bases of Finite Field | 796 |
| I.3 | Trace Operation on Elements of Finite Field | 798 |
| I.4 | Dual Basis | 800 |
| I.4.1 | Construction of Dual Basis | 800 |
| I.5 | Transformation of Coordinates | 802 |
| | <i>Bibliography</i> | 803 |
| | <i>Index</i> | 811 |