

# CONTENTS

<b>I. Whole Organ Mechanics</b>	<b>1</b>
Medial-olivocochlear-efferent effects on basilar-membrane and auditory-nerve responses to clicks: Evidence for a new motion within the cochlea <i>J. J. Guinan Jr., T. Lin, H. Cheng and N. P. Cooper</i>	3
Pulsating fluid motion and deflection of the stereocilia of the inner hair cells due to the electromechanics of the outer hair cells <i>A. W. Gummer, M. Nowotny, M. P. Scherer and A. Vetešník</i>	17
Atomic force microscopic imaging of the intracellular membrane surface of prestin-expressing Chinese hamster ovary cells <i>H. Wada, M. Murakoshi, K. Iida, S. Kumano, T. Gomi, K. Kimura, H. Usukura, M. Sugawara, S. Kakehata, K. Ikeda, Y. Katori and T. Kobayashi</i>	26
Action of furosemide on the cochlea modeled with negative feedback <i>S. M. Khanna</i>	34
Modulation of cochlear mechanics: Model predictions and experimental findings of the effect of changing perilymph osmolarity <i>J. S. Oghalai, C.-H. Choi and A. A. Spector</i>	41
Measuring the material properties of normal and mutant tectorial membranes <i>K. Masaki, D. M. Freeman, G. Richardson and R. J. H. Smith</i>	49
Tuning and travel of two tone distortion in intracochlear pressure <i>W. Dong and E. S. Olson</i>	56
Response characteristics of the 6 kHz cochlear region of chinchilla <i>W. S. Rhode</i>	63
Stiffness properties of the reticular lamina and the tectorial membrane as measured in the gerbil cochlea <i>C.-P. Richter and A. Quesnel</i>	70

Backward propagation of otoacoustic emission in the cochlea <i>T. Ren, W. X. He and A. L. Nuttall</i>	79
Medial olivocochlear efferent effects on basilar membrane responses to sound <i>N. P. Cooper and J. J. Guinan Jr.</i>	86
Modulation patterns and hysteresis: Probing cochlear dynamics with a bias tone <i>L. Bian and M. E. Chertoff</i>	93
What do the OHCs move with their electromotility? <i>M. Nowotny and A. W. Gummer</i>	101
Noise improves peripheral coding of short stimuli <i>L. K. Rimskaya-Korsakova</i>	103
Phase and amplitude transfer in the apex of the cochlea <i>M. van der Heijden and P. X. Joris</i>	105
Manipulations of chloride ion concentration in the organ of Corti alter outer hair cell electromotility and cochlear amplification <i>J. Zheng, Y. Zou, A. L. Nuttall and J. Santos-Sacchi</i>	107
Cochlear transducer operating point adaptation <i>Y. Zou, J. Zheng, T. Ren and A. L. Nuttall</i>	109
Low coherence interferometry of the cochlear partition <i>N. Choudhury, S. L. Jacques, S. Mathew, F. Chen, J. Zheng and A. L. Nuttall</i>	111
Superior semicircular canal dehiscence: Mechanisms of air-conducted hearing <i>J. E. Songer and J. J. Rosowski</i>	113
On the coupling between the incus and the stapes <i>W. R. J. Funnell, S. J. Daniel, B. Alsabah and H. Liu</i>	115
Novel otoacoustic baseline measurement of two-tone suppression behaviour from human ear-canal pressure <i>E. L. Le Page, N. M. Murray and J. D. Seymour</i>	117

Is the scala vestibuli pressure influenced by non-piston like stapes motion components? An experimental approach <i>W. F. Decraemer, S. M. Khanna, O. de La Rochefoucauld, W. Dong and E. S. Olson</i>	119
Biomechanics of dolphin hearing: A comparison of middle and inner ear stiffness with other mammalian species <i>B. S. Miller, S. O. Newburg, A. Zosuls, D. C. Mountain and D. R. Ketten</i>	121
<b>II. Hair Cells</b>	<b>125</b>
An experimental preparation of the mammalian cochlea that displays compressive nonlinearity <i>in vitro</i> <i>A. J. Hudspeth and D. K. Chan</i>	127
Ca <sup>2+</sup> dynamics in auditory and vestibular hair cells: Monte Carlo simulations and experimental results <i>M. M. Bortolozzi, A. Lelli and F. Mammano</i>	138
Electro-mechanical waves in isolated outer hair cell <i>S. Clifford, W. E. Brownell and R. D. Rabbitt</i>	146
“Area change paradox” in outer hair cells’ membrane motor <i>K. H. Iwasa</i>	155
Chloride and the OHC lateral membrane motor <i>J. Santos-Sacchi, L. Song, J. P. Bai and D. Navaratnam</i>	162
Fast adaptation in vestibular hair cells depends on myosin-1c <i>P. G. Gillespie, J. D. Scarborough, J. A. Mercer, E. Stauffer and J. R. Holt</i>	169
The piezoelectric outer hair cell: Bidirectional energy conversion in membranes <i>W. E. Brownell</i>	176
Outer hair cell mechanics are altered by developmental changes in lateral wall protein content <i>H. C. Jensen-Smith and R. Hallworth</i>	187

Outer hair cell mechanics reformulated with acoustic variables <i>J. B. Allen and P. F. Fahey</i>	194
A model of high-frequency force generation in the constrained cochlear outer hair cell <i>Z. Liao, A. S. Popel, W. E. Brownell and A. A. Spector</i>	202
Theoretical analysis of membrane tether formation from outer hair cells <i>E. Glassinger and R. M. Raphael</i>	210
Nonlinear responses in <i>prestin</i> knockout mice: Implications for cochlear function <i>M. A. Cheatham, K. H. Huynh and P. Dallos</i>	218
Mechanical impedance spectroscopy on isolated cells <i>M. P. Scherer, Z. Farkas and A. W. Gummer</i>	226
Heat stress-induced changes in the mechanical properties of mouse outer hair cells <i>M. Murakoshi, K. Iida, S. Kumano, H. Wada, N. Yoshida and T. Kobayashi</i>	228
Frequency dependence of admittance and conductance of the outer hair cell <i>B. Farrell, R. Ugrinov and W. E. Brownell</i>	231
Modeling outer hair cell high-frequency electromotility in microchamber experiment <i>Z. Liao, A. S. Popel, W. E. Brownell and A. A. Spector</i>	233
Chlorpromazine and force relaxation in the cochlear outer hair cell plasma membrane — An optical tweezers study <i>D. R. Murdock, S. Ermilov, B. Anvari, A. A. Spector, A. S. Popel and W. E. Brownell</i>	235
Estimation of the force generated by the outer hair cell motility and the phase of the neural excitation relative to the basilar membrane motion: Theoretical considerations <i>M. Andoh, C. Nakajima and H. Wada</i>	237
Quantification of calcium buffers in various subcellular locations in rat inner and outer hair cells <i>S. Mahendrasingam, R. Fettiplace and C. M. Hackney</i>	240

<b>III. Stereocilia</b>	<b>243</b>
Signal transformation by mechanotransducer channels of mammalian outer hair cells <i>R. Fettiplace, A. C. Crawford and H. J. Kennedy</i>	245
Stereociliary vibration in the guinea pig cochlea <i>A. Fridberger, I. Tomo, M. Ulfendahl and J. Boutet de Monvel</i>	254
The cochlear amplifier: Is it hair bundle motion of outer hair cells? <i>S. Jia, J. Zuo, P. Dallos and D. Z. Z. He</i>	261
Prestin-lacking membranes are capable of high frequency electro-mechanical transduction <i>B. Anvari, F. Qian, F. A. Pereira and W. E. Brownell</i>	270
Ca <sup>2+</sup> changes the force sensitivity of the hair-cell transduction channel <i>E. L. M. Cheung and D. P. Corey</i>	277
Hair bundle mechanics at high frequencies: A test of series or parallel transduction <i>K. D. Karavitaki and D. C. Corey</i>	286
Hair cell transducer channel properties and accuracy of cochlear signal-processing <i>C. J. W. Meulenberg and S. M. van Netten</i>	293
Ca <sup>2+</sup> permeability of the hair bundle of the mammalian cochlea <i>C. Harasztosi, B. Müller and A. W. Gummer</i>	295
<b>IV. Emissions</b>	<b>297</b>
Comparative mechanisms of auditory function: Ground sound detection by golden moles <i>P. M. Narins</i>	299
DPOAE micro- and macrostructure: Their origin and significance <i>D. T. Kemp and P. F. Tooman</i>	308

Physical mechanisms of OAE generation and propagation: The hydrodynamic approach <i>A. Vetešník, R. Nobili and A. W. Gummer</i>	315
Measuring cochlear delays using otoacoustic emissions <i>R. H. Withnell</i>	322
Distortion product otoacoustic emissions in the amphibian ear <i>P. van Dijk and S. W. F. Meenderink</i>	332
Calcium waves, connexin permeability defects and hereditary deafness <i>V. Piazza, M. Beltramello, F. Bukauskas, T. Pozzan and F. Mammano</i>	339
Resonant modes of OAE in the investigation of hearing <i>W. W. Jedrzejczak, K. J. Blinowska, P. J. Durka and W. Konopka</i>	346
DPOAE fine structure changes at higher stimulus levels — evidence for a nonlinear reflection component <i>G. R. Long and C. L. Talmadge</i>	354
The biophysical origin of otoacoustic emissions <i>J. H. Siegel</i>	361
Spontaneous otoacoustic emissions in lizards, air pressure effects on them and the question of point sources and global standing waves <i>G. A. Manley</i>	369
Development of micromechanically-relevant hair-cell properties: Late maturation of hair-cell orientation in the basilar papilla of birds <i>C. Köppl, A. Achenbach, T. Sagmeister and L. Schebelle</i>	377
Prediction for audiograms and otoacoustic emissions <i>M. Furst and Y. Halmut</i>	384
Are click-evoked and stimulus-frequency OAEs generated by the same mechanism? <i>R. Kalluri and C. A. Shera</i>	386
A comparative study of evoked otoacoustic emissions in geckos and humans <i>C. Bergevin, D. M. Freeman and C. A. Shera</i>	388

<b>V. Cochlear Models</b>	<b>391</b>
Cochlear activity in perspective <i>E. de Boer</i>	393
A mechanical – electrical – acoustic model of the cochlea <i>K. Grosh, N. Deo, L. Cheng and S. Ramamoorthy</i>	410
Cochlear coiling and low-frequency hearing <i>R. S. Chadwick, D. Manoussaki, E. K. Dimitriadis, B. Shoelson, D. R. Ketten, J. Arruda and J. T. O'Malley</i>	417
Multi-scale model of the organ of Corti: IHC tip link tension <i>C. R. Steele and S. Puria</i>	425
A micromechanical model for fast cochlear amplification with slow outer hair cells <i>T. K. Lu, S. Zhak, P. Dallos and R. Sarpeshkar</i>	433
The cochlea box model once again: Improvements and new results <i>R. Nobili and A. Vetešník</i>	442
Four counter-arguments for slow-wave OAEs <i>C. A. Shera, A. Tubis and C. L. Talmadge</i>	449
The evolution of multi-compartment cochlear models <i>A. E. Hubbard, S. Lu, J. Spisak and D. C. Mountain</i>	458
What stimulates the inner hair cells? <i>D. C. Mountain and A. E. Hubbard</i>	466
Active hair-bundle motility harnesses noise to operate near an optimum of mechanosensitivity <i>P. Martin, B. Nadrowski and F. Jülicher</i>	474
Wave propagation by critical oscillators <i>D. Andor, T. Duke, A. Simha and F. Jülicher</i>	482
Mechanical energy contributed by motile neurons in the <i>Drosophila</i> ear <i>M. C. Göpfert and J. T. Albert</i>	489

Short-wavelength interactions between OHCs: A “squirting” wave model of the cochlear amplifier <i>A. Bell</i>	496
Wave propagation in a complex cochlear micromechanics model with curvature <i>H. Cai, R. S. Chadwick and D. Manoussaki</i>	498
A ‘Twin-engine’ model of level-dependent cochlear motion <i>A. J. Aranyosi</i>	500
A hydro-mechanical, biomimetic cochlea: Experiments and models <i>F. Chen, H. I. Cohen, D. C. Mountain, A. Zosuls and A. E. Hubbard</i>	502
Six experiments on a 1-D nonlinear wave-digital filter modeling of human click-evoked emission data <i>E. L. LePage and Å. Olofsson</i>	504
Measurements and models of human inner-ear function with superior semicircular canal dehiscence <i>M. E. Ravicz, W. Chien, J. E. Songer, S. N. Merchant and J. J. Rosowski</i>	506
A new multicompartments model of the cochlea <i>S. Lu, J. Spisak, D. C. Mountain and A. E. Hubbard</i>	508
A 3D finite element model of the gerbil cochlea with full fluid-structure interaction <i>G. D. Bustard, D. C. Mountain and A. E. Hubbard</i>	510
Developing a life-sized physical model of the human cochlea <i>M. J. Wittbrodt, C. R. Steele and S. Puria</i>	512
Fully micromachined lifesize cochlear model <i>R. D. White and K. Grosh</i>	514
A generic nonlinear model for auditory perception <i>E. W. Large</i>	516

<b>VI. Discussion Session</b>	<b>519</b>
Quick questions	521
Stereocilia and tip links	524
Somatic motility of outer hair cells	526
Waves in the cochlea	529
Fluid flow in the cochlea	532
Traveling waves in the cochlea	534
Are traveling waves in the cochlea going in both directions?	537
<b>Author Index</b>	<b>545</b>