

# Contents

<i>Preface</i>	v
1. Model of a Taut Wire	1
1.1 Deriving the PDE model . . . . .	1
1.2 Balance equation . . . . .	2
1.3 Boundary conditions . . . . .	2
1.4 Boundary conditions (in space) . . . . .	3
1.5 Initial conditions (boundary conditions in time) . . . . .	4
1.6 Anything else? . . . . .	5
2. The Method of Galerkin	7
2.1 Residual of the balance equation . . . . .	7
2.2 Integral test of the residual . . . . .	8
2.3 Test function . . . . .	8
2.4 Trial function . . . . .	10
2.5 Manipulation of the residuals . . . . .	11
2.6 Stiffness and mass matrix . . . . .	13
2.7 Piecewise linear basis functions . . . . .	15
2.8 How are the Galerkin and Finite Element Methods Related	17
2.9 Numerical quadrature . . . . .	18
2.10 Putting it together: system of ODE's . . . . .	21
Exercises . . . . .	22
3. Statics and Dynamics Examples for the Wire Model	27
3.1 Statics . . . . .	28
3.2 Statics: uniform load . . . . .	28

3.3	Free vibration . . . . .	32
3.4	Integration of transient motion . . . . .	33
3.4.1	Using built-in Matlab solver . . . . .	34
3.4.2	Using the Trapezoidal integrator . . . . .	35
	Exercises . . . . .	38
4.	Boundary Conditions for the Model of a Taut Wire	41
4.1	Mixed essential and natural boundary conditions . . . . .	42
4.2	Essential boundary conditions only . . . . .	43
4.3	Natural boundary conditions only . . . . .	43
4.4	Overspecified boundary conditions . . . . .	44
5.	Model of Heat Conduction	49
5.1	Balance equation . . . . .	49
5.2	Constitutive equation . . . . .	52
5.3	Boundary conditions . . . . .	53
5.3.1	On the sufficiency of boundary conditions. . . . .	54
5.4	Initial condition . . . . .	55
5.5	Summary of the PDE model of heat conduction . . . . .	56
	Exercises . . . . .	56
6.	Galerkin Method for the Model of Heat Conduction	57
6.1	Weighted residual formulation . . . . .	57
6.2	Reducing the model dimension . . . . .	59
6.3	Test and trial functions: basis functions on triangulations . . . . .	61
6.4	Basis functions on the standard triangle . . . . .	63
6.5	Discretizing the weighted residual equation . . . . .	66
6.6	Derivatives of the basis functions; Jacobian . . . . .	70
6.7	Numerical integration . . . . .	74
6.8	Conductivity matrix . . . . .	76
6.9	Surface heat transfer matrix and load . . . . .	80
	Exercises . . . . .	86
7.	Steady-state Heat Conduction Solutions	89
7.1	Steady-state heat conduction equation . . . . .	89
7.2	Thick-walled tube . . . . .	89
7.3	Orthotropic insert . . . . .	93

7.4	The T4 NAFEMS Benchmark . . . . .	96
8.	Transient Heat Conduction Solutions	101
8.1	Discretization in time for transient heat conduction . . . .	101
8.2	The T3 NAFEMS Benchmark . . . . .	104
8.3	Transient cooling in a shrink-fitting application . . . . .	107
9.	Expanding the Library of Element Types	111
9.1	Quadratic triangle T6 . . . . .	112
9.2	Quadratic 1-D element L3 . . . . .	114
9.3	Point element P1 . . . . .	114
9.4	Integrating over $n$ -dimensional domains . . . . .	115
9.5	Tetrahedron T4 . . . . .	120
9.6	Simplex elements . . . . .	122
9.7	Quadrilateral Q4 . . . . .	123
9.8	Hexahedron H8 . . . . .	124
9.9	Extracting the mesh boundary . . . . .	124
	Exercises . . . . .	126
10.	Discretization Error, Error Control, and Convergence	129
10.1	Interpolation errors . . . . .	129
10.1.1	Interpolation error for temperature . . . . .	129
10.1.2	Interpolation error for temperature gradient . . . .	132
10.1.3	Controlling the error; Convergence rate . . . . .	134
10.2	Richardson extrapolation . . . . .	136
10.3	The T4 NAFEMS Benchmark revisited . . . . .	138
10.4	Graded meshes . . . . .	139
10.5	Shrink fitting revisited . . . . .	139
10.6	Representing functions by interpolation . . . . .	141
	Exercises . . . . .	143
11.	Model of Elastodynamics	145
11.1	Balance of linear momentum . . . . .	145
11.2	Stress . . . . .	147
11.2.1	Balance of angular momentum and stress symmetry.	150
11.3	Local equilibrium . . . . .	152
11.3.1	Change of linear momentum . . . . .	152
11.3.2	Stress divergence . . . . .	152

11.3.3 All together now . . . . .	156
11.4 Strains and displacements . . . . .	156
11.5 Constitutive equation . . . . .	159
11.6 Boundary conditions . . . . .	161
11.6.1 Example: concrete dam . . . . .	161
11.6.2 Example: rigid punch . . . . .	162
11.6.3 Formal definition of the boundary conditions . . . . .	163
11.6.4 Inadmissible “concentrated” boundary conditions . . . . .	164
11.6.5 Symmetry and anti-symmetry . . . . .	166
11.6.6 Example: a pure-traction problem . . . . .	168
11.6.7 Example: shaft under torsion . . . . .	170
11.6.8 Example: overspecified boundary conditions . . . . .	172
11.7 Initial conditions . . . . .	172
12. Galerkin Formulation for Elastodynamics . . . . .	175
12.1 Manipulation of the residuals . . . . .	175
12.1.1 The first two steps . . . . .	175
12.1.2 Step 3: Preliminaries . . . . .	176
12.1.3 Step 3: The glorious conclusion . . . . .	177
12.2 Method of weighted residuals as the principle of virtual work . . . . .	179
12.3 Discretizing . . . . .	179
12.3.1 The trial function . . . . .	179
12.3.2 The test function . . . . .	181
12.3.3 Producing the requisite equations . . . . .	182
12.4 The discrete equations: system of ODE’s . . . . .	184
12.4.1 Inertial term: Mass matrix . . . . .	185
12.4.2 Body loads and traction loads . . . . .	186
12.4.3 Resisting forces: Stiffness matrix . . . . .	186
12.4.4 Summary of the elastodynamics ODE’s . . . . .	187
12.5 Constitutive equations of linearly elastic materials . . . . .	188
12.5.1 General anisotropic material . . . . .	188
12.5.2 Orthotropic material . . . . .	188
12.5.3 Transversely isotropic material . . . . .	189
12.5.4 Isotropic material . . . . .	190
12.6 Imposed (thermal) strains . . . . .	191
12.7 Strain-displacement matrix . . . . .	193
12.7.1 Transformation of basis . . . . .	194
12.8 Stiffness matrix . . . . .	197

12.9 Pure-traction problems and singular stiffness . . . . .	199
Exercises . . . . .	200
13. Finite Elements for True 3-D Problems . . . . .	201
13.1 Modal analysis with the tetrahedron T4: the drum . . . . .	201
13.2 Modal analysis with the tetrahedron T4: the composite rod . . . . .	204
13.3 Tetrahedron T10 . . . . .	207
13.3.1 Example: the drum revisited . . . . .	208
13.4 The composite rod with the tetrahedron T10 . . . . .	209
13.5 Static analysis with hexahedra H8 and H20 . . . . .	210
13.5.1 Hexahedron H8 . . . . .	210
13.5.2 Dilatational locking . . . . .	211
13.5.3 Shear locking . . . . .	214
13.5.4 Thin clamped square plate with concentrated load . . . . .	215
13.5.5 Quadratic element H20 . . . . .	216
13.5.6 Quadratic element Q8 . . . . .	220
13.5.7 Pinched cylinder . . . . .	221
13.5.8 Pinched sphere . . . . .	222
13.5.9 Beam deflection revisited . . . . .	223
13.6 Errors, validation, and verification . . . . .	224
13.6.1 Verification and Prediction . . . . .	226
13.6.2 Validation . . . . .	227
13.6.3 Errors . . . . .	227
13.6.4 Using modeling to make predictions . . . . .	227
13.6.5 Using benchmarks . . . . .	228
Exercises . . . . .	230
14. Analyzing the Stresses . . . . .	231
14.1 Singularities . . . . .	231
14.2 Interpretation of stresses . . . . .	234
14.3 Stress concentrations . . . . .	235
15. Plane Strain, Plane Stress, and Axisymmetric Models . . . . .	237
15.1 Plane strain model reduction . . . . .	237
15.2 Plane stress model reduction . . . . .	240
15.3 Model reduction for axial symmetry . . . . .	242
15.4 Material stiffness for two-dimensional models . . . . .	245

15.5 Strain-displacement matrices for two-dimensional models . . . . .	246
15.6 Integration for two-dimensional models . . . . .	247
15.7 Thermal strains in two-dimensional models . . . . .	249
15.8 Examples . . . . .	250
15.8.1 Thermal strains in a bimetallic assembly . . . . .	250
15.8.2 Orthotropic balloon . . . . .	254
15.9 Transient dynamic analysis . . . . .	257
15.9.1 Centered difference time stepping . . . . .	257
15.9.2 Example: stress wave propagation . . . . .	259
Exercises . . . . .	263
16. Consistency + Stability = Convergence	265
16.1 Consistency . . . . .	265
16.1.1 Completeness . . . . .	265
16.1.2 Compatibility . . . . .	267
16.2 Stability . . . . .	268
16.2.1 Conclusion . . . . .	269
Exercises . . . . .	270
<i>Bibliography</i>	271
<i>Index</i>	273