

# Contents

<i>Preface</i>	vii
1. Introduction	1
2. Multi-Facets Of QCD In Matter	9
3. Cheshire Cat Phenomenon	17
3.1 Motivation . . . . .	17
3.2 Chiral Bag Picture . . . . .	18
3.2.1 Cheshire Cat as a gauge artifact . . . . .	21
3.2.2 Baryon charge and the exact Cheshire Cat phenomenon . . . . .	24
3.3 Cheshire Cat Principle in Nature . . . . .	28
3.3.1 Flavor singlet axial charge $a^0 \equiv g_A^0$ . . . . .	28
3.3.2 “Charge-spin separation” for Cheshire Cat phenomena . . . . .	34
3.4 CCP and Multi-Facets of CBM . . . . .	35
3.4.1 Chiral quark-soliton model . . . . .	36
3.4.2 Cloudy bag model . . . . .	36
3.4.3 Skyrmion model . . . . .	37
3.4.4 Heavy baryon chiral perturbation approach . . . . .	37
4. Effective Field Theory For Nuclei	39
4.1 Role of Effective Field Theory in Nuclear Physics . . . . .	39
4.2 Standard Nuclear Physics Approach and EFT . . . . .	40
4.2.1 The power of SNPA . . . . .	40
4.2.2 The power of EFT . . . . .	41
4.3 Chiral Lagrangians . . . . .	42
4.3.1 Relevant scales and degrees of freedom . . . . .	42
4.3.2 Vector mesons and baryons . . . . .	43
4.3.3 Baryon fields . . . . .	44

4.4	Pionless EFT ( $\not\pi$ EFT)	46
4.5	More Effective EFT	48
4.5.1	Weinberg's counting rule	48
4.5.2	Strategy of MEEFT	50
4.5.3	The chiral filter	51
4.5.4	Working of MEEFT	52
4.5.4.1	What does the chiral filter say?	53
4.5.4.2	Sketch of the calculational procedure	55
4.5.4.3	How the cutoff $\Lambda$ enters	58
4.5.4.4	Physical meaning of $\Lambda$	59
4.5.5	Predictions of MEEFT	60
4.5.5.1	Thermal $np$ capture	60
4.5.5.2	Polarization observables in $np$ capture	62
4.5.5.3	Deuteron form factors	65
4.5.5.4	Predicting the solar neutrino processes	70
4.5.5.5	Magnetic moments of the trinucleons	74
4.5.5.6	Further implications of the $\hat{d}^R$ term	75
4.6	EFT "Completion" of SNPA	78
4.7	EFT for Heavy Nuclei and Nuclear Matter	78
5.	Hidden Local Symmetry For Hadrons	81
5.1	Emergence of Local Flavor Symmetry	82
5.2	Tower of Hidden Gauge Fields	84
5.2.1	Simplest open moose diagram	84
5.2.2	General open moose	86
5.2.3	Spectrum of the open moose	87
5.2.4	Dimensional deconstruction	88
5.3	AdS/QCD and hQCD	89
5.3.1	Objectives	89
5.3.2	Bottom-up approach	90
5.3.3	Top-down approach	93
5.3.4	Vector dominance	95
5.3.5	Instanton baryons	96
5.4	HLS $_{K=1}$ from Holographic Dual QCD	96
5.4.1	Going from 5D to 4D	97
5.4.2	Doing quantum corrections	98
5.5	Hidden Local Symmetry and the "Vector Manifestation"	99
5.5.1	HLS $_{K=1}$ : Hidden local symmetry à la Bando <i>et al.</i>	99
5.5.2	HLS $_{K=1}$ with loop corrections	100
5.5.2.1	Wilsonian matching	101
5.5.2.2	Vector manifestation (VM)	105

5.5.2.3	“Dropping mass” and local gauge symmetry . . . .	107
5.5.2.4	Scaling near the VM fixed point . . . . .	107
5.6	Phenomenology with $\text{HLS}_{K=1}$ . . . . .	108
5.6.1	Doing chiral perturbation theory . . . . .	108
5.6.1.1	Chiral counting for the vector mesons in $\chi\text{PT}$ . . .	108
5.6.1.2	Loop calculations . . . . .	110
5.6.1.3	Comparison with experiments . . . . .	111
5.6.2	Weinberg sum rules . . . . .	111
5.6.3	Pion mass difference . . . . .	113
5.6.4	Perturbing from the VM point . . . . .	115
5.6.4.1	Heavy quark symmetry . . . . .	115
5.6.4.2	Constructing effective Lagrangians . . . . .	116
5.6.4.3	The fixed point Lagrangian . . . . .	117
5.6.4.4	Effects of spontaneous chiral symmetry breaking .	118
5.6.4.5	Lagrangian in parity eigenfields . . . . .	119
5.6.4.6	Calculation at the matching point . . . . .	120
5.6.4.7	Quantum correction . . . . .	121
5.6.4.8	Mass splitting . . . . .	123
5.7	HLS with $\rho$ and $a_1$ : $\text{HLS}_{K=2}$ . . . . .	124
5.7.1	$\text{HLS}_{K=2}$ Lagrangian . . . . .	124
5.7.2	Fixed points . . . . .	126
5.7.3	Phase structures for different fixed points . . . . .	129
5.7.4	Multiplet structure and vector dominance . . . . .	130
5.7.5	Vector dominance and the fixed points . . . . .	131
5.7.6	Infinite tower and the VD . . . . .	132
6.	Skyrmions . . . . .	133
6.1	Preliminary Remarks . . . . .	133
6.2	Skyrmions in QCD . . . . .	134
6.2.1	A little history in nuclear physics . . . . .	134
6.2.2	Little bag and skyrmion . . . . .	135
6.3	Skyrmions and Vector Mesons . . . . .	136
6.3.1	Multiple scales . . . . .	136
6.3.2	HLS Lagrangian “light” ( $\text{HLS}_{K=1}$ ) . . . . .	136
6.3.3	$SU(2)$ skyrmion . . . . .	138
6.3.3.1	Stabilizing the soliton . . . . .	139
6.3.3.2	Gauged skyrmion with the $\rho$ meson . . . . .	140
6.3.3.3	Defects of the Skyrme soliton . . . . .	142
6.3.4	Nuclei as skyrmions . . . . .	146
6.3.5	$SU(3)$ Skyrmions: $S > 0$ baryons . . . . .	146
6.3.5.1	Kaon-soliton bound skyrmions . . . . .	147
6.3.5.2	Deeply bound $K^-$ in nuclei . . . . .	152

6.4	Dense Skyrmion Matter and Chiral Transition . . . . .	152
6.4.1	Single skyrmion . . . . .	155
6.4.2	Skyrmion crystal . . . . .	156
6.4.3	Fluctuations on top of the skyrmion background and Brown-Rho scaling . . . . .	163
6.4.4	Pseudogap phase . . . . .	167
6.4.4.1	Skyrmion mass at high density . . . . .	169
6.5	Holographic Skyrmion . . . . .	169
6.5.1	Baryon as an instanton . . . . .	169
6.5.2	Chiral dynamics . . . . .	173
6.5.3	Deriving vector dominance . . . . .	174
6.5.3.1	“Old” vector dominance . . . . .	174
6.5.3.2	“New” vector dominance . . . . .	176
6.5.3.3	Generalized universality . . . . .	178
6.5.3.4	Nucleon EM form factors . . . . .	178
6.6	Neutron Stars As Giant Skyrmions . . . . .	184
6.6.1	Skyrmion EOS . . . . .	185
6.6.2	Einstein-skyrmion star . . . . .	186
7.	Hidden Local Symmetry In Hot/Dense Medium . . . . .	187
7.1	HLS in Heat Bath . . . . .	187
7.1.1	Vector manifestation at $T_c$ . . . . .	187
7.1.2	Lorentz-invariant formulas . . . . .	188
7.1.2.1	Approaching the VM fixed point . . . . .	189
7.1.2.2	Pion decay constant . . . . .	189
7.1.2.3	“Dropping mass” . . . . .	190
7.1.2.4	Width . . . . .	191
7.1.2.5	Corrections from Lorentz non-invariance . . . . .	192
7.2	HLS in Dense Matter . . . . .	194
7.2.1	Dense HLS Lagrangian . . . . .	195
7.2.2	Hadrons near $\mu = \mu_c$ . . . . .	198
7.3	Hadronic Freedom . . . . .	201
7.3.1	Melting of “soft” glue and chiral restoration . . . . .	201
7.4	Applications . . . . .	203
7.4.1	Pion velocity near critical temperature $T_c$ . . . . .	204
7.4.1.1	Standard sigma model scenario . . . . .	205
7.4.1.2	HLS/VM scenario . . . . .	207
7.4.1.3	Measuring the pion velocity near $T_c$ . . . . .	210
7.4.2	Vector and axial vector susceptibilities near critical temperature $T_c$ . . . . .	211
7.4.3	Spectral function of the $\rho$ meson . . . . .	213

7.4.3.1	$\rho\pi\pi$ and $\gamma\pi\pi$ couplings in hot medium and violation of vector dominance . . . . .	214
7.4.3.2	EM form factor of the pion and the $\rho$ spectral function . . . . .	217
7.4.3.3	Confronting nature . . . . .	222
7.4.4	$\rho^0/\pi^-$ ratio in peripheral collisions . . . . .	222
8.	Hadrons In The Sliding Vacua Of Nuclear Matter . . . . .	225
8.1	Brown-Rho Scaling . . . . .	225
8.1.1	Intrinsic density dependence via dilaton . . . . .	226
8.1.2	Scaling of baryon masses . . . . .	227
8.1.3	Parity-doubled sigma model . . . . .	228
8.1.4	Constraints from anomaly matching? . . . . .	230
8.1.5	Modernizing BR scaling . . . . .	231
8.2	Chiral Fermi Liquid . . . . .	231
8.2.1	Double-decimation approach . . . . .	231
8.2.2	Scaling masses and Landau-Migdal parameters . . . . .	232
8.2.3	Thermodynamic consistency . . . . .	237
8.2.4	Meaning of $C_{\omega_s}^*$ . . . . .	240
8.2.5	Many-body forces . . . . .	241
8.3	Observables in Finite Nuclei . . . . .	241
8.3.1	Nuclear magnetic moment . . . . .	242
8.3.2	Deducing $\Phi(n_0)$ from experiment . . . . .	245
8.3.3	Relation between the Landau mass $m_L^*$ and the axial coupling constant $g_A$ . . . . .	245
8.3.4	Pion decay constant in medium . . . . .	246
8.3.5	Effect on tensor forces . . . . .	246
8.3.6	Warburton ratio . . . . .	249
8.3.7	“Observing” the dropping vector meson masses . . . . .	251
8.4	Dropping Masses and Nuclear Matter . . . . .	253
8.4.1	Nuclear matter in chiral Fermi liquid approach . . . . .	254
8.4.2	Microscopic approach to Landau Fermi liquid with Brown-Rho scaling . . . . .	255
9.	Strangeness In Dense Medium . . . . .	259
9.1	Kaon Condensation from Matter-Free Vacuum . . . . .	260
9.1.1	Kaon condensation as “restoration” of explicit chiral symmetry breaking . . . . .	260
9.1.2	Doing heavy baryon $\chi$ PT . . . . .	262
9.1.3	Kaon condensation driven by electrons . . . . .	264
9.1.4	Constraints from kaon-nuclear scattering . . . . .	266
9.1.4.1	$\Lambda(1405)$ . . . . .	266

9.1.4.2	Influence on kaon condensation . . . . .	270
9.1.4.3	“Dangerously irrelevant terms” . . . . .	272
9.1.5	Role of kaon-nuclear potential in kaon condensation . . . . .	274
9.1.5.1	Chiral perturbation approach . . . . .	274
9.1.5.2	Kaonic atom and deeply bound kaonic nuclei . . . . .	275
9.1.6	Kaon condensation with Brown-Rho scaling . . . . .	275
9.2	From the Vector Manifestation Fixed Point to Kaon Condensation . . . . .	280
9.2.1	Simplification at the VM . . . . .	280
9.2.2	Toward kaon condensation . . . . .	282
9.3	Dense Kaonic Nuclei as Strange Nuggets: “ $KaoN$ ” . . . . .	283
9.3.1	With standard potentials . . . . .	284
9.3.2	With non-standard potentials . . . . .	285
9.3.3	$KaoN$ as an “Ice-9” nugget . . . . .	286
10.	Dense Matter For Compact Stars . . . . .	289
10.1	Dense Hadronic Phase With and Without Exotica . . . . .	290
10.1.1	Compact stars as dense neutron matter . . . . .	291
10.1.2	Working of the vector manifestation . . . . .	292
10.1.3	Demise of the VM scenario by massive compact stars? . . . . .	294
10.1.4	Kaon condensation as a doorway to quark matter . . . . .	295
10.2	Skyrmion-Half-Skyrmion Transition . . . . .	298
10.2.1	Half-skyrmions and emergence of “vector symmetry” . . . . .	299
10.2.2	Transition from the CFL phase to the normal nuclear phase . . . . .	301
10.3	QCD at High Density: Color Superconductivity (CSC) . . . . .	303
10.3.1	Color-flavor locking (CFL) . . . . .	304
10.3.2	Chiral Lagrangian for CFL . . . . .	305
10.3.3	“Un-hidden” local symmetry . . . . .	307
10.3.4	Superqualitons as baryons . . . . .	309
10.3.5	Kaon condensation in the CFL sector . . . . .	311
10.4	CSC at Non-Asymptotic Density . . . . .	312
10.4.1	Induced CFL . . . . .	313
10.4.2	Landscape of non-CFL phases . . . . .	315
11.	Compact Stars . . . . .	317
11.1	Objective . . . . .	317
11.2	Star Observables . . . . .	318
11.3	Chiral Dynamics in the Core of Compact Stars . . . . .	318
11.3.1	TOV equation . . . . .	319
11.3.2	Neutron stars with kaon condensation “light” . . . . .	319
11.4	Maximum Neutron Star Mass . . . . .	324

11.4.1	$M_{NS}^{max}$ à la Brown-Bethe . . . . .	324
11.4.2	Cosmological constraint on $M_{NS}^{max}$ ? . . . . .	325
11.5	Formation of Double Neutron Star Binaries . . . . .	326
11.6	Neutron Stars Heavier than $M_{NS}^{max}$ ? . . . . .	327
11.6.1	Vela X-1 . . . . .	328
11.6.2	Neutron star-white dwarf binaries . . . . .	329
11.6.3	Two-branch scenario . . . . .	330
11.6.4	New measurement of the neutron star mass in J0751+1807 . . . . .	331
11.7	Outlook . . . . .	331
	<i>Bibliography</i> . . . . .	335
	<i>Index</i> . . . . .	349