

Contents

<i>Preface</i>	vii
1. Introduction	1
1.1 Comparison of linear and non-linear algebra	5
1.2 Quantities, associated with tensors of different types . . .	12
1.2.1 A word of caution	12
1.2.2 Tensors	14
1.2.3 Tensor algebra	16
1.2.4 Solutions to poly-linear and non-linear equations .	21
2. Solving Equations. Resultants	29
2.1 Linear algebra (particular case of $s = 1$)	29
2.1.1 Homogeneous equations	29
2.1.2 Non-homogeneous equations	30
2.2 Non-linear equations	31
2.2.1 Homogeneous non-linear equations	31
2.2.2 Solution of systems of non-homogeneous equations: Generalized Cramer rule	34
3. Evaluation of Resultants and Their Properties	39
3.1 Summary of resultant theory	39
3.1.1 Tensors, possessing a resultant: Generalization of square matrices	39
3.1.2 Definition of the resultant: Generalization of con- dition $\det A = 0$ for solvability of system of ho- mogeneous linear equations	40

3.1.3	Degree of the resultant: Generalization of $d_{n 1} = \deg_A(\det A) = n$ for matrices	40
3.1.4	Multiplicativity w.r.t. composition: Generalization of $\det AB = \det A \det B$ for determinants . .	41
3.1.5	Resultant for diagonal maps: Generalization of $\det(\text{diag } a_j^j) = \prod_{j=1}^n a_j^j$ for matrices	42
3.1.6	Resultant for matrix-like maps: A more interesting generalization of $\det(\text{diag } a_j^j) = \prod_{j=1}^n a_j^j$ for matrices	42
3.1.7	Additive decomposition: Generalization of $\det A = \sum_{\sigma} (-)^{\sigma} \prod_i A_i^{\sigma(i)}$ for determinants	44
3.1.8	Evaluation of resultants	45
3.2	Iterated resultants and solvability of systems of non-linear equations	46
3.2.1	Definition of iterated resultant $\tilde{\mathcal{R}}_{n s}\{A_j\}$	46
3.2.2	Linear equations	47
3.2.3	On the origin of extra factors in $\tilde{\mathcal{R}}$	49
3.2.4	Quadratic equations	50
3.2.5	An example of cubic equation	51
3.2.6	More examples of 1-parametric deformations . . .	52
3.2.7	Iterated resultant depends on simplicial structure	52
3.3	Resultants and Koszul complexes	52
3.3.1	Koszul complex. I. Definitions	53
3.3.2	Linear maps (the case of $s_1 = \dots = s_n = 1$)	55
3.3.3	A pair of polynomials (the case of $n = 2$)	56
3.3.4	A triple of polynomials (the case of $n = 3$)	57
3.3.5	Koszul complex. II. Explicit expression for determinant of exact complex	59
3.3.6	Koszul complex. III. Bicomplex structure	62
3.3.7	Koszul complex. IV. Formulation through ϵ -tensors	64
3.3.8	Not only Koszul and not only complexes	66
3.4	Resultants and diagram representation of tensor algebra	69
3.4.1	Tensor algebras $\mathcal{T}(A)$ and $\mathcal{T}(T)$, generated by A_i^j and T	70
3.4.2	Operators	71
3.4.3	Rectangular tensors and linear maps	73

3.4.4	Generalized Vieta formula for solutions of non-homogeneous equations	74
3.4.5	Coinciding solutions of non-homogeneous equations: Generalized discriminantal varieties	80
4.	Discriminants of Polylinear Forms	85
4.1	Definitions	85
4.1.1	Tensors and polylinear forms	85
4.1.2	Discriminantal tensors	86
4.1.3	Degree of discriminant	86
4.1.4	Discriminant as an $\prod_{k=1}^r SL(n_k)$ invariant	88
4.1.5	Diagram technique for the $\prod_{k=1}^r SL(n_k)$ invariants	89
4.1.6	Symmetric, diagonal and other specific tensors	90
4.1.7	Invariants from group averages	92
4.1.8	Relation to resultants	92
4.2	Discriminants and resultants: Degeneracy condition	94
4.2.1	Direct solution to discriminantal constraints	94
4.2.2	Degeneracy condition in terms of $\det \hat{T}$	95
4.2.3	Constraint on $P[z]$	96
4.2.4	Example	96
4.2.5	Degeneracy of the product	97
4.2.6	An example of consistency between (4.18) and (4.22)	98
4.3	Discriminants and complexes	99
4.3.1	Koszul complexes, associated with poly-linear and symmetric functions	99
4.3.2	Reductions of Koszul complex for poly-linear tensor	101
4.3.3	Reduced complex for generic bilinear $n \times n$ tensor: Discriminant is determinant of the square matrix	105
4.3.4	Complex for generic symmetric discriminant	107
4.4	Other representations	107
4.4.1	Iterated discriminant	107
4.4.2	Discriminant through paths	109
4.4.3	Discriminants from diagrams	110

5.	Examples of Resultants and Discriminants	111
5.1	The case of rank $r = 1$ (vectors)	111
5.2	The case of rank $r = 2$ (matrices)	113
5.3	The $2 \times 2 \times 2$ case (Cayley hyperdeterminant)	119
5.4	Symmetric hypercubic tensors $2^{\times r}$ and polynomials of a single variable	125
5.4.1	Generalities	125
5.4.2	The $n r = 2 2$ case	132
5.4.3	The $n r = 2 3$ case	137
5.4.4	The $n r = 2 4$ case	138
5.5	Functional integral (1.7) and its analogues in the $n = 2$ case	143
5.5.1	Direct evaluation of $Z(T)$	143
5.5.2	Gaussian integrations: Specifics of cases $n = 2$ and $r = 2$	150
5.5.3	Alternative partition functions	151
5.5.4	Pure tensor-algebra (combinatorial) partition functions	154
5.6	Tensorial exponent	160
5.6.1	Oriented contraction	160
5.6.2	Generating operation (“exponent”)	160
5.7	Beyond $n = 2$	161
5.7.1	$D_{3 3}$, $D_{3 4}$ and $D_{4 3}$ through determinants	161
5.7.2	Generalization: Example of non-Koszul description of generic symmetric discriminants	164
6.	Eigenspaces, Eigenvalues and Resultants	173
6.1	From linear to non-linear case	173
6.2	Eigenstate (fixed point) problem and characteristic equation	174
6.2.1	Generalities	174
6.2.2	Number of eigenvectors $c_{n s}$ as compared to the dimension $M_{n s}$ of the space of symmetric functions	176
6.2.3	Decomposition (6.8) of characteristic equation: Example of diagonal map	178
6.2.4	Decomposition (6.8) of characteristic equation: Non-diagonal example for $n s = 2 2$	181

6.2.5	Numerical examples of decomposition (6.8) for $n > 2$	183
6.3	Eigenvalue representation of non-linear map	183
6.3.1	Generalities	183
6.3.2	Eigenvalue representation of Plucker coordinates .	185
6.3.3	Examples for diagonal maps	185
6.3.4	The map $f(x) = x^2 + c$	188
6.3.5	Map from its eigenvectors: The case of $n s = 2 2$	189
6.3.6	Appropriately normalized eigenvectors and elimi- nation of Λ -parameters	192
6.4	Eigenvector problem and unit operators	194
7.	Iterated Maps	197
7.1	Relation between $R_{n s^2}(\lambda^{s+1} A^{\circ 2})$ and $R_{n s}(\lambda A)$	198
7.2	Unit maps and exponential of maps: Non-linear counter- part of <i>algebra</i> \leftrightarrow <i>group</i> relation	201
7.3	Examples of exponential maps	203
7.3.1	Exponential maps for $n s = 2 2$	203
7.3.2	Examples of exponential maps for $2 s$	205
7.3.3	Examples of exponential maps for $n s = 3 2$	205
8.	Potential Applications	209
8.1	Solving equations	209
8.1.1	Cramer rule	209
8.1.2	Number of solutions	211
8.1.3	Index of projective map	212
8.1.4	Perturbative (iterative) solutions	215
8.2	Dynamical systems theory	221
8.2.1	Bifurcations of maps, Julia and Mandelbrot sets .	221
8.2.2	The universal Mandelbrot set	223
8.2.3	Relation between discrete and continuous dynam- ics: Iterated maps, RG-like equations and effective actions	225
8.3	Jacobian problem	231
8.4	Taking integrals	231
8.4.1	Basic example: Matrix case, $n r = n 2$	232
8.4.2	Basic example: Polynomial case, $n r = 2 r$	232
8.4.3	Integrals of polylinear forms	233

- 8.4.4 Multiplicativity of integral discriminants 234
- 8.4.5 Cayley $2 \times 2 \times 2$ hyperdeterminant as an example
of coincidence between integral and algebraic
discriminants 236
- 8.5 Differential equations and functional integrals 236
- 8.6 Renormalization and Bogolubov’s recursion formula . . . 237
- 9. Appendix: Discriminant $D_{3|3}(S)$ 241
- Bibliography* 267