

## CONTENTS

Transient Behavior of Electrorheological Fluids in Shear Flow <i>D. Kittipoomwong, D. J. Klingenberg and J. F. Morris</i>	1
The Influences of the Material and Geometrical Properties of Sliding Plate on ER Effect of Gel-Structured ERF <i>S. Saito, Y. Kakinuma, T. Aoyama, K. Tanaka and H. Anzai</i>	8
Viscoelastic Behavior of Conductive Polymer Based ER Dispersions Under Small Deformations <i>A. Krztoń-Maziopa, M. Osuchowski and J. Płocharski</i>	14
The Physical Mechanism to Reduce Viscosity of Liquid Suspensions <i>R. Tao</i>	21
Dynamic Light Scattering Study of Reverse Micellar Solutions for the Synthesis of Magnetic Nanoparticles <i>O. A. Graeve and K. Sinha</i>	29
Relaxation Dynamics of Magnetic Particle Chains <i>M. Belovs and A. Cebers</i>	36
Electrorheological and Dielectric Properties of Urea/SiO <sub>2</sub> Nanocomposite Suspensions Modified by N, N-Dimethylformamide <i>T. Belza, V. Pavlinek, I. Kuritka, P. Saha and O. Quadrat</i>	44
Viscoelastic Properties of Silicone-Based Magnetorheological Elastomers <i>H. Böse</i>	51
The Static Yield Stress of Ferrofluid-Based Magnetorheological Suspensions <i>Y. B. Yang, L. Li, G. Chen and W. H. Li</i>	58
Alternative View for Yield Stress of ER/MR Materials <i>F. E. Filisko</i>	66
Polar Molecule Type Electrorheological Fluids <i>K. Lu, R. Shen, X. Wang, G. Sun, W. Wen and J. Liu</i>	72

The Dynamic Behavior of Magnet Encompassed with Magnetic Fluid in Alternating Magnetic Fields <i>S. Sudo, T. Yano, T. Kashiwagi and H. Honma</i>	80
A New MR Fluid-Elastomer (MRF-E) Vibration Isolator <i>D. York, X. Wang and F. Gordaninejad</i>	87
A New Mason Number for Magnetorheology <i>D. J. Klingenberg, J. C. Ulicny and M. A. Golden</i>	94
High Performance Magnetorheological Fluids Tailored for a 700 nm Automotive 4-Wheel-Drive Clutch <i>C. Kieburg, G. Oetter, R. Lochtmann, C. Gabriel, H. M. Laun, J. Pfister, G. Schober and H. Steinwender</i>	101
Yield Stress in Ferrofluids? <i>H. Shahnazian and S. Odenbach</i>	108
The Effect of Dwell Time on the Rheological Behavior of MR Fluids <i>M. Ahmadian and F. D. Goncalves</i>	114
Preparation and Magnetorheological Characterization of Polymer Coated-Carbonyl Iron Suspensions <i>H. J. Choi, B. J. Park, J. L. You and M. S. Cho</i>	121
Simulation of Motion of MR-Particles in Rough Micro Tubes Controlled by Non-Uniform Magnetic Field <i>S. Ozcan, C. Evrensel and M. A. Pinsky</i>	128
The Methods for Measuring Shear Stress of Polar Molecule Dominated ER Fluids <i>R. Shen, X. Wang, Y. Lu, G. Sun, W. Wen and K. Lu</i>	135
Nanostructured and Surface Polymerized Magnetorheological Fluids <i>B. Hu, A. Fuchs, F. Gordaninejad and C. Evrensel</i>	140
Nonlinear Alternating Current Responses in Electrorheological Fluids: Dynamic Effects <i>K. W. Yu, W. J. Tian and J. P. Huang</i>	147
Investigation of Magneterehological Properties of a Mixture of Carbonyl Iron Powders Suspended in Ionic Liquid <i>G. Dodbiba, H. S. Park, K. Okaya and T. Fujita</i>	157

Investigating the Time Dependence of the MR Effect <i>F. D. Goncalves and J. D. Carlson</i>	165
Effects of Body Forces on the Structure and Rheology of ER and MR Fluids <i>D. J. Klingenberg, J. C. Ulicny and A. L. Smith</i>	173
Characterization of Rheological Properties of Novel Magnetorheological Fluids <i>S. Mantripragada, X. Wang, F. Gordaninejad, B. Hu and A. Fuchs</i>	180
Phosphate Coating on the Surface of Carbonyl Iron Powder and Its Effect in Magnetorheological Suspensions <i>A. J. F. Bombard, M. Knobel and M. R. Alcântara</i>	187
Monitoring Interparticle Distance in Magnetorheological Composites <i>G. Bossis, E. Coquelle, C. Noël, F. Giulieri and A. M. Chaze</i>	195
Study of Utilizable Magnetorheological Elastomers <i>X. L. Gong, L. Chen and J. F. Li</i>	202
Increasing Electrorheological Response of Particles: The Effect of Conductive Polymer <i>A. Lengálová, V. Pavlínek, Q. Cheng and P. Sába</i>	210
Flow of Field Controllable Fluids with Suspended Ferrous Particles in Micro Tubes Under Magnetic Field <i>S. Ozcan, C. A. Evrensel, M. A. Pinsky and A. Fuchs</i>	217
Electrosensitive Lubricants <i>E. V. Korobko, Z. A. Novikova, N. A. Bedzik, V. L. Basimuk, A. V. Ivahnik and V. A. Mansurov</i>	224
Formation of Polarized Contact Layers and the Giant Electrorheological Effect <i>X. Huang, W. Wen, P. Sheng and S. Yang</i>	231
Progress Update of Magnetorheological Finishing (MRF <sup>®</sup> ) Technology Development <i>A. B. Shorey, M. Tricard, W. Kordonski and D. Kolczynski</i>	240
Properties of Ultrasonic Propagation in Functional Fluids Under Magnetic Fields <i>M. Motozawa, T. Sawada and Y. Matsumoto</i>	248

Basic Study on the Micro Polishing of Metal Mold Using Electro-Rheological Gel <i>N. Nakamura, Y. Kakinuma, T. Aoyama, K. Tanaka and H. Anzai</i>	256
High Versus Low Field Viscometric Characterization of Bidisperse MR Fluids <i>G. T. Ngatu and N. M. Wereley</i>	263
Study on Characteristics of an Electrorheological Fluid Coupling <i>Y. Meng, Y. Tian and H. Ji</i>	270
The Modified Electrodes for the Application of Polar Molecule Dominated Electrorheological (PM-ER) Fluids <i>X. Wang, R. Shen, G. Sun, W. Wen and K. Lu</i>	280
Dynamic Behavior of Field-Responsive Particulate Suspensions <i>H. See, C. Joung and C. Ekwebelam</i>	285
Influence of Composition and Microstructure on Electrorheological Property of M-Doped (M = Na, Zr) Nano-Sized TiO <sub>2</sub> Particle Materials <i>Y.-L. Shang, Y.-L. Jia, J.-R. Li and M.-X. Li</i>	292
Yield Stress Predictions for Magnetorheological Fluids from a Kinetic Theory Based Particle Pair Model <i>C. Ciocanel, G. Lipscomb and N. G. Naganathan</i>	299
Electrorheological Behavior of Nanometric Powders Suspensions <i>E. Zero, I. Wielgus and J. Plocharski</i>	306
Poly(Ethylene Glycol)-Coated Carbonyl Iron Particles: Preparation and Magnetorheological Behavior <i>J. G. Guan and L. C. Li</i>	313
Self-Assembly Morphologies and Electrorheological Properties of Polyaniline-Poly(Ethylene Glycol)-Polyaniline Triblock Copolymers <i>H.-R. Ma, J.-G. Guan and R.-Z. Yuan</i>	320
On the Control of a MR Torque Transfer Device <i>M. H. Elahinia, C. Ciocanel, K. Molyet and N. Naganathan</i>	326
Development of Self-Sensing Magnetorheological Dampers for Structural Vibration Control <i>S. W. Or, Y. F. Duan, Y. Q. Ni and T. K. Chan</i>	333

Magnetorheological (MR) Jet™ Finishing Technology <i>W. Kordonski and A. Shorey</i>	340
Fuzzy Finite-Element Analysis of Magnetorheological Dampers <i>S. A. Ghazavi and N. Yasrebi</i>	347
Qualitative Analysis of Magneto-Rheological Tuned Vibration Absorbers: Experimental Approach <i>J.-H. Koo and M. Ahmadian</i>	354
Analysis and Development of a Magnetorheological Fluid-Based Transparent Haptic System <i>F. Ahmadkhanlou, G. N. Washington and S. E. Bechtel</i>	361
Magnetorheological-Fluid Damper with Integral Step-and-Repeat Actuator <i>E. H. Anderson, M. F. Cash, M. E. Evert and S. C. Pendleton</i>	368
Magnetorheological Isolators Using Multiple Fluid Modes <i>M. Brigley, Y.-T. Choi and N. M. Wereley</i>	375
Force Feedback Control of a Medical Haptic Master Using an Electrorheological Fluid <i>Y. M. Han, P. S. Kang, K. G. Sung and S. B. Choi</i>	382
MR Fluid Technology – Commercial Status in 2006 <i>J. D. Carlson</i>	389
Comparison of ERF Clutch Designs <i>D. J. Ellam, W. A. Bullough and S. M. Chen</i>	396
Analysis and Validation of Semi-Active MR Recoil Damper <i>J.-H. Yoo, J.-W. Park and N. M. Wereley</i>	403
Magneto-Rheological Fluid Damper for a Front-Loading Washing Machine: Design, Fabrication and Characterization <i>G. Aydar, C. A. Evrensel, F. Gordaninejad and A. Fuchs</i>	410
Application of ERG with One-Sided Pattern Electrodes to a Micro Alignment and Fixture Device <i>Y. Kakinuma, T. Aoyama and H. Anzai</i>	417
Isokinetic Exercise Machine Using ER Brake and Its Velocity Control at High-Speed Training <i>T. Kikuchi, J. Furusho and K. Oda</i>	424

Optimal Control of a Half-Car Vehicle Model with a Variable Damping Semi-Active Suspension <i>Y. Ercan</i>	431
Hydro-Mechanical Analysis of a Magnetorheological Bypass Damper <i>S. R. Hong, G. Wang, W. Hu, N. M. Wereley and S. B. Choi</i>	438
Nondimensional Analysis of Shear-Mode Type Rotary Drum Dampers Using Magnetorheological Fluids <i>N. M. Wereley, Y.-T. Choi and S.-B. Choi</i>	445
Full-Scale Magneto-Rheological Fluid Dampers for Heavy Vehicle Rollover <i>H. Sahin, Y. Liu, X. Wang, F. Gordaninejad, C. Evrensel and A. Fuchs</i>	452
Characteristics of a Tuned Liquid Damper Using a Magnetic Fluid <i>K. Ohno, M. Shimoda, T. Sawada and S. Horie</i>	459
Semi-Active Control of Suspension System Using a Serial Multielectrode Electrorheological Damper <i>W. H. Kuo, T. N. Wu, J. Guo, M. H. Chiang, Y. N. Chen and Y. P. Wang</i>	467
Magnetorheological Fluid Fan Drive for Trucks <i>A. L. Smith, J. C. Ulicny and L. C. Kennedy</i>	479
Fuzzy-Sliding Mode Control of Semi-Active Suspension Systems with MR Dampers <i>L. Zheng, Y. N. Li and A. Baz</i>	487
Field Test on Vibration Control of Vehicle Suspension System Featuring ER Shock Absorbers <i>S. B. Choi, Y. M. Han, H. J. Song, J. W. Sohn and H. J. Choi</i>	496
Examination of Throughflow in a Radial ERF Clutch <i>S. M. Chen, W. A. Bullough and D. J. Ellam</i>	504
Investigation of Dissipativity for Semiaactive Control of the Base Isolated Benchmark Building with MR Dampers <i>B. Erkus and E. A. Johnson</i>	512
A Study on Time-Delay of an ER Fluid's Response which Effects on Control Performance of Servo-Systems <i>K. I. Koyanagi</i>	519

Development of 2-DOF MR Joysticks for Virtual Reality Applications <i>W. H. Li, B. Liu, P. B. Kosasih and X. Z. Zhang</i>	527
Research and Development of the Intelligent Prosthetic Ankle Joint with a MR Linear Brake <i>C. Li, J. Furusho, S. Morimoto, M. Tokuda and Y. Hashimoto</i>	534
Analysis of the Structural Characteristics and Magnetic Field Intensity of MR Damper <i>W. K. Lan, L. Zheng, Y. N. Li, S. S. Li and A. Baz</i>	541
Two-Layered Magnetic Fluid Sloshing in a Rectangular Container <i>S. Yoshida, A. Benvenuti, K. Tomita and T. Sawada</i>	551
Development of Normally Closed Type of Magnetorheological Clutch and Its Application to Safe Torque Control System of Human-Collaborative Robot <i>T. Saito and H. Ikeda</i>	557
A Magnetorheological Damper with Bifold Valves for Shock and Vibration Mitigation <i>M. Mao, W. Hu, Y.-T. Choi and N. M. Wereley</i>	563
Squeeze-Flow Mode Magnetorheological Fluid Mount <i>C. Ciocanel, T. Nguyen, M. Elahinia and N. G. Naganathan</i>	570
A Magnetolectric Relative Displacement Self-Sensing Magnetorheological Damper <i>D. H. Wang and D. K. Lai</i>	577
Vibration Suppression of Rotating Flexible Beams Using ER Fluids: Experimental Work <i>K. Wei, G. Meng and S. Zhou</i>	584
Microfluidic Manipulation in Lab-Chips Using Electrorheological Fluid <i>X. Z. Niu, L. Y. Liu, W. J. Wen and P. Sheng</i>	591
MR Damper Generating Response-Dependent Frictional Force for Controlling Building Structures Excited by Seismic Load <i>S. H. Lee, K. W. Min, K. J. Youn, L. Chung, S. B. Choi, K. G. Sung and H. G. Lee</i>	596
Fuzzy Logic Control for Magnetorheological Damper <i>C. A. M. Pinheiro, J. J. Lima, A. J. F. Bombard, J. C. Dias and J. B. Machado</i>	603

Experimental Studies on Magnetorheological Model Suspensions <i>A.-M. Trendler and H. Böse</i>	610
Fuzzy Moving Sliding Mode Control of Vehicle Suspension Featuring ER Shock Absorber <i>J. W. Cho, Y. S. Paeng, S. B. Choi and K. S. Kim</i>	617
Cole-Cole Analysis on Dielectric Spectra of Electrorheological Suspensions <i>H. J. Choi, C. H. Hong and M. S. Jhon</i>	624
Magnetorheology of Carbonyl-Iron Suspension with Iron/MCM-41 Additive <i>F. F. Fang, B. J. Park, H. J. Choi and W. S. Ahn</i>	631
Speed Control of DC Motor Using Electrorheological Brake System <i>S. B. Choi, J. Y. Yook, M. K. Choi and Q. H. Nguyen</i>	638
Magnetorheological Bypass Damper Exploiting Flow Through a Porous Channel <i>E. Cook, W. Hu and N. M. Wereley</i>	645
Adaptive Tuned Vibration Absorber Based on Magnetorheological Elastomer <i>H. X. Deng and X. L. Gong</i>	652
ER Effect of Low Molecular Liquid Crystal on One-Sided Patterned Electrodes <i>T. Kikuchi, A. Inoue, J. Furusho and R. Kawamuki</i>	659
Design of the High-Performance MR Brake and Its Characteristics <i>T. Kikuchi, J. Furusho, Y. Yamaguchi and S. Kimura</i>	667
The Influence of Magnetic Field on the Speed of Filling the Cylindrical Capillaries with Magnetorheological Fluid <i>E. V. Korobko and N. A. Zhuravski</i>	674
Control Responses of Commercial Magnetorheological Damper for Passenger Vehicles <i>H. G. Lee, K. G. Sung, S. B. Choi, K. W. Min and S. H. Lee</i>	681
Response Control of a Real-Scaled Five-Story Structure Using Magneto-Rheological Damper <i>S. H. Lee, E. C. Park, K. J. Youn, K. W. Min, L. Chung, S. B. Choi, K. G. Sung and H. G. Lee</i>	689

Performance Evaluation of MR Damper in Building Structures Considering Dynamic Soil-Structure Interaction <i>S.-K. Lee, J.-H. Park, S.-H. Lee, K. W. Min, L. Chung, B.-W. Moon, K.-S. Kang and S.-B. Choi</i>	696
Discrete-Time Fuzzy Sliding Mode Control of Vehicle Suspension System Featuring Electrorheological Damper <i>K. H. Lim, S. B. Choi, Y. S. Lee and M. S. Han</i>	704
Sedimentation Rate Measurement of Magnetorheological Fluids with Partial Substitution of Microparticles with Nanoparticles <i>G. Ngatu, N. Wereley, N. Nersessian and B. Woods</i>	712
Preparation and Magnetorheological Characterization of CI/PVB Core/Shell Particle Suspend MR Fluids <i>J. L. You, B. J. Park, H. J. Choi, S. B. Choi and M. S. Jhon</i>	719
Preparation and Electrorheological Characteristics of PANI/MWNT Nanocomposite <i>J. Y. Lim, S. T. Kim, B. J. Park and H. J. Choi</i>	726
Vibration Control of Engine Mount Using ER Fluid and Piezoelectric Actuator <i>H. J. Song, S. B. Choi, Y. S. Jeon and N. M. Wereley</i>	733
Optimum Design of One-Sided Patterned Electrodes for Gel-Structured ER Fluids by Means of a Numerical Analysis <i>H. Watanabe, Y. Kakinuma, T. Aoyama and H. Anzai</i>	741
Frontal Crash Mitigation Using MR Impact Damper for Controllable Bumper <i>D. Woo, S. B. Choi, Y. T. Choi and N. M. Wereley</i>	748
Manufacture of Bulk Magnetorheological Elastomers Using Vacuum Assisted Resin Transfer Molding <i>B. K. S. Woods, N. Wereley, R. Hoffmaster and N. Nersessian</i>	756
Squeeze Flow of Electrorheological Fluids Under Constant Volume <i>E. C. Mcintyre and F. E. Filisko</i>	763
Analysis of Condensed Species from Electric Arc Deposition <i>A. M. Knapp and F. E. Filisko</i>	769
Performance Testing and Hysteresis Modeling of a Position-Feedback MR Actuator <i>B. Liu, W. H. Li, P. B. Kosasih and X. Z. Zhang</i>	779

Influence of Particle Shape on the Properties of Magnetorheological Fluids <i>R. C. Bell, E. D. Miller, J. O. Karli, A. N. Vavreck and D. T. Zimmerman</i>	786
Experimental Validation of a Signum Function Based Damper Controller for MR Fluid Dampers <i>D. H. Wang, G. Yuan and W. H. Liao</i>	793
The Effect of Polypyrrole Loading on the Electrorheological Properties of Polypyrrole/SBA-15 Suspensions <i>Q. Cheng, V. Pavlinek, T. Belza, A. Lengalova, Y. He and C. Li</i>	800
Effects of Excitation Characteristics on the Equivalent Linear System of a Building Structure with MR Dampers <i>J.-H. Park, S.-K. Lee, S.-H. Lee, K.-W. Min, B.-W. Moon and S.-B. Choi</i>	808
Electrostructured Sensitivity of Inorganic and Natural Fillers for ERF <i>E. V. Korobko, N. A. Bedzik, L. S. Eschenko and G. M. Zhuk</i>	815