

# Contents

<i>Foreword</i>	v
<i>Acknowledgments</i>	xxv
1. General introduction	1
2. General background	7
2.1 Introduction . . . . .	7
2.2 The two interacting systems: atom and field . . . . .	9
2.2.1 External and internal atomic variables . . . . .	9
2.2.2 Classical versus quantum treatments of atomic variables . . . . .	10
2.2.3 Classical description of field variables . . . . .	10
2.2.4 Quantum description of field variables . . . . .	11
2.2.5 Atom-field interaction Hamiltonian in the long wavelength approximation . . . . .	12
2.2.6 Elementary interaction processes . . . . .	14
2.3 Basic conservation laws . . . . .	14
2.3.1 Conservation of the total linear momentum . . . . .	14
2.3.2 Conservation of the total angular momentum . . . . .	17
2.4 Two-level atom interacting with a coherent monochromatic field. The Rabi oscillation . . . . .	20
2.4.1 A simple case: magnetic resonance of a spin 1/2 . . . . .	20
2.4.2 Extension to any two-level atomic system . . . . .	23
2.4.3 Perturbative limit . . . . .	25
2.4.4 Two physical pictures for Ramsey fringes . . . . .	27
2.5 Two-level atom interacting with a broadband field. Absorption and emission rates . . . . .	29
2.5.1 Absorption rate deduced from a semiclassical treatment of the field . . . . .	29
2.5.2 Physical discussion. Relaxation time and correlation time . . . . .	31

2.5.3	Sketch of a quantum treatment of the absorption process . . . . .	31
2.5.4	Extension to spontaneous emission . . . . .	32
2.6	Two-level atom interacting with a coherent monochromatic field in the presence of damping . . . . .	33
<b>Light: a source of information on atoms</b>		<b>35</b>
3.	Optical methods	41
3.1	Introduction . . . . .	41
3.2	Double resonance . . . . .	43
3.2.1	Principle of the method . . . . .	43
3.2.2	Predicted shape for the double resonance curve . . . . .	44
3.2.3	Experimental results . . . . .	45
3.2.4	Interpretation of the Majorana reversal . . . . .	45
3.3	Optical pumping [Kastler (1950)] . . . . .	46
3.3.1	Principle of the method for a $J_g = 1/2 \rightarrow J_e = 1/2$ transition . . . . .	47
3.3.2	Angular momentum balance . . . . .	48
3.3.3	Double role of light . . . . .	48
3.4	First experiments on optical pumping . . . . .	49
3.5	How can optical pumping polarize atomic nuclei? . . . . .	49
3.5.1	Using hyperfine coupling with polarized electronic spins . . . . .	49
3.5.2	First example: optical pumping experiments with mercury-199 atoms . . . . .	52
3.5.3	Second example: combining optical pumping with metastability exchange collisions for helium-3 . . . . .	52
3.5.4	A new application: magnetic resonance imaging of the lung cavities . . . . .	54
3.6	Brief survey of the main applications of optical methods . . . . .	55
3.7	Concluding remarks . . . . .	58
4.	Linear superpositions of internal atomic states	61
4.1	Introduction . . . . .	61
4.2	First experimental evidence of the importance of atomic coherences . . . . .	62
4.3	Zeeman coherences in excited states . . . . .	64
4.3.1	How to prepare Zeeman coherences in excited states $e$ ? . . . . .	64
4.3.2	Physical interpretation . . . . .	64
4.3.3	How to detect Zeeman coherences in $e$ ? . . . . .	66
4.3.4	Equation of motion of Zeeman coherences in $e$ . . . . .	66
4.3.5	Level crossing resonances in the excited state $e$ . . . . .	67

4.3.6	Pulsed excitation. Quantum beats . . . . .	69
4.3.7	Excitation with modulated light . . . . .	70
4.3.8	Modulation of the fluorescence light in a double resonance experiment. Light beats . . . . .	70
4.4	Zeeman coherences in atomic ground states . . . . .	71
4.4.1	Hanle effect in atomic ground states . . . . .	71
4.4.2	Detection of the magnetic resonance in the ground state by the modulation of the absorbed light . . . . .	74
4.5	Transfer of coherences . . . . .	74
4.6	Dark resonances. Coherent population trapping . . . . .	79
4.6.1	Discovery of dark resonances . . . . .	79
4.6.2	First theoretical treatment of dark resonances . . . . .	80
4.6.3	Interpretation of the Raman resonance condition . . . . .	81
4.6.4	A few applications of dark resonances . . . . .	82
4.7	Conclusion . . . . .	84
5.	Resonance fluorescence . . . . .	87
5.1	Introduction . . . . .	87
5.2	Low intensity limit. Perturbative approach . . . . .	88
5.2.1	Lowest order process . . . . .	88
5.2.2	Resonant scattering amplitude . . . . .	89
5.2.3	Scattering of a light wave packet . . . . .	91
5.2.4	First higher order processes . . . . .	92
5.3	Optical Bloch equations . . . . .	93
5.4	The dressed atom approach . . . . .	96
5.4.1	The interacting systems . . . . .	96
5.4.2	Uncoupled states of the atom-laser system . . . . .	97
5.4.3	Effect of the coupling. Dressed states . . . . .	98
5.4.4	Two different situations . . . . .	99
5.4.5	Radiative cascade in the basis of uncoupled states . . . . .	101
5.4.6	A new description of quantum dissipative processes . . . . .	104
5.5	Photon correlations. The quantum jump approach . . . . .	105
5.5.1	The waiting time distribution . . . . .	105
5.5.2	From the waiting time distribution to the second order correlation function . . . . .	106
5.5.3	Photon antibunching . . . . .	106
5.6	Fluorescence triplet at high laser intensities . . . . .	108
5.6.1	Limit of large Rabi frequency . . . . .	108
5.6.2	Mollow fluorescence triplet . . . . .	108
5.6.3	Widths and weights of the components of the Mollow triplet . . . . .	110

5.6.4	Time correlations between the photons emitted in the two sidebands of the fluorescence triplet . . . . .	111
5.7	Conclusion . . . . .	112
6.	Advances in high resolution spectroscopy . . . . .	115
6.1	Introduction . . . . .	115
6.2	Saturated absorption . . . . .	117
6.2.1	Principle of the method . . . . .	117
6.2.2	Crossover resonances . . . . .	118
6.2.3	Recoil doublet . . . . .	120
6.3	Two-photon Doppler-free spectroscopy . . . . .	121
6.3.1	Principle of the method . . . . .	121
6.3.2	Examples of results . . . . .	122
6.3.3	Comparison between saturated absorption and two-photon spectroscopy . . . . .	124
6.4	Recoil suppressed by confinement: the Lamb-Dicke effect . . . . .	124
6.4.1	Intensities of the vibrational lines . . . . .	125
6.4.2	Influence of the localization of the ion . . . . .	127
6.4.3	Case of a harmonic potential . . . . .	127
6.4.4	Historical perspective . . . . .	128
6.5	The shelving method . . . . .	129
6.5.1	Single ion spectroscopy . . . . .	130
6.5.2	Intermittent fluorescence . . . . .	131
6.5.3	Properties of the detected signal . . . . .	132
6.5.4	Observation of quantum jumps . . . . .	134
6.6	Quantum logic spectroscopy . . . . .	135
6.7	Frequency measurement with frequency combs . . . . .	137
6.8	Conclusion . . . . .	139

## **Atom-photon interactions: a source of perturbations for atoms which can be useful** 141

7.	Perturbations due to a quasi resonant optical excitation . . . . .	145
7.1	Introduction . . . . .	145
7.2	Light shift, light broadening and Rabi oscillation . . . . .	147
7.2.1	Effective Hamiltonian . . . . .	147
7.2.2	Weak coupling limit. Light shift and light broadening . . . . .	148
7.2.3	High coupling limit. Rabi oscillation . . . . .	149
7.2.4	Absorption rate versus Rabi oscillation . . . . .	151
7.2.5	Semiclassical interpretation in the weak coupling limit . . . . .	151
7.2.6	Generalization to a non-resonant excitation . . . . .	152

7.2.7	Case of a degenerate ground state . . . . .	154
7.3	Perturbation of the field. Dispersion and absorption . . . . .	155
7.3.1	Atom in a cavity . . . . .	155
7.3.2	Frequency shift of the field due to the atom . . . . .	156
7.3.3	Damping of the field . . . . .	157
7.4	Experimental observation of light shifts . . . . .	158
7.4.1	Principle of the experiment . . . . .	158
7.4.2	Examples of results . . . . .	159
7.5	Using light shifts for manipulating atoms . . . . .	161
7.5.1	Laser traps . . . . .	161
7.5.2	Atomic mirrors . . . . .	162
7.5.3	Blue detuned traps: a few examples . . . . .	163
7.5.4	Optical lattices . . . . .	164
7.5.5	Internal state dependent optical lattices . . . . .	165
7.5.6	Coherent transport . . . . .	167
7.6	Using light shifts for manipulating fields . . . . .	167
7.6.1	Linear superposition of two field states with different phases . . . . .	168
7.6.2	Non-destructive detection of photons . . . . .	168
7.7	Conclusion . . . . .	169
8.	Perturbations due to a high frequency excitation . . . . .	171
8.1	Introduction . . . . .	171
8.2	Spin 1/2 coupled to a high frequency RF field . . . . .	173
8.2.1	Hamiltonian . . . . .	174
8.2.2	Perturbative treatment of the coupling . . . . .	174
8.2.3	Stimulated corrections . . . . .	176
8.2.4	Radiative corrections . . . . .	177
8.3	Weakly bound electron coupled to a high frequency field . . . . .	178
8.3.1	Effective Hamiltonian describing the modifications of the dynamical properties of the electron . . . . .	178
8.3.2	Stimulated effects . . . . .	180
8.3.3	Spontaneous effects. Vacuum fluctuations and radiation reaction . . . . .	182
8.4	New insights into radiative corrections . . . . .	183
8.4.1	Examples of spontaneous corrections . . . . .	183
8.4.2	Interpretation of the Lamb shift . . . . .	185
8.4.3	Interpretation of the spin anomaly $g - 2$ . . . . .	186
8.5	Conclusion . . . . .	188

**Atom-photon interactions: a simple system for studying higher order effects** 191

- 9. Multiphoton processes between discrete states 195
  - 9.1 Introduction . . . . . 195
  - 9.2 Radiofrequency multiphoton processes . . . . . 196
    - 9.2.1 Multiphoton RF transitions between two Zeeman sublevels  $m_F$  and  $m_F + 2$  . . . . . 196
    - 9.2.2 Experimental observation on sodium atoms . . . . . 198
    - 9.2.3 Multiphoton resonances between two Zeeman sublevels  $m_F$  and  $m_F + 1$  . . . . . 199
  - 9.3 Radiative shift and radiative broadening of multiphoton resonances . . . . . 202
    - 9.3.1 Energy levels of the atom+RF photons system. Transition amplitude . . . . . 202
    - 9.3.2 Pure single photon resonance. Simple anticrossing . . . . . 204
    - 9.3.3 Higher order anticrossing for a  $p$ -photon resonance ( $p > 1$ ) 205
    - 9.3.4 Application to the case of a spin 1/2 coupled to a  $\sigma$ -polarized RF field . . . . . 206
  - 9.4 Optical multiphoton processes between discrete states . . . . . 211
    - 9.4.1 Introduction . . . . . 211
    - 9.4.2 Radiative shift of Doppler-free two-photon resonances . . . 211
    - 9.4.3 Stimulated Raman processes . . . . . 212
    - 9.4.4 Phase matching condition. Application to degenerate four-wave mixing . . . . . 217
  - 9.5 Conclusion . . . . . 219
- 10. Photoionization of atoms in intense laser fields 221
  - 10.1 Introduction . . . . . 221
  - 10.2 Multiphoton ionization . . . . . 223
    - 10.2.1 Parameters influencing the multiphoton ionization rate . . 223
    - 10.2.2 Quantum interference effects in multiphoton ionization . . 225
    - 10.2.3 Asymmetric line profiles in resonant multiphoton ionization . . . . . 226
  - 10.3 Above threshold ionization (ATI) . . . . . 227
    - 10.3.1 Multiphoton transitions between states of the continuum . 227
    - 10.3.2 Consequences of the oscillatory motion of the electron in the laser field . . . . . 228
    - 10.3.3 Evidence for non-perturbative effects . . . . . 229
  - 10.4 Harmonic generation . . . . . 231
    - 10.4.1 Physical interpretation . . . . . 231

10.4.2	High order harmonic generation (HHG). Evidence for non-perturbative effects . . . . .	232
10.5	Tunnel ionization and recollision . . . . .	233
10.5.1	The breakdown of perturbation theory . . . . .	233
10.5.2	Keldysh parameter . . . . .	234
10.5.3	Two-step quantum-classical model . . . . .	235
10.5.4	Recollision . . . . .	237
10.5.5	Full quantum treatments . . . . .	239
10.6	Conclusion . . . . .	239

**Atom-photon interactions: a tool for controlling and manipulating atomic motion** **241**

11.	Radiative forces exerted on a two-level atom at rest	247
11.1	Introduction . . . . .	247
11.1.1	Order of magnitude of the force . . . . .	247
11.1.2	Characteristic times . . . . .	248
11.1.3	Validity of the concept of a mean force at a given point . . . . .	249
11.2	Calculation of the mean radiative force . . . . .	250
11.2.1	Principle of the calculation . . . . .	250
11.2.2	Hamiltonian and the rotating wave approximation . . . . .	251
11.2.3	Heisenberg equations for the external variables. Force operator . . . . .	252
11.2.4	Approximations. Mean radiative force . . . . .	253
11.2.5	The two types of mean radiative forces: dissipative and reactive . . . . .	253
11.3	Dissipative force . . . . .	256
11.3.1	Theoretical results . . . . .	256
11.3.2	Physical interpretation . . . . .	257
11.3.3	Application to the deflection and to the slowing down of an atomic beam . . . . .	258
11.3.4	Fluctuations . . . . .	260
11.4	Reactive force . . . . .	261
11.4.1	Theoretical results . . . . .	262
11.4.2	Physical interpretation . . . . .	262
11.4.3	Dressed atom interpretation . . . . .	263
11.5	Conclusion . . . . .	266
12.	Laser cooling of two-level atoms	269
12.1	Introduction . . . . .	269
12.2	Doppler-induced friction force . . . . .	271

- 12.2.1 Doppler effect in a red detuned laser plane wave . . . . . 271
- 12.2.2 Low velocity behavior of the force . . . . . 272
- 12.2.3 Idea of Doppler cooling for trapped ions . . . . . 273
- 12.2.4 Idea of Doppler cooling for neutral atoms . . . . . 273
- 12.3 Two-level atom moving in a weak standing wave.
  - Doppler cooling . . . . . 275
  - 12.3.1 Perturbative approach for calculating the force . . . . . 275
  - 12.3.2 Friction coefficient for a red-detuned weak standing wave . 276
  - 12.3.3 Momentum-energy balance. Entropy balance . . . . . 276
  - 12.3.4 Limits of Doppler cooling. Lowest temperature . . . . . 277
  - 12.3.5 Consistency of the various approximations . . . . . 279
  - 12.3.6 Spatial diffusion. Optical molasses . . . . . 279
- 12.4 Beyond the perturbative approach . . . . . 280
  - 12.4.1 Optical Bloch equations for a moving atom . . . . . 280
  - 12.4.2 Time lag of internal variables . . . . . 281
  - 12.4.3 Low velocity limit ( $k_L v \ll \Gamma$ ) . . . . . 282
  - 12.4.4 Higher velocities . . . . . 282
- 12.5 Dressed atom approach to atomic motion in an intense standing wave. Blue cooling . . . . . 284
  - 12.5.1 Energy and radiative widths of the dressed states . . . . . 284
  - 12.5.2 Friction mechanism . . . . . 285
  - 12.5.3 High intensity Sisyphus cooling . . . . . 286
  - 12.5.4 Experimental results . . . . . 288
- 12.6 Conclusion . . . . . 289
- 13. Sub-Doppler cooling. Sub-recoil cooling . . . . . 291
  - 13.1 Introduction . . . . . 291
  - 13.2 Sub-Doppler cooling . . . . . 293
    - 13.2.1 The basic ingredients of sub-Doppler cooling . . . . . 293
    - 13.2.2 Laser configuration and atomic transition . . . . . 294
    - 13.2.3 Light shifts and optical pumping for an atom at rest . . . . 294
    - 13.2.4 Low intensity Sisyphus cooling for a moving atom . . . . . 296
    - 13.2.5 Characteristics of the friction force. Qualitative discussion 298
    - 13.2.6 Quantum limits of sub-Doppler cooling . . . . . 300
  - 13.3 Sub-recoil cooling . . . . . 302
    - 13.3.1 Physical mechanism . . . . . 302
    - 13.3.2 Velocity selective coherent population trapping (VSCPT) . 304
    - 13.3.3 Sub-recoil Raman cooling . . . . . 308
    - 13.3.4 Quantitative predictions for sub-recoil cooling . . . . . 310
  - 13.4 Resolved sideband cooling of trapped ions . . . . . 312
  - 13.5 Conclusion . . . . . 314

14. Trapping of particles	317
14.1 Introduction . . . . .	317
14.2 Trapping of charged particles . . . . .	318
14.2.1 The Earnshaw theorem . . . . .	318
14.2.2 The Penning trap . . . . .	319
14.2.3 The Paul trap . . . . .	321
14.2.4 Cooling of the trapped ions . . . . .	323
14.2.5 High precision measurements performed with ultracold trapped ions . . . . .	324
14.3 Magnetic traps . . . . .	325
14.3.1 Introduction . . . . .	325
14.3.2 Quadrupole trap and Majorana losses . . . . .	326
14.3.3 Ioffe-Pritchard trap . . . . .	327
14.3.4 Time-averaged orbiting potential (TOP) . . . . .	329
14.3.5 Loading neutral atoms in a magnetic trap . . . . .	330
14.4 Electric dipole traps . . . . .	330
14.4.1 Induced dipole moment . . . . .	330
14.4.2 Application of dipole forces to trapping . . . . .	332
14.4.3 Optical lattices . . . . .	335
14.5 Artificial orbital magnetism for neutral atoms . . . . .	338
14.5.1 Introduction . . . . .	338
14.5.2 Rotating a harmonically trapped quantum gas . . . . .	338
14.5.3 Artificial gauge potential from adiabatic evolution . . . . .	339
14.6 Magneto-optical trap (MOT) . . . . .	341
14.7 Conclusion . . . . .	344

## Ultracold interactions and their control 347

15. Two-body interactions at low temperatures	351
15.1 Introduction . . . . .	351
15.2 Quantum scattering: a brief reminder . . . . .	352
15.2.1 Scattering amplitude . . . . .	353
15.2.2 Scattering cross section . . . . .	355
15.2.3 Partial wave expansion . . . . .	355
15.3 Scattering length . . . . .	358
15.3.1 Low-energy limit . . . . .	358
15.3.2 Scattering amplitude and scattering length . . . . .	360
15.3.3 Square potential and resonances . . . . .	361
15.3.4 Effective interactions and the sign of the scattering length	363
15.4 Pseudo-potential . . . . .	365
15.4.1 Motivation for introducing this pseudo-potential . . . . .	365

15.4.2	Localized pseudo-potential giving the correct scattering length . . . . .	365
15.4.3	Scattering amplitude. Validity of the Born approximation . . . . .	367
15.4.4	Bound state of the pseudo-potential for a positive scattering length . . . . .	368
15.5	Delta potential truncated in momentum space . . . . .	369
15.5.1	Expression of the potential . . . . .	369
15.5.2	Determination of the new coupling constant . . . . .	369
15.5.3	Comparison with the pseudo-potential . . . . .	370
15.6	Forward scattering . . . . .	371
15.6.1	Gaussian incident wave and scattered wave . . . . .	371
15.6.2	Interference of the incident and scattered waves in the far-field zone . . . . .	373
15.6.3	Phase shift of the incident wave and mean field energy . . . . .	375
15.7	Conclusion . . . . .	377
16.	Controlling atom-atom interactions . . . . .	379
16.1	Introduction . . . . .	379
16.2	Collision channels . . . . .	380
16.2.1	Microscopic interactions . . . . .	380
16.2.2	Quantum numbers of the initial collision state. Collision channels . . . . .	382
16.2.3	Coupled channel equations . . . . .	382
16.2.4	Two-channel model . . . . .	383
16.3	Qualitative discussion. Analogy between Feshbach resonances and resonant light scattering . . . . .	384
16.4	Scattering states of the two-channel Hamiltonian . . . . .	386
16.4.1	Calculation of the dressed scattering states . . . . .	386
16.4.2	Existence of a resonance in the scattering amplitude . . . . .	388
16.4.3	Asymptotic behavior of the dressed scattering states . . . . .	389
16.4.4	Scattering length. Feshbach resonance . . . . .	391
16.5	Bound states of the two-channel Hamiltonian . . . . .	393
16.5.1	Calculation of the energy of the bound state . . . . .	393
16.5.2	Wave function of the bound state . . . . .	396
16.5.3	Halo states . . . . .	397
16.6	Producing ultracold molecules . . . . .	399
16.6.1	Magnetic tuning of a Feshbach resonance . . . . .	399
16.6.2	Photoassociation of ultracold atoms . . . . .	400
16.7	Conclusion . . . . .	402

<b>Exploring quantum interferences with few atoms and photons</b>	<b>405</b>
17. Interference of atomic de Broglie waves	409
17.1 Introduction . . . . .	409
17.2 De Broglie waves versus optical waves . . . . .	410
17.2.1 Dispersion relations. Position and momentum distributions . . . . .	410
17.2.2 Spatial coherences. Coherence length . . . . .	411
17.2.3 Fragility of spatial coherences . . . . .	413
17.3 Young's two-slit interferences with atoms . . . . .	414
17.3.1 Important parameters of Young's double-slit interferometer	414
17.3.2 Young's double-slit interferences with supersonic beams . .	415
17.3.3 Young's double-slit interferences with cold atoms . . . . .	416
17.3.4 Can one determine which slit the atom passes through? . .	417
17.4 Diffraction of atoms by material structures . . . . .	418
17.5 Diffraction by laser standing waves . . . . .	420
17.5.1 New features compared to the diffraction by material gratings . . . . .	420
17.5.2 Light-atom momentum exchange . . . . .	422
17.5.3 Raman-Nath regime . . . . .	423
17.5.4 Bragg regime . . . . .	424
17.6 Bloch oscillations . . . . .	427
17.6.1 Review on the quantum treatment of a particle in a periodic potential . . . . .	427
17.6.2 Implementation with cold atoms . . . . .	428
17.6.3 Physical interpretations . . . . .	430
17.7 Diffraction of atomic de Broglie waves by time-dependent structures . . . . .	431
17.7.1 Phase modulation of atomic de Broglie waves . . . . .	432
17.7.2 Atomic wave diffraction and interference using temporal slits . . . . .	433
17.8 Conclusion . . . . .	433
18. Ramsey fringes revisited and atomic interferometry	435
18.1 Introduction . . . . .	435
18.2 Microwave atomic clocks with cold atoms . . . . .	437
18.2.1 Principle of an atomic clock . . . . .	437
18.2.2 Atomic fountains . . . . .	437
18.2.3 Performances of atomic fountains . . . . .	438
18.2.4 Cold atoms clocks in space . . . . .	441
18.2.5 Tests of general relativity . . . . .	441

- 18.3 Extension of Ramsey fringes to the optical domain . . . . . 442
  - 18.3.1 Equivalence of the crossing of a laser beam with a coherent beam splitter . . . . . 442
  - 18.3.2 Spatial separation of the two final wave packets. Quenching of the interference . . . . . 443
  - 18.3.3 How to restore the interference signal? . . . . . 444
  - 18.3.4 Other possible schemes . . . . . 448
- 18.4 Calculation of the phase difference between the two arms of an atomic interferometer . . . . . 449
  - 18.4.1 Quantum propagator and Feynman path integral . . . . . 450
  - 18.4.2 Simple case of quadratic Lagrangians . . . . . 451
  - 18.4.3 Phase shift in the absence of external potentials and inertial fields . . . . . 452
  - 18.4.4 Phase shift due to external potentials and inertial fields in the perturbative limit . . . . . 453
- 18.5 Applications of atomic interferometry . . . . . 454
  - 18.5.1 Measurement of gravitational fields. Gravimeters . . . . . 454
  - 18.5.2 Measurement of rotational inertial fields . . . . . 457
  - 18.5.3 Measurement of  $h/M$  and  $\alpha$  . . . . . 459
- 18.6 New perspectives opened by optical clocks . . . . . 461
  
- 19. Quantum correlations. Entangled states . . . . . 463
  - 19.1 Introduction . . . . . 463
  - 19.2 Interference effects in double counting rates . . . . . 464
    - 19.2.1 Photodetection signals . . . . . 464
    - 19.2.2 Two-mode model for the light field . . . . . 465
    - 19.2.3 What are the “objects” which interfere in  $w_{II}$ ? . . . . . 466
    - 19.2.4 Establishment of correlations between the two modes . . . . . 467
  - 19.3 Entangled states . . . . . 469
    - 19.3.1 Definition . . . . . 469
    - 19.3.2 Schmidt decomposition of an entangled state . . . . . 469
    - 19.3.3 Information content of an entangled state . . . . . 471
  - 19.4 Preparing entangled states . . . . . 472
    - 19.4.1 Entanglement between one atom and one field mode . . . . . 472
    - 19.4.2 Entanglement between two atoms . . . . . 473
    - 19.4.3 Entanglement between two separate cavity fields . . . . . 475
    - 19.4.4 Entanglement between two photons . . . . . 475
  - 19.5 Entanglement and interference . . . . . 477
  - 19.6 Entanglement and non-separability . . . . . 479
    - 19.6.1 The Einstein-Podolsky-Rosen (EPR) argument [Einstein *et al.* (1935)] . . . . . 479
    - 19.6.2 Bell’s inequalities . . . . . 480

19.6.3	Experimental results and conclusion . . . . .	481
19.7	Entanglement and which-path information . . . . .	485
19.8	Entanglement and the measurement process . . . . .	486
19.8.1	Von Neumann model of an ideal measurement process . . . . .	486
19.8.2	Difficulty associated with macroscopic coherences . . . . .	487
19.8.3	A possible solution: coupling of $\mathcal{M}$ with the environment . . . . .	487
19.8.4	Simple example of pointer states . . . . .	488
19.8.5	The infinite chain of Von Neumann . . . . .	489
19.9	Conclusion . . . . .	490

## Degenerate quantum gases 491

20.	Emergence of quantum effects in a gas . . . . .	497
20.1	Introduction . . . . .	497
20.2	Quantum effects in collisions . . . . .	499
20.2.1	$S$ -matrix and $T$ -matrix . . . . .	499
20.2.2	Interfering scattering amplitudes for identical particles . . . . .	500
20.2.3	Polarized Fermi gas at low temperature . . . . .	503
20.2.4	Interference effects in forward and backward scattering . . . . .	503
20.2.5	Identical spin rotation effect (ISRE) . . . . .	506
20.2.6	A few examples of effects involving ISRE . . . . .	508
20.3	The first prediction of BEC in a gas . . . . .	512
20.3.1	A new derivation of Planck's law for black body radiation . . . . .	512
20.3.2	Extension of Bose statistics to atomic particles . . . . .	513
20.3.3	The condensation phenomenon . . . . .	514
20.3.4	Critical temperature . . . . .	515
20.3.5	Variation of the number $N_0$ of condensed atoms with the temperature. Thermodynamic limit . . . . .	518
20.3.6	Influence of dimensionality . . . . .	519
20.4	Conclusion . . . . .	520
21.	The long quest for Bose-Einstein condensation . . . . .	523
21.1	Introduction . . . . .	523
21.2	First attempts on hydrogen . . . . .	524
21.2.1	Spin polarized hydrogen as a quantum gas . . . . .	524
21.2.2	Production of a spin polarized sample at low temperature . . . . .	525
21.2.3	Difficulties associated with collisions . . . . .	526
21.2.4	Need for other methods . . . . .	527
21.3	Second attempts on hydrogen . . . . .	527
21.3.1	Wall free confinement. Magnetic trapping . . . . .	527
21.3.2	Bose-Einstein condensation in a harmonic trap . . . . .	528

21.3.3	New cooling method: evaporative cooling . . . . .	529
21.3.4	Need for new detection method of polarized hydrogen . . .	532
21.4	The quest for BEC for alkali atoms . . . . .	533
21.4.1	Difficulties associated with alkali atoms . . . . .	533
21.4.2	Advantages of alkali atoms . . . . .	534
21.5	First observation of Bose-Einstein condensation . . . . .	535
21.5.1	Time sequence . . . . .	535
21.5.2	Signature of Bose-Einstein condensation . . . . .	536
21.5.3	Subsequent observation on hydrogen . . . . .	538
21.6	Bose-Einstein condensation of other atomic species . . . . .	538
21.6.1	Experimental improvements . . . . .	538
21.6.2	Review of new condensates . . . . .	540
21.7	The first experiments on quantum degenerate Fermi gases . . . . .	542
21.7.1	Ideal Fermi gas in a three-dimensional harmonic trap . . .	543
21.7.2	Cooling fermions . . . . .	544
21.7.3	Spatial distribution and Fermi pressure . . . . .	545
21.7.4	Pairs of fermionic atoms . . . . .	545
21.8	Conclusion . . . . .	546
22.	Mean field description of a Bose-Einstein condensate . . . . .	549
22.1	Introduction . . . . .	549
22.2	Mean field description of the condensate . . . . .	550
22.2.1	Variational calculation of the condensate wave function . .	550
22.2.2	Stationary Gross-Pitaevskii equation . . . . .	551
22.2.3	Expression of the various quantities in terms of the spatial density . . . . .	552
22.3	Condensate in a box and healing length . . . . .	553
22.3.1	Condensate in a one-dimensional box . . . . .	553
22.3.2	Healing length . . . . .	554
22.4	Condensate in a harmonic trap . . . . .	555
22.4.1	Total energy and the different interaction regimes . . . . .	555
22.4.2	Condensate with a positive scattering length and the Thomas-Fermi limit . . . . .	556
22.5	Condensate with a negative scattering length . . . . .	559
22.5.1	Condition of stability in 3D . . . . .	559
22.5.2	Solitonic solution in 1D . . . . .	560
22.5.3	Collapse and explosion of a condensate in 3D with a negative scattering length . . . . .	560
22.6	Quantum vortex in an homogeneous condensate . . . . .	561
22.6.1	Effective Gross-Pitaevskii equation . . . . .	561
22.6.2	Properties of the velocity field . . . . .	562
22.7	Time-dependent problems . . . . .	563

22.7.1	Time-dependent Gross-Pitaevskii equation . . . . .	563
22.7.2	Analogy with hydrodynamic equations . . . . .	564
22.7.3	The two contributions to the kinetic energy: Thomas-Fermi approximation for time-dependent problems . . . . .	565
22.7.4	Harmonic confinement . . . . .	567
22.8	Conclusion . . . . .	570
22.9	Appendix: Normal modes of a harmonically trapped condensate . . . . .	571
22.9.1	Isotropic trap . . . . .	572
22.9.2	Cylindrically-symmetric trap . . . . .	575
22.9.3	Scissors mode for anisotropic traps . . . . .	575
23.	Coherence properties of Bose-Einstein condensates . . . . .	577
23.1	Introduction . . . . .	577
23.2	Atomic field operators and correlation functions . . . . .	579
23.2.1	Brief reminder on second quantization . . . . .	579
23.2.2	Atomic field operators . . . . .	580
23.2.3	Examples of physical operators. Field correlation functions . . . . .	581
23.2.4	Heisenberg equation of the field operator . . . . .	583
23.3	Calculation of correlation functions in a few simple cases . . . . .	583
23.3.1	First-order correlation function for an ideal Bose gas in a box . . . . .	583
23.3.2	Higher-order spatial correlation functions for an ideal gas of bosons above $T_c$ . . . . .	586
23.3.3	Correlation functions for a Bose-Einstein condensate . . . . .	587
23.3.4	A few experimental results . . . . .	588
23.4	Relative phase of two independent condensates . . . . .	592
23.4.1	Two condensates in Fock states . . . . .	593
23.4.2	Phase states . . . . .	593
23.4.3	Conjugate variable of the relative phase . . . . .	595
23.4.4	Emergence of a relative phase in an interference experiment . . . . .	596
23.5	Long range order and order parameter . . . . .	597
23.5.1	Long range order . . . . .	597
23.5.2	Order parameter . . . . .	598
23.6	New effects in atom optics due to atom-atom interactions . . . . .	599
23.6.1	Collapse and revival of first-order coherence due to interactions . . . . .	599
23.6.2	An example of nonlinear effects in atom optics: Four-wave mixing with matter waves . . . . .	601
23.7	Conclusion . . . . .	602

- 24. Elementary excitations and superfluidity in Bose-Einstein condensates 603
  - 24.1 Introduction . . . . . 603
  - 24.2 Bogolubov approach for an homogeneous system . . . . . 605
    - 24.2.1 Second quantized Hamiltonian . . . . . 606
    - 24.2.2 Bogolubov quadratic Hamiltonian . . . . . 607
    - 24.2.3 Physical discussion . . . . . 608
    - 24.2.4 Energy of the ground state . . . . . 611
    - 24.2.5 Extension to inhomogeneous systems . . . . . 612
  - 24.3 Landau criterion for superfluidity in an homogeneous system . . . 614
    - 24.3.1 Microscopic probe . . . . . 614
    - 24.3.2 Macroscopic approach . . . . . 616
  - 24.4 Extension of Landau criterion for a condensate in a rotating bucket . . . . . 616
    - 24.4.1 The rotating bucket . . . . . 617
    - 24.4.2 Other possible states of the condensate: quantized vortices 617
    - 24.4.3 Various threshold rotation frequencies . . . . . 620
  - 24.5 Experimental study of vortices in gaseous condensates . . . . . 621
    - 24.5.1 Introduction . . . . . 621
    - 24.5.2 A few experimental results . . . . . 621
    - 24.5.3 Measuring the angular momentum per atom in a rotating condensate . . . . . 623
    - 24.5.4 Routes to vortex nucleation . . . . . 624
  - 24.6 Conclusion . . . . . 628

**Frontiers of atomic physics 631**

- 25. Testing fundamental symmetries. Parity violation in atoms 637
  - 25.1 Introduction . . . . . 637
    - 25.1.1 Historical perspective . . . . . 637
    - 25.1.2 Atomic parity violation (APV) . . . . . 639
    - 25.1.3 Organization of this chapter . . . . . 641
  - 25.2 The first cesium experiment . . . . . 641
    - 25.2.1 Principle of the experiment . . . . . 641
    - 25.2.2 Transition dipole moment . . . . . 642
    - 25.2.3 Existence of a chiral signal in the re-emitted light . . . . . 645
    - 25.2.4 Calibration of the parity violation amplitude . . . . . 647
  - 25.3 Connection between the parity violation amplitude and the parameters of the electroweak theory . . . . . 648
    - 25.3.1 Non-relativistic limit of the weak interaction Hamiltonian . 648
    - 25.3.2 Calculation of the parity violation amplitude . . . . . 649

25.3.3	Nuclear spin-dependent parity violating interactions. Anapole moment . . . . .	649
25.4	Survey of experimental results . . . . .	651
25.4.1	Cesium experiments . . . . .	651
25.4.2	Experiments using other atoms . . . . .	652
25.5	Conclusion about the importance of APV experiments . . . . .	653
25.6	Appendix: Testing time reversal symmetry by looking for electric dipole moments . . . . .	655
26.	Quantum gases as simple systems for many-body physics	659
26.1	Introduction . . . . .	659
26.2	The double well problem for bosonic gases . . . . .	661
26.2.1	Introduction . . . . .	661
26.2.2	The Hubbard Hamiltonian . . . . .	662
26.2.3	The superfluid regime . . . . .	662
26.2.4	The insulator regime . . . . .	665
26.2.5	Connection between the superfluid and insulator regimes .	667
26.2.6	Production of Schrödinger cat states when interactions are attractive . . . . .	668
26.2.7	Controlling the tunnelling rate with a modulation of the difference of the two potential depths . . . . .	669
26.3	Superfluid-Mott insulator transition for a quantum bosonic gas in an optical lattice . . . . .	670
26.3.1	Bose Hubbard model . . . . .	670
26.3.2	Qualitative interpretation of the superfluid-Mott insulator transition . . . . .	670
26.3.3	Experimental observation . . . . .	672
26.4	Quantum fermionic gas in an optical lattice . . . . .	672
26.5	Feshbach resonances and Fermi quantum gases . . . . .	674
26.5.1	Introduction . . . . .	674
26.5.2	Brief survey of BCS theory . . . . .	675
26.5.3	A simple model for the BEC-BCS crossover . . . . .	682
26.5.4	Experimental investigations . . . . .	684
26.6	Conclusion . . . . .	689
27.	Extreme light	695
27.1	Introduction . . . . .	695
27.2	Attosecond science . . . . .	697
27.2.1	Mechanism of production of attosecond pulses . . . . .	697
27.2.2	Multiple-cycle laser pulse. Train of attosecond pulses . . .	697
27.2.3	Few-cycle laser pulse. Control of the carrier-envelope phase . . . . .	699

27.2.4	Attosecond metrology . . . . .	700
27.2.5	A few applications of attosecond pulses . . . . .	703
27.3	Ultra intense laser pulses . . . . .	704
27.3.1	Q-switched lasers . . . . .	705
27.3.2	Mode locking techniques . . . . .	706
27.3.3	Chirped pulse amplification . . . . .	709
27.3.4	A few applications of high intensity table-top lasers . . . . .	709
27.4	Conclusion . . . . .	713
28.	General conclusion	715
	<i>Bibliography</i>	719
	<i>Index</i>	751