

Contents

PREFACE	xvii
ACKNOWLEDGMENTS	xix
Genetics and breeding of agronomic traits	
Comparing agronomic performance of breeding populations derived from anther culture and single-seed descent in rice <i>H.P. Moon, K.H. Kang, I.S. Choj, O.Y. Jeong, H.C. Hong, S.H. Choj, and H.C. Choj</i>	3
Advances in breeding salt-tolerant rice varieties <i>B. Mishra, R.K. Singh, and D. Senadhira</i>	5
Breeding for salt tolerance in rice <i>R. Ansari, A. Shereen, S.M. Alam, T.J. Flowers, and A.R. Yeo</i>	8
Genetic analysis and prediction of heterosis <i>C.H.M. Vijayakumar, M. Ilyas Ahmed, B.C. Viraktamath, M.S. Ramesha, and A. Jauhar Ali</i>	10
Relationship of parental genetic diversity with heterosis in two-line and three-line Philippine rice hybrids <i>L.S. Moreno, S.A. Ordoñez, I.A. Dela Cruz, and E.D. Redoña</i>	12
Stable high-yielding ability of japonica-indica hybrid rice <i>T. Takita, K. Terashima, N. Yokogami, and T. Kataoka</i>	15
Inheritance of fertility restoration of WA cytoplasm in sodic-tolerant rice hybrids <i>A. Jauhar Ali, S.E. Naina Mohammed, R. Rajagopalan, and C.H.M. Vijayakumar</i>	17
Genetic analysis of temperature-sensitive genic male sterility in rice <i>A. Jauhar Ali, S.E. Naina Mohammed, R. Rajagopalan, and C.H.M. Vijayakumar</i>	19
Complexity of inheritance of thermosensitive genic male sterility in rice <i>R.B. Li and M.P. Pandey</i>	20
Characterizing tropical japonicas with wide compatibility based on isozyme pattern in rice <i>S.S. Malik, D.S. Brar, and G.S. Khush</i>	24
Effects of cytoplasm and cytoplasm-nucleus interaction in breeding japonica rice <i>D. Tao, F. Hu, G. Yang, J. Yang, P. Xu, J. Li, C. Ye, and L. Dai</i>	27
Genetic analysis of hybrid breakdown in a japonica/indica cross of rice <i>T. Kubo and A. Yoshimura</i>	30
Induction and use of japonica rice mutant R917 with broad-spectrum resistance to blast <i>Mingxian Zhang, Jianlong Xu, Rongting Luo, De Shi, and Zhikang Li</i>	33
Partial resistance to rice blast in the tropics <i>H. Kato, H. Tsunematsu, L.A. Ebron, M.J.T. Yanoria, D.M. Mercado, and G.S. Khush</i>	35
Developing near-isogenic lines for blast resistance in two genotypes of indica rice, IR24 and IR49830-7-1-2-2 <i>L.A. Ebron, Y. Fukuta, H. Kato, T. Imbe, M.J.T. Yanoria, H. Tsunematsu, D.L. Adorada, and G.S. Khush</i>	36

Developing near-isogenic lines for rice blast resistance <i>H. Tsunematsu, M.J.T. Yanoria, L.A. Ebron, N. Hayashi, I. Ando, D.M. Mercado, H. Kato, Y. Fukuta, and T. Imbe</i>	39
Improving field resistance to blast and eating quality in Japanese rice varieties <i>Y. Uehara</i>	41
Inheritance of resistance to bacterial blight in rice <i>D. Sharma</i>	45
Genetic analysis of resistance to bacterial blight in rice <i>K.-S. Lee and G.S. Khush</i>	46
Breeding bacterial blight-resistant rice cultivars at the Philippine Rice Research Institute <i>R.E. Tabien and L.S. Sebastian</i>	49
Inheritance and allelic relationships of rice gall midge resistance genes in some new donors <i>Arvind Kumar, M.N. Shrivastava, R.K. Sahu, B.C. Shukla, and S.K. Shrivastava</i>	51
Genetics of submergence tolerance in rainfed rice: line \times tester analysis <i>O.N. Singh, Sanjay Singh, R.K. Singh, and S. Sarkarung</i>	54
Diallel analysis for cold tolerance at the germination stage in rice <i>R.P. dela Cruz, S.C.K. Milach, L.C. Federizzi, A.F. de Rosso</i>	56
Inheritance of nitrogen efficiency under aluminum stress in upland rice lines <i>Y. Jagau, A. Makmur, H. Aswidinnoor, and S.H. Sutjahjo</i>	58
Genetic mechanism of variegation of a chlorophyll mutant originated from the cross between distantly related rice varieties <i>M. Maekawa and K. Noda</i>	60
Major genes controlling spikelet number per panicle in rice <i>R. Mishra and M.P. Janoria</i>	63
Genetic relationship between red pericarp and fertility restoration in rice <i>S. Leenakumari, R. Gopakumar, and G. Uma</i>	64
Genetic analysis of morphological and related taxonomic traits in rice <i>Qian Qian, He Ping, Zheng Xianwu, Chen Ying, and Zhu Lihuang</i>	67
Performance of backcrossed doubled-haploid lines of rice under contrasting moisture regimes: root system and grain yield components <i>M. Toorchi, H.E. Shashidhar, and S. Hittalmani</i>	69
Developmental genetics of internodal elongation in floating rice <i>T. Jishi and Y. Sano</i>	72
Genetic divergence in photoperiod-insensitive autumn rice germplasm of northeast India <i>R.P. Borkakati, P. Borah, and P.C. Deka</i>	74
The relationship between number of nitrogen-fixing rhizobacteria and growth pattern of rice varieties <i>K. Hirano, T. Sugiyama, A. Kosugi, I. Nioh, T. Asai, and H. Nakai</i>	77
Genotype by environment interaction across normal and delayed planting in rainfed lowland rice environments of eastern India <i>S. Singh, S. Sarkarung, O.N. Singh, R.K. Singh, V.P. Singh, and C.B. Pandey</i>	79
Using rice cultivar LGC-1 as a dietary food for patients with kidney disease <i>M. Nishimura, N. Horisue, T. Imbe, M. Sakai, and M. Kusaba</i>	83
Characterization of a rice mutant showing an abnormal morphology <i>T. Kawai and H. Kitano</i>	85
 Genetic diversity, evolution, and alien introgression	
RAPD variation in carbonized rice aged 13,010 and 17,310 years <i>H.S. Suh, J.H. Cho, Y.J. Lee, and M.H. Heu</i>	89
Diphyletic origin of cultivated rice based on genetic analysis and archaeology <i>Y.I. Sato, S. Yamanaka, and Y. Fukuta</i>	91
Evolutionary and molecular genetic studies at the waxy locus in cultivated rice and wild relatives <i>S. Yamanaka, I. Nakamura, H. Nakai, and Y.I. Sato</i>	94

PCR-RFLP analysis of cpDNA and mtDNA in <i>Oryza</i> <i>L.J. Chen, D.S. Lee, and H.S. Suh</i>	96
Evolutionary significance of varietal groups resistant to bacterial leaf blight in rice <i>T. Ogawa, N. Endo, G.A. Busto Jr., R.E. Tabien, S. Taura, and G.S. Khush</i>	99
Advances in rice chromosome research, 1995-2000 <i>K. Fukui</i>	103
Achievements in rice cytogenetics <i>Hsin-Kan Wu and Ming-Hong Gu</i>	106
Advanced cytogenetics in <i>Oryzaeae</i> <i>S.A. Jackson, Z. Cheng, J. Jiang, and R.L. Phillips</i>	109
Cell-cycle synchronization and flow karyotyping in rice <i>J.H. Lee, Y.S. Chung, D.H. Kim, K.Y. Kim, J.W. Kim, O.C. Kwon, and J.S. Shin</i>	111
High-resolution fluorescence <i>in situ</i> hybridization (FISH) for gene mapping and molecular analysis of rice chromosomes <i>N. Ohmido and K. Fukui</i>	115
Analysis of meiosis in rice after mutagenic treatment <i>N.A. Khailenko, A.I. Sedlovskiy, and L.N. Tyupina</i>	117
Genomic relationships of the AA genome <i>Oryza</i> species <i>B.R. Lu, M.E.B. Naredo, A.B. Juliano, and M.T. Jackson</i>	118
Characterizing hybrid and backcross derivatives of <i>O. sativa</i> × <i>O. minuta</i> using species probes <i>S.C. Tong, M.M. Clyde, Z. Zamrod, K. Narimah, and A.L. Mariam</i>	122
Genetic variation for perenniality in <i>O. sativa</i> / <i>O. rufipogon</i> derivatives <i>E.J. Sacks, K.M. McNally, L. Liu, R. Lafitte, and T. Sta. Cruz</i>	123
Genetic population structures of <i>Oryza glumaepatula</i> and <i>O. grandiglumis</i> distributed in the Amazon flood area <i>M. Akimoto and H. Morishima</i>	126
<i>Oryza glumaepatula</i> Steud. introgression lines in rice: identification of genes for reproductive barriers <i>Sobrizal, Y. Matsuzaki, K. Ikeda, P.L. Sanchez, K. Doi, H. Yasui, E.R. Angeles, G.S. Khush, and A. Yoshimura</i>	128
Advanced backcross analysis for transferring QTLs from <i>O. rufipogon</i> <i>S.N. Ahn, K.H. Kang, J.P. Suh, S.J. Kwon, H.P. Moon, H.C. Choi, and S.R. McCouch</i>	130
Wild-QTL-allele effect in the background of japonica Nipponbare and indica (IR36) cultivars <i>T. Ishii, N.S. Bautista, K. Shimadzutsu, N. Kobayashi, N. Uchida, and O. Kamijima</i>	133
Trait-improving wild QTL alleles identified using advanced backcross QTL analysis from a cross between cultivated rice, <i>Oryza sativa</i> , and wild rice, <i>O. rufipogon</i> <i>N.S. Bautista, K. Shimadzutsu, T. Teranishi, S. Takamatsu, N. Kobayashi, N. Uchida, O. Kamijima, and T. Ishii</i>	135
Using new alleles from wild rice <i>Oryza rufipogon</i> to improve cultivated rice (<i>O. sativa</i>) in Latin America <i>C.P. Martínez, P. Moncada, J. López, A. Almeida, G. Gallego, J. Borrero, M.C. Duque, W. Roca, S.R. McCouch, C. Bruzzone, and J. Tohme</i>	138
A new gene for resistance to bacterial blight from <i>Oryza rufipogon</i> <i>Qi Zhang, S.C. Ling, B.Y. Zhao, C.L. Wang, W.C. Yang, K.J. Zhao, L.H. Zhu, D.Y. Li, and C.B. Chen</i>	143
Identifying blast resistance in <i>Oryza</i> species and its introgression into U.S. rice cultivars <i>G.C. Eizenga, T.H. Tai, F.N. Lee, and J.N. Rutger</i>	145
Evaluation of <i>O. sativa</i> × <i>O. glaberrima</i> -derived lines using microsatellite markers <i>M.-N. Ndjiondjop, J. Coburn, M.P. Jones, and S. McCouch</i>	147

Genetic analysis of pollen sterility loci found in hybrid progeny between <i>Oryza sativa</i> and <i>O. glabberima</i> <i>K. Doi, K. Taguchi, and A. Yoshimura</i>	149
A rhizomatous individual obtained from interspecific BC ₁ F ₁ progenies between <i>Oryza sativa</i> and <i>O. longistaminata</i> <i>D. Tao, F. Hu, Y. Yang, P. Xu, J. Li, E. Sacks, K.L. McNally, and P. Sripichitt</i>	151
Identifying late heading genes in rice using <i>Oryza glumaepatula</i> introgression lines <i>P.L. Sanchez, Sobrizal, K. Ikeda, H. Yasui, and A. Yoshimura</i>	153
Genetic variability of tolerance for iron toxicity in different species of <i>Oryza</i> and their derivatives <i>R.D. Mendoza, J.A. Moliñawe, G.B. Gregorio, C.Q. Guerta, and D.S. Brar</i>	154
Identifying subspecies-specific DNA markers in rice <i>J.H. Chin and H.J. Koh</i>	157
Identifying RAPD markers to classify rice germplasm as indica or japonica <i>R.P. da Cruz, M.C.B. Lopes, S.C.K. Milach, and S.I.G. Lopes</i>	160
DNA fingerprinting and phylogenetic analysis of Indian aromatic high-quality rice germplasm using panels of fluorescent-labeled microsatellite markers <i>S. Jain, S.E. Mitchell, R.K. Jain, S. Kresovich, and S.R. McCouch</i>	162
Fingerprinting of Indian scented rice by RAPD markers <i>T. Stobdan, V.K. Khanna, U.S. Singh, and R.K. Singh</i>	166
Relationship between heterosis in F ₁ hybrids and genetic similarity among parents as measured by RAPD, SSR, and co-ancestry analysis in japonica rice <i>H.J. Koh, C.W. Park, and J.H. Lee</i>	170
Reproductive barriers between japonica and indica crosses <i>Y. Harushima, M. Nakagahra, M. Yano, T. Sasaki, and N. Kurata</i>	173
Genetic basis of F ₁ hybrid sterility and gamete formation in rice <i>R. Suzuki, N. Sawamura, T. Okazawa, Khin-Thidar, and Y. Sano</i>	176
Developmental cytology on gametic abortion caused by induced complementary genes <i>gal</i> and <i>d60</i> in japonica rice <i>M. Tomita, H. Yamagata, and T. Tanisaka</i>	178
Molecular diversity and its geographical distribution in core rice germplasm <i>W.J. Xu, S.B. Yu, S. Singh, J. Domingo, H. Bhandari, Y.F. Lu, C.H.M. Vijayakumar, P. Bagali, S. Sarkarung, S.S. Virmani, G.S. Khush, and Z.K. Li</i>	182
Phenotypic diversity in embryo mutants induced by tissue culture in rice <i>T. Iwamoto, S.K. Hong, H. Imai, M. Matsuoka, and H. Kitano</i>	184
Genetic diversity in Korean japonica rice cultivars <i>S.J. Kwon, S.N. Ahn, C.I. Yang, H.C. Hong, Y.K. Kim, J.P. Suh, H.G. Hwang, H.P. Moon, and H.C. Choi</i>	186
Genetic diversity based on isozyme pattern of rice germplasm in China <i>S.X. Tang, Y.Z. Jiang, X.H. Wei, D.S. Brar, and G.S. Khush</i>	188
Differential patterns of isozyme loci of <i>Adh</i> and <i>Ldh</i> between upland and lowland rice varieties <i>L.J. Chen, D.S. Lee, and H.S. Suh</i>	192
Genetic diversity in seed storage proteins of Bangladeshi rice cultivars <i>M.S. Jahan, T. Kumamaru, H. Satoh, and A. Hamid</i>	194
Genetic variation in storage protein and storage endosperm starch in local rice cultivars of Myanmar <i>P.P. Aung, T. Kumamaru, and H. Satoh</i>	196
Variation in seed storage proteins of Pakistani rice germplasm <i>S.U. Siddiqui, H. Satoh, and T. Kumamaru</i>	198
Genetic diversity in rainfed lowland rice genotypes as detected by RAPD primers <i>S. Singh, S. Sarkarung, R.K. Singh, O.N. Singh, A.K. Singh, V.P. Singh, H.S. Bhandari, W. Xu, and Z. Li</i>	200

Marker-based estimation of coefficient of coancestry in rice <i>D.A. Tabanao, L.S. Sebastian, A.L. Carpena, J.E. Hernandez, A.I.N. Gironella, and R.N. Bernardo</i>	203
Molecular cytological studies on a poly-egg rice mutant AP IV strain <i>Y. Lu and X. Liu</i>	207
Molecular markers, QTL mapping, and marker-assisted selection	
The application of molecular markers in rice <i>M. Christopher, S. Garland, R. Reinke, and R. Henry</i>	213
Application of molecular markers in rice breeding in the Mekong Delta of Vietnam <i>Bui Chi Buu and Nguyen Thi Lang</i>	216
Converting rice RFLP markers to PCR-based markers by the dCAPS method <i>T. Komori, T. Yamamoto, and N. Nitta</i>	221
DNA markers to assess genetic purity of rice hybrids <i>R.V. Sonti, J. Yashitola, T. Thirumurugan, R.M. Sundaram, M.S. Ramesha, and N.P. Sarma</i>	223
RAPD markers from mitochondrial DNA can distinguish male sterile and fertile cytoplasm in indica rice <i>D.L. Hong, M. Ichii, Y. Ohara, C.M. Zhao, and S. Taketa</i>	226
Fine mapping of the F ₁ pollen sterility loci S-a and S-c in rice using PCR-based markers <i>Guiquan Zhang and Zemin Zhang</i>	228
Map-based cloning of the <i>Hd1</i> gene controlling photoperiod sensitivity in rice <i>M. Ashikari, Y. Katayose, U. Yamanouchi, L. Monna, T. Fuse, T. Sasaki, and M. Yano</i>	230
Response of QTLs for heading date in rice at different sites from tropical to temperate regions <i>Y. Fukuta, S. Kobayashi, H. Tsunematsu, L.A. Ebron, H. Kato, T. Umemoto, S. Morita, T. Sato, T. Yamaya, T. Nagamine, T. Fukuyama, H. Sasahara, I. Ashikawa, K. Tamura, H. Nemoto, H. Maeda, K. Hamamura, T. Ogata, Y. Matsue, K. Ichitani, and A. Takagi</i>	233
Mapping quantitative trait loci controlling heading date in rice <i>K. Fujino, T. Sato, H. Kiuchi, H. Kikuchi, Y. Nonoue, Y. Takeuchi, S.Y. Lin, and M. Yano</i>	238
QTL analysis for heading date using recombinant inbred lines in rice <i>M. Oda, H. Yasui, and A. Yoshimura</i>	240
Molecular mapping of <i>Hwc-2</i> , one of the complementary hybrid weakness genes in rice <i>K. Ichitani, Y. Fukuta, K. Koba, S. Taura, and M. Sato</i>	243
Molecular markers for detecting bacterial blight resistance genes in maintainer lines of rice hybrids <i>L. Borines, E. Redoña, B. Porter, F. White, C. Vera Cruz, and H. Leung</i>	245
Identifying major genes and QTLs for field resistance to neck blast in rice <i>S. Hittalmani, Srinivasachary, P. Bagali, and H.E. Shashidhar</i>	248
Mapping QTLs for partial resistance to blast in rice <i>M.Z.I. Talukder, C. Leifert, and A.H. Price</i>	250
Marker-assisted selection for transferring resistance to blast in high-yielding but susceptible Jyothi <i>L. Babujee, B. Venkatesan, S. Kavitha, S.S. Gnanamanickam, S. Leenakumari, S. McCouch, and S. Leong</i>	253
Using microsatellite markers to select blast resistance in U.S. rice breeding lines <i>R.G. Fjellstrom, C. Conaway, W.D. Park, M.A. Marchetti, and A.M. McClung</i>	255
Mapping a recessive gene conferring resistance to rice yellow mottle virus <i>M.N. Ndjiondjop-Nzenkam, L. Albar, D. Fargette, C. Brugidou, M.P. Jones, and A. Ghesquiere</i>	257

Partial resistance to rice yellow mottle virus: QTL identification, genetic model, and QTL efficiency analysis after marker-assisted introgression <i>N. Ahmadi, L. Albar, G. Pressoir, M. Lorieux, D. Fargette, and A. Ghesquière</i>	259
Constructing linkage maps of brown planthopper resistance genes <i>Bph1</i> , <i>bph2</i> , and <i>Bph9</i> on rice chromosome 12 <i>H. Murai, P.N. Sharma, K. Murata, Z. Hashimoto, Y. Ketipearachai, T. Shimizu, S. Takumi, N. Mori, S. Kawasaki, and C. Nakamura</i>	263
Molecular mapping and marker-aided selection of a gene conferring resistance to an Indian biotype of brown planthopper in rice <i>K.K. Jena, I.C. Pasalu, Y. Varalaxmi, Y. Kondala Rao, K. Krishnaiah, G. Kochert, and G.S. Khush</i>	265
Mapping QTLs for brown planthopper (BPH) resistance introgressed from <i>Oryza officinalis</i> in rice <i>H. Hirabayashi, R. Kaji, M. Okamoto, T. Ogawa, D.S. Brar, E.R. Angeles, and G.S. Khush</i>	268
RFLP mapping of antibiosis to rice green leafhopper <i>M. Kadowaki, A. Yoshimura, and H. Yasui</i>	270
Mapping of a gene ovicidal to whitebacked planthopper <i>Sogatella furcifera</i> Horváth in rice <i>M. Yamasaki, A. Yoshimura, and H. Yasui</i>	272
Molecular marker association for yellow stem borer resistance in rice <i>A. Selvi, P.S. Shanmugasundaram, J.A.J. Raja, and S. Mohankumar</i>	274
Chromosome blocks are involved in adaptive gene complexes in rice landraces <i>B.V. Ford-Lloyd, P.S. Virk, M.T. Jackson, and H.J. Newbury</i>	276
Drought tolerance in rice: QTLs, marker-assisted selection, and environmental interactions <i>A. Price</i>	279
Identifying traits and molecular markers associated with components of drought tolerance in rice <i>H.E. Shashidhar, N. Sharma, M. Ashoka, V. Rao, M. Toorchi, and S. Hittalmani</i>	282
Genes/QTLs affecting flood tolerance in rice <i>K. Sripongpankul, G.B.L. Posa, D. Senadhira, N. Huang, D.S. Brar, G.S. Khush, and Z. Li</i>	284
Mapping genes that control traits related to submergence tolerance in rice <i>M. Seanglew, A. Vanavichit, S. Tragoonrung, and S. Sarkarung</i>	287
Identifying QTLs for cold tolerance-related traits in a Korean weedy rice <i>J.P. Suh, S.N. Ahn, H.S. Suh, H.P. Moon, and H.C. Choi</i>	291
Mapping QTLs for salt tolerance in rice <i>Nguyen Thi Lang, S. Masood, S. Yanagihara, and Bui Chi Buu</i>	294
Quantitative trait loci analysis of aluminum tolerance in rice <i>V.T. Nguyen, H.T. Nguyen, B.T. Le, T.D. Le, and A.H. Paterson</i>	298
Mapping QTLs for ozone resistance in rice <i>J.K. Sohn, J.J. Lee, K.M. Kim, Y.S. Kwon, and M.Y. Eun</i>	302
Fine mapping of genes controlling intermediate amylose content in rice using bulked segregant analysis <i>J. Lanceras, S. Tragoonrung, A. Vanavichit, and O. Naivikul</i>	304
Association between amylose content and a microsatellite marker across exotic rice germplasm <i>C.J. Bergman, R.G. Fjellstrom, and A.M. McClung</i>	307
Molecular genetic analysis of quantitative trait loci related to rice grain quality <i>J.H. Lee, Y.S. Cho, K.H. Jung, M.T. Song, S.J. Yang, H.Y. Kim, and H.C. Choi</i>	309
Leaf senescence of a newly induced stay-green mutant and mapping of the gene in rice <i>K.W. Cha, Y.J. Won, and H.J. Koh</i>	312

Mapping the <i>rt</i> (root growth-inhibiting) gene of rice by RFLP markers <i>M. Miwa, Y. Inukai, K. Satoh, M. Itoh, Y. Katayama, M. Ashikari, M. Matsuoka, and H. Kitano</i>	314
Tagging and mapping of a new elongated-uppermost-internode gene— <i>eui2(t)</i> —using AFLP, RFLP, and SSR techniques <i>S.L. Yang, R.C. Yang, X.P. Qu, H.L. Ma, Q.Q. Zhang, S.B. Zhang, and R.H. Huang</i>	317
Map-based cloning of <i>Ps1</i> , a gene for pollen abortion in rice <i>S.Y. Lin, T. Takashi, T. Sasaki, and M. Yano</i>	319
Sequence-tagged site marker diagnostics for the CMS fertility-restoring gene <i>Rf-3</i> in rice <i>Nguyen Thi Lang, S.S. Virmani, N. Huang, D.S. Brar, Z. Li, and B.C. Buu</i>	321
Genetics and mapping of the nuclear fertility restorer gene for Honglian-type cytoplasmic male sterility in rice <i>Yinguo Zhu, Qingyang Huang, Yuqing He, and Runchun Jing</i>	324
Molecular mapping and identification of QTLs for some agronomic traits in rice <i>S.J. Kwon, S.N. Ahn, J.P. Suh, Y.C. Cho, H.C. Hong, Y.G. Kim, H.G. Hwang, H.P. Moon, and H.C. Choi</i>	326
Mapping QTLs associated with tolerance for enhanced ultraviolet-B radiation in rice <i>T. Sato, Y. Fukuta, M. Yano, and T. Kumagai</i>	328
Genetic systems of cross-incompatibility as pre- and postfertilization barriers in rice <i>K. Matsubara, R. Suzuki, Khin-Tidar, K. Okuno, and Y. Sano</i>	330
Relationship between genetic distance and heterosis under different fertilizer applications in rice <i>Z.Z. Piao, Y.I. Cho, and H.J. Koh</i>	332
Isolating and characterizing molecular markers associated with seedling-stage cold tolerance in rice <i>K.M. Kim, I.K. Chung, T.S. Kwak, and J.K. Sohn</i>	336
QTL analysis for discoloration of flag leaves during the ripening period in rice <i>M. Obara, Y. Fukuta, M. Yano, T. Yamaya, and T. Sato</i>	338
QTL analysis of root vitality in a doubled-haploid population derived from anther culture of indica/japonica rice <i>Teng Sheng, Zeng Dali, Zheng Xianwu, K. Yasufumi, Qian Qian, and Zhu Lihuang</i>	340
Genomics	
Rice functional genomics via cDNA microarray analysis <i>J. Yazaki, N. Kishimoto, F. Fujii, K. Nakamura, J. Wu, K. Yamamoto, K. Sakata, T. Sasaki, and S. Kikuchi</i>	345
Developing genomics approaches for crop trait improvement <i>H. Sakai, G. Taramino, N. Nagasawa, Guo-Hua Miao, J. Vogel, and S. Tingey</i>	350
A gene machine for rice <i>N.M. Upadhyaya, X.-R. Zhou, Q.-H. Zhu, A. Eamens, K. Ramm, L. Wu, R. Sivakumar, S. Kumar, K.K. Narayanan, G. Thomas, T. Kato, D.-W. Yun, W.J. Peacock, and E.S. Dennis</i>	352
Comparative genomics in the Oryzeae <i>S.A. Jackson, J.W. Lilly, R.L. Phillips, W.C. Kennard, and R.A. Porter</i>	355
T-DNA as a potential insertional mutagen in rice <i>C. Sallaud, D. Meynard, J.P. Brizard, M. Bès, C. Gay, M. Raynal, E. Bourgeois, H. Hoge, M. Delseny, and E. Guiderdoni</i>	358
New <i>Ac/Ds</i> -based constructs for efficient gene and enhancer trapping in rice <i>X.-R. Zhou, K. Ramm, L. Wu, R. Sivakumar, E.S. Dennis, and N.M. Upadhyaya</i>	362

Ac/Ds-mediated gene trap systems for functional genomics in rice <i>B.I. Je, C.M. Kim, Su Hyun Park, Sung Han Park, Y.J. Na, J.J. Lee, B.G. Oh, N.M. Hee, G.H. Yi, H.Y. Kim, and C.D. Han</i>	365
A rice retrotransposon, <i>Tos17</i> , as a tool for gene tagging <i>K. Murata, A. Miyao, K. Tanaka, M. Yamazaki, S. Takeda, K. Abe, K. Onosato, A. Miyazaki, Y. Yamashita, T. Sasaki, and H. Hirochika</i>	367
Structural polymorphism found in <i>RMU1</i> (rice mutator class 1) transposable elements in rice <i>K. Miura, R. Ishikawa, Y. Miyashita, M. Senda, S. Akada, T. Harada, and M. Niizeki</i>	369
Isolating and characterizing cold-responsive gene-trapped lines from rice <i>S.C. Lee, S.H. Kim, S.J. Kim, H.S. Choi, M.Y. Lee, J.Y. Kim, K. Lee, S.H. Jeon, J.S. Jeon, G. An, and S.R. Kim</i>	370
Constructing a physical map of the rice genome <i>A.C. Sanchez, B. Fu, R. Maghirang, C. Aquino, J. Mendoza, J. Talag, S. Yu, J.R. Domingo, K.L. McNally, P. Bagali, G.S. Khush, and Z.K. Li</i>	372
Centromere structure of rice chromosome 5 <i>K.I. Nonomura and N. Kurata</i>	375
Genic interaction between mutant genes related to morphogenesis of panicle and spikelet in rice <i>I. Takamura, T. Aida, and S. Niikura</i>	377
Oryzabase: an integrated rice science database <i>Y. Yamazaki, A. Yoshimura, Y. Nagato, and N. Kurata</i>	380
RiceGenes 5.0: an online genomic resource for the rice community <i>A.M. Baldo, G.A. DeClerck, T.G. Cargioli, I.V. Yap, C.M. Larota, S. Cartinhour, and S.R. McCouch</i>	384
CD-ROM for PC version of RiceGenes, a rice-specific ACEDB <i>Y.C. Shin, T.H. Lee, M.Y. Eun, and B.H. Nahm</i>	386
Performing line \times tester analysis with the SAS [®] system <i>V.I. Bartolome and G.B. Gregorio</i>	389
 Gene isolation and function	
One super-mutator transposon family found in rice <i>R. Ishikawa, K. Miura, M. Ashida, M. Senda, S. Akada, T. Harada, and M. Niizeki</i>	395
A maize <i>MuDR</i> -like transposable element transcribed in the rice genome <i>S. Yoshida, N. Asakura, R. Ootani, and C. Nakamura</i>	397
Transcriptional analysis of the <i>Mu</i> -like element <i>Tnr2</i> in rice <i>F. Myouga, S. Tsuchimoto, H. Ohtsubo, and E. Ohtsubo</i>	400
Chloroplast targeting signal regulates transgene expression in rice <i>I.C. Jang, K.H. Lee, B.H. Nahm, and J.K. Kim</i>	403
Isolation and functional characterization of the DREB family of genes in rice <i>J.G. Dubouzet, Y. Sakuma, E.G. Dubouzet, S. Miura, K. Yamaguchi-Shinozaki, and K. Shinozaki</i>	406
Characterization and expression of rice monosaccharide transporter genes, <i>OsMST1–3</i> <i>K. Toyofuku, T. Takeda, J. Yamaguchi, and M. Kasahara</i>	409
Functional analysis of <i>R2R3-Myb</i> genes in rice <i>J.W. Lee, S.K. Sung, S.K. Yi, and G. An</i>	411
Functional analysis of MADS-box genes expressed preferentially in vegetative tissues <i>S.Y. Lee, S.H. Jang, S.H. Jun, and G.H. An</i>	414
Functional analysis of protein phosphatase 2C in rice <i>K. Yang, D.H. Jeong, and G. An</i>	416
Functions of mitochondrial aldehyde dehydrogenase in rice under anaerobic conditions <i>M. Nakazono, Y. Li, H. Tsuji, N. Tsutsumi, and A. Hirai</i>	418

Identification of differentially expressed genes during disease resistance response from rice by cDNA arrays <i>Bin Zhou, Kaiman Peng, Zhaohui Chu, Shiping Wang, and Qifa Zhang</i>	421
Rice transcript <i>RIM2</i> accumulates in response to <i>Magnaporthe grisea</i> and its predicted protein shares similarity with proteins encoded by CACTA transposons <i>J.X. Dong, H.T. Dong, Z.H. He, and D.B. Li</i>	423
Chimeric receptor kinases for plant disease resistance engineering in rice <i>Zuhua He, Zhiyong Wang, Qun Zhu, Jianming Li, C. Lamb, J. Chory, and P. Ronald</i>	425
Jasmonic acid- and salicylic acid-mediated defense signal transduction in rice <i>Y. Yang, M. Qi, M.-W. Lee, and L. Xiong</i>	429
Alternative splicing bestows capacity for nuclear expression and mitochondrial targeting in rice <i>K. Kadowaki and N. Kubo</i>	431
Transferring the ribosomal protein S10 gene from the mitochondrion to the nucleus in rice <i>N. Kubo, X. Jordana, K. Harada, and K. Kadowaki</i>	434
Hypothetical model of genetic regulation of the glutelin biosynthesis pathway <i>Y. Takemoto, M. Ogawa, T. Kumamaru, T.W. Okita, and H. Satoh</i>	436
The <i>alk</i> locus controls amylopectin structure and starch synthase activity in rice <i>T. Umemoto, M. Yano, H. Satoh, A. Shomura, K. Okamoto, K. Kobayashi, and Y. Nakamura</i>	439
Biosynthesis of rice S-poor and S-rich prolamins is regulated by an independent genetic system <i>H. Matsusaka, T. Kumamaru, M. Ogawa, and H. Satoh</i>	441
Differential expression of rice genes in response to iron <i>L. Hillebrand, P.S. Carmona, and M.G. Moraes</i>	444
Isolating and characterizing a cDNA encoding the iron-storage protein in rice <i>Kwon Kyoo Kang and Yong Gu Cho</i>	446
Identifying a novel superoxide dismutase isoform: a biological marker for evaluating drought-tolerant varieties of rice <i>K.N. Singh and S. Sadasivam</i>	449
Inducing dehydration tolerance in rice by regulated expression of genes for transcription factors <i>S.J. Oh, E.H. Kim, S.Y. Kim, S.I. Song, S. Daughhetee, J.K. Kim, and B.H. Nahm</i>	451
Molecular cloning of the salt-responsive gene in rice <i>M. Arumugam Pillai and S. Yanagihara</i>	454
Developmental changes of phyllochron in the life cycle of rice <i>Y. Itoh, S. Sato, and Y. Sano</i>	457
Effect of starch-branching enzyme IIb on amylopectin structure and gelatinization property <i>A. Nishi, Y. Nakamura, and H. Satoh</i>	459
Analyses of sugar transport via the vascular system in rice <i>C. Matsukura, T. Saitoh, T. Hirose, R. Ohsugi, and J. Yamaguchi</i>	462
Alteration of rice floral organ identity by ectopic expression of the rice MADS-box gene <i>S. Lee, J.S. Jeon, Y.H. Moon, Y.Y. Chung, and G. An</i>	465
Expression analyses of the <i>OsPNH1</i> gene in rice leaf development <i>A. Nishimura, M. Ito, H. Kitano, and M. Matsuoka</i>	468
Gene expression pattern of cell division/elongation factors in rice dwarf mutants <i>H. Tobina, S. Uozu, M. Matsuoka, H. Kitano, and K. Hattori</i>	470
Expressed sequence tag analysis of developing seed coat and characterization of the <i>Ran</i> gene in rice <i>M.J. Han, S.H. Jun, S.R. Kim, and G. An</i>	473

Complex organization of the rice <i>Purple leaf</i> locus involved in tissue-specific accumulation of anthocyanin <i>W. Sakamoto, M. Murata, and M. Maekawa</i>	475
Slender rice mutant is caused by null mutation of the <i>SLR</i> gene, an ortholog of the height- regulating gene <i>GAI/RGA/RHT/D8</i> <i>A. Ikeda, M. Ueguchi-Tanaka, Y. Sonoda, H. Kitano, Y. Futsuhara, M. Matsuoka, and J. Yamaguchi</i>	478
Characterizing a slender mutant with constitutive gibberellin-response in rice <i>A. Ikeda, H. Kitano, Y. Sonoda, Y. Futsuhara, and J. Yamaguchi</i>	480
Molecular basis of 5-methyltryptophan-resistant rice <i>Y. Ishikawa, H. Kisaka, M. Kisaka, H.-Y. Lee, A. Kanno, and T. Kameya</i>	482
Positional cloning of candidates for <i>Xa4</i> in rice <i>Wenxue Zhai, Wenming Wang, Xianwu Zheng, and Lihuang Zhu</i>	485
Antifreeze proteins: a molecular approach for developing cold-tolerant rice <i>H.K. Khanna and G. Daggard</i>	488
Arresting sexual embryo development in rice using <i>DMC1</i> and <i>REE5</i> genes <i>A. Kathiresan, G.S. Khush, and J. Bennett</i>	490
Assessing the genetic propensity of rice for nodulation <i>P.M. Reddy, J.K. Ladha, R.J. Hernandez-Oane, and V.S. Sreevidya</i>	492
 Tissue culture and transformation	
Production of allohexaploid somatic hybrid plants by electrofusing mesophyll protoplasts of <i>Porteresia coarctata</i> (Roxb.) Tateoka and cell suspension-derived protoplasts of <i>Oryza sativa</i> L. <i>N.B. Jelodar, N.W. Blackhall, T.P.V. Hartman, D.S. Brar, G. Khush, M.R. Davey, E.C. Cocking, and J.B. Power</i>	497
Enhancing salinity tolerance in rice using sexual and somatic hybrids of <i>Oryza sativa</i> and <i>Porteresia coarctata</i> <i>E.C. Cocking, N.W. Blackhall, M.R. Davey, J.B. Power, D.S. Brar, and G.S. Khush</i>	500
Protoplast fusion for developing novel sources of rice cytoplasmic male sterility <i>N.W. Blackhall, J.P. Jotham, M.R. Davey, J.B. Power, and E.C. Cocking</i>	501
Improved methods for anther and pollen culture in rice <i>R. Gill, N. Kaur, A.S. Sindhu, T.S. Bharaj, and S.S. Gosal</i>	503
Androgenesis in aromatic rice hybrids <i>M. Sakila, S.M. Ibrahim, A. Kalamani, S. Lakshmi Narayanan, N. Nadarajan, and P. Rangasamy</i>	506
Effect of maltose on anther culture of Tongil and indica rice <i>G.H. Yi, M.H. Nam, B.G. Oh, and H.Y. Kim</i>	508
Selection of high green-plant regenerating lines through rice anther culture <i>T. He, K. Luo, S.H. Han, and X.X. Guo</i>	509
Developing restorer lines in rice through anther culture <i>J.S. Ryu, H. Ri, T.-S. Ri, and S.-C. Hwang</i>	512
Developing blast-resistant lines in rice through tissue culture methods <i>J.-S. Ryu, J.-M. Choi, Y.-H. Kang, and S.-Y. Kim</i>	513
Induction and use of somatic embryogenesis in rice improvement <i>N.M. Ramaswamy and M.K. Rajesh</i>	514
Histological analysis of cell proliferation in early stages of rice seed culture <i>J. Motoda and K. Hattori</i>	517
Factors influencing callus induction and plant regeneration from young panicles of rice <i>S.G. Fan, C.Y. Liang, and H.X. Liu</i>	518
Tissue culture studies on japonica × indica crosses in rice <i>P.C. Deka, D. Sarma, and B.K. Konwar</i>	520
Identifying molecular markers associated with tissue culture performance in diverse rice germplasm <i>M.D. Raven, H.J. Newbury, and B.V. Ford-Lloyd</i>	522

In vitro selection and rapid screening of high-lysine mutants in rice <i>G.H. Yi, M.H. Nam, B.G. Oh, and H.Y. Kim</i>	526
Producing stable androclonal variants with improved agronomic traits in indica rice <i>N.V. Desamero, C.L. Diaz, Y.A. Dimaano, M.V. Chico, S.S. Macabale, L.G. Domingo, E.R. Corpuz, T.F. Padolina, R.E. Tabien, J.M. Niones, G.B. Amar, H.R. Rapusas, M.V. Romero, and P.S. Bonilla</i>	527
Somaclonal restorable variation in cytoplasmic male sterile lines with cytoplasm from two wild species of <i>Oryza</i> <i>D.H. Ling and Z. Ma</i>	531
Studies on the cryopreservation of cell suspension cultures of Iranian indica and japonica rice cultivars <i>N.B. Jelodar, M.R. Davey, and E.C. Cocking</i>	533
Clean DNA transformation: co-integration and expression analysis of five minimal transgene cassettes in rice <i>P.K. Agrawal, P. Christou, and A. Kohli</i>	536
Effects of matrix attachment regions (MARs) on transgene expression levels and stability in rice <i>V. James, B. Worland, J. Snape, and P. Vain</i>	538
Double-right-border (DRB) binary vectors for producing selectable marker-free transgenic rice <i>H. Lu, X.-R. Zhou, L. Wu, J. Gorden, K. Ramm, X.-R. Shen, Z-X. Gong, and N.M. Upadhyaya</i>	541
Transforming rice with multiple plasmids <i>Somen Nandi, Liying Wu, Lifang Chen, R.L. Rodriguez, and Ning Huang</i>	544
Construction of three transgenic rice populations by maize transposable element <i>Ac/Dc</i> mutagenesis via <i>Agrobacterium tumefaciens</i> <i>Zongxiu Sun, Yaping Fu, Zhengge Zhu, Han Xiao, Jingliu Zhang, Hongxin Zhang, Guocheng Hu, Yonghong Yu, Huamin Si, and Menming Hong</i>	547
Transgene structure and expression in a large population of rice plants and their progenies <i>P. Vain, V. James, B. Worland, and J.W. Snape</i>	550
Organ-specific gene expression and genetic transformation for improving rice <i>A.K. Tyagi, J.P. Khurana, A.K. Sharma, A. Mohanty, A. Dhingra, S. Raghuvanshi, A. Mukhopadhyay, V. Gupta, S. Anand, H. Kathuria, S. Bhushan, J. Thakur, and D. Kumar</i>	552
Rice transformation for resistance to stem borer <i>I. Hanarida Somantri, A.D. Ambarwati, A. Apriana, E. Listanto, I.S. Dewi, T. Santoso, D. Damayanti, and I. Altosaar</i>	555
Introducing the <i>CryIA(c)</i> gene into basmati rice and transmitting transgenes to R_3 progeny <i>S.S. Gosal, R. Gill, A.S. Sindhu, H.S. Dhaliwal, and P.I. Christou</i>	558
Wound-inducible expression of the <i>Bacillus thuringiensis Cry1B</i> gene in transgenic rice <i>J.C. Breitler, V. Marfà, D. Meynard, L. Vila, I. Murillo, M.J. Domínguez Rodríguez, M. Royer, B. San Segundo, J.A. Martínez-Izquierdo, J. Messeguer, J.M. Vassal, and E. Guiderdoni</i>	560
Inheritance of <i>cry1A(b)</i> and snowdrop lectin <i>gna</i> genes in transgenic javanica rice progenies and bioassays for resistance to brown planthopper and yellow stem borer <i>I.H. Slamet-Loedin, Novalina, Satoto, D. Damayanti, Sutrisno, E.S. Mulyaningsih, P. Christou, and H. Aswidinooor</i>	565
Insect bioassays of transgenic indica rice carrying a synthetic <i>Bt</i> toxin gene, <i>cry1A(c)</i> <i>S.K. Raina, H.K. Khanna, D. Talwar, A. Tiwari, and U. Kumar</i>	567

Genotype screening of japonica rice cultivars for <i>Agrobacterium</i> -mediated transformation <i>K.H. Kang, S.H. Choi, H.P. Moon, Y.S. Chung, I.S. Choi, O.Y. Jeong, and H.Y. Ryu</i>	570
Transgenic IR72 lines resistant to nine Philippine races of <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> <i>R.R. Aldemita, L.S. Gueco, G.Y. Ilar, E.S. Avellanoza, Z. Shiping, and C. Fauquet</i>	573
Characterizing blast-tolerant transgenic rice constitutively expressing the chitinase of the beta-glucanase gene <i>Y. Nishizawa, K. Nakazono, M. Saruta, M. Kamoshita, E. Nakajima, M. Ugaki, and T. Hibi</i>	575
Blast-resistant transgenic rice with a phytoalexin gene <i>Z. Tang, W. Tian, L. Ding, S. Cao, S. Dai, S. Ye, C. Chu, and L. Li</i>	577
Production of abiotic stress-tolerant transgenic rice plants <i>A. Grover, S. Katiyar-Agarwal, M. Agarwal, C. Sahi, O. Satya Lakshmi, H. Dubey, S. Agarwal, and A. Kapoor</i>	579
Genetic engineering of salt and drought tolerance in rice cultivars <i>M. Jacobs, N. Roosens, D.T. Hien, B. Alemany, C. Montesinos, J.M. Mulet, R. Serrano, E. Guiderdoni, J. Van Boxtel, H.H. Zheng, L.T. Binh, and T.T. Thu</i>	582
Improved transgene expression systems and dehydration-tolerant transgenic rice plants <i>J.K. Kim</i>	584
Rice histone deacetylase: characterization and expression in transgenic rice plants <i>I.C. Jang, N.J. Kim, B.H. Nahm, and J.K. Kim</i>	587
Transgenic rice resistant to imidazolinone herbicides <i>J. Peng, L. Hirayama, and C. Lochetto</i>	590
Producing transgenic Basmati rice with the potato protease inhibitor II (<i>PinII</i>) gene by <i>Agrobacterium</i> -mediated transformation <i>R.K. Jain, J.S. Rohilla, S. Bhutani, S. Jain, V.K. Chowdhury, J.B. Chowdhury, and R. Wu</i>	593
Genetic analysis and field testing of elite rice cultivars transformed with the antisense waxy gene <i>Qiao-quan Liu, Xiu-hua Chen, Shu-zhu Tang, Zong-yang Wang, Xiu-lin Cai, and Ming-hong Gu</i>	596
Transforming indica rice cultivars grown in Vietnam using <i>Agrobacterium tumefaciens</i> or particle bombardment <i>B.B. Bong, T.T. Cuc Hoa, T.K. Hodges, and P. Christou</i>	598
Manipulation of ADP-glucose pyrophosphorylase in starch biosynthesis during rice seed development <i>C. Sakulsingharoj, S.-B. Choi, and T.W. Okita</i>	601
Modification of starch branching degree in transgenic rice <i>W.S. Kim, K.M. Jun, J.S. Kim, S.I. Song, J.K. Kim, and B.H. Nahm</i>	604
Molecular breeding of rice by modulating gibberellin metabolic pathway <i>H. Tanaka, H. Itoh, T. Sakamoto, T. Kayano, Y. Koga-Ban, M. Kobayashi, and M. Matsuoka</i>	607
Molecular tools for manipulating rice development: markers for cell proliferation <i>M.K. Mishra, M.R. Fowler, A.C. McCormac, S. Devi, D.J. Blackley, S.M. Daskalova, N.W. Scott, A. Slater, and M.C. Elliott</i>	610
Function of Cre/lox site-specific recombination system in the rice genome and its implication <i>Tran Thi Cuc Hoa, E. Huq, J.R. Vincent, H.K. Hodges, B.B. Bong, and T.K. Hodges</i>	612

Genetics of rice pathogens	
Developing and using SCAR (sequence characterized amplified regions) to analyze <i>Magnaporthe grisea</i> populations pathogenic to rice <i>D. Tharreau, O. Soubabère, M.H. Lebrun, and J.L. Notteghem</i>	619
Genetics of host range in <i>Magnaporthe grisea</i> <i>A.S. Kotasthane and U.S. Singh</i>	621
Genetic analysis of interaction between rice and the blast pathogen in Thailand <i>P. Sirithunya, T. Toojinda, T. Veerapraditsin, S. Pimpisitthavorn, S. Sriprakhon, J. Luangsa-ard, and E. Roumen</i>	624
Diversity of <i>Pyricularia grisea</i> populations in Thailand <i>S. Sriprakhon, T. Veerapraditsin, S. Pimpisitthavorn, J. Luangsa-ard, E. Roumen, and P. Sirithunya</i>	627
Relation between molecular profile and avirulence pattern of Thai isolates of the rice blast pathogen <i>S. Pimpisitthavorn, E. Roumen, K. Poomputsa, S. Sriprakhon, T. Veerapraditsin, J. Luangsa-ard, and P. Sirithunya</i>	630
Molecular genetic characterization of the rice blast (<i>Pyricularia grisea</i>) population in Thailand <i>T. Veerapraditsin, T. Toojinda, S. Sriprakhon, S. Pimpisitthavorn, E. Roumen, and P. Sirithunya</i>	633
Pathogenicity of blast isolates in rice <i>M.J.T. Yanoria, T. Imbe, H. Tsunematsu, L. Ebron, D. Mercado, Y. Fukuta, and H. Kato</i>	637
Race differentiation of bacterial leaf blight of rice in DPR, Korea <i>M.G. Ri, C.S. Jong, and Y.A. Jo</i>	640