

Contents

<i>Foreword</i>	v
<i>Preface</i>	vii
1. Non-parametric Mixture Model Based Evolution of Level Sets	1
<i>N. Joshi and M. Brady</i>	
1.1 Introduction	1
1.2 Need for Modelling Class Distributions Non-parametrically . . .	3
1.3 NP-windows Method for Non-parametric Estimation of PDFs . .	4
1.4 NPMM-ICLS Framework	7
1.5 Level Sets Method	9
1.6 NPMM-ICLS Level Sets Method	10
1.7 Results and Discussion	11
1.8 Conclusions	15
2. Pattern Generation Using Level Set Based Curve Evolution	19
<i>A. Chattopadhyay and D. P. Mukherjee</i>	
2.1 Introduction	19
2.2 Background	21
2.2.1 Level set model of curve evolution	21
2.2.2 Reaction-diffusion model	22
2.2.3 Shape optimization	24
2.3 Proposed Methodology	26
2.3.1 Reaction-diffusion influenced curve evolution	26
2.3.2 Shape optimization based curve evolution	28

2.4	Results	30
2.4.1	Pattern disocclusion	33
2.5	Conclusions	34
3.	Stable Contour Tracking Through Tangential Evolution	37
	<i>V. Srikrishnan and S. Chaudhuri</i>	
3.1	Active Contours: Introduction	37
3.2	Curve Evolution	39
3.3	Difficulties with Parametric Curves	40
3.4	Existing Solutions	42
3.5	Proposed Method	42
3.5.1	Comparison with other works	44
3.5.2	Choice of the ideal constant K	45
3.5.3	Proof of conditional boundedness	46
3.6	Applications in Image Segmentation and Tracking	48
3.7	Implementation Details	49
3.8	Results	49
3.9	Conclusions and Future Work	52
4.	Information Theoretic Approaches for Next Best View Planning in Active Computer Vision	55
	<i>C. Derichs, B. Deutsch, S. Wenhardt, H. Niemann and J. Denzler</i>	
4.1	Introduction	56
4.2	Information Theoretical Approaches for Next Best View Planning	57
4.2.1	General state modeling and estimation	58
4.2.2	Optimality criteria for active view planning	59
4.3	Planning Tasks	62
4.3.1	Active object recognition	62
4.3.2	Active object tracking	66
4.3.3	Active object reconstruction	71
4.4	Experiments	74
4.4.1	Evaluation for active object recognition	74
4.4.2	Evaluation for active object tracking	75
4.4.3	Evaluation for active object reconstruction	78
4.5	Summary	81

5.	Evaluation of Linear Combination of Views for Object Recognition	85
	<i>V. Zografos and B. F. Buxton</i>	
5.1	Introduction	85
5.2	Linear Combination of Views	87
5.2.1	Image synthesis	88
5.3	The Recognition System	89
5.3.1	Template matching	90
5.3.2	Optimisation	91
5.4	Experimental Results	94
5.4.1	Experiments on the CMU PIE database	95
5.4.2	Experiments on the COIL-20 database	99
5.5	Conclusion	103
6.	Using Object Models as Domain Knowledge in Perceptual Organization	107
	<i>G. Harit, R. Bharatia and S. Chaudhury</i>	
6.1	Introduction	107
6.2	Perceptual Grouping in Video	109
6.2.1	Video data clustering	109
6.2.2	The perceptual grouping model	110
6.3	Object Model as a Pictorial Structure	113
6.3.1	Formulation of the potential between object parts	114
6.3.2	Formulation of appearance parameters for object parts	114
6.4	Spatio-Temporal Grouping	117
6.4.1	Formulation of object model evidence	117
6.4.2	The grouping algorithm	118
6.5	Results	120
6.6	Conclusions	123
7.	Image Representations Based on Discriminant Non-negative Matrix Factorization	125
	<i>I. Buciu and I. Pitas</i>	
7.1	Introduction	126
7.2	Bregman Distance, Kullback-Leibler Divergence and Non-negative Matrix Factorization	128
7.3	Local Non-negative Matrix Factorization	130

7.4	Discriminant Non-negative Matrix Factorization	131
7.5	Facial Expression Recognition Experiment	133
7.5.1	Data description	133
7.5.2	Training procedure	134
7.5.3	Feature extraction and image representation	134
7.5.4	Test procedure	139
7.5.5	Classification procedure	139
7.6	Performance Evaluation and Discussions	139
7.7	Conclusion	143
8.	Duplicate Image Detection in Large Scale Databases	149
	<i>P. Ghosh, E. D. Gelasca, K. R. Ramakrishnan and</i>	
	<i>B. S. Manjunath</i>	
8.1	Introduction	149
8.2	Related Work	152
8.3	System Overview	153
8.3.1	CFMT descriptor for images	155
8.3.2	CFMT extraction for arbitrarily shaped regions	156
8.4	Experimental Results	157
8.4.1	Performance evaluation	158
8.4.2	Results on web image database	158
8.4.3	Time performance	160
8.4.4	Results on MM270K image database	161
8.5	Conclusion and Future Work	165
9.	Unsupervised Change Detection Techniques Based on Self-Organizing Feature Map Neural Network	167
	<i>S. Patra, S. Ghosh and A. Ghosh</i>	
9.1	Introduction	168
9.2	Kohonen's Model of Self-Organizing Feature Map	170
9.3	Proposed Change Detection Techniques	171
9.3.1	Change detection based on 1D-SOFM	172
9.3.2	Change detection based on 2D-SOFM	173
9.4	Description of the Data Sets	179
9.4.1	Data set related to Mexico area	179
9.4.2	Data set related to Sardinia Island, Italy	180
9.5	Experimental Results	181
9.5.1	Description of experiments	181

9.5.2	Results on Mexico data	183
9.5.3	Results on Sardinia Island data	185
9.6	Discussion and Conclusion	187
10.	Recent Advances in Video Compression	191
	<i>L. Liu, F. Zhu, M. Bosch, and E. J. Delp</i>	
10.1	Introduction and Overview of Video Coding Standards	191
10.2	Distributed Video Coding	193
10.2.1	Wyner-Ziv video coding	195
10.2.2	Rate distortion analysis	196
10.2.3	Backward channel aware Wyner-Ziv video coding	197
10.3	Texture-Based Video Coding	199
10.3.1	Spatial texture models	201
10.3.2	Temporal qnalysis	202
10.3.3	A new perspective on texture-based video coding	203
10.4	Scalable Video Coding	204
10.4.1	Temporal scalability	205
10.4.2	Spatial scalability	205
10.4.3	SNR and rate scalability	206
10.5	Multi-View Coding	206
10.6	Conclusion	208
11.	Hardware Architecture for Ridge Extraction in Fingerprints	213
	<i>A. Bishnu, P. Bhowmick, J. Dey, B. B. Bhattacharya, M. K. Kundu, C. A. Murthy, and T. Acharya</i>	
11.1	Introduction	214
11.2	Proposed Method	217
11.2.1	Theme	217
11.2.2	Combinatorial possibilities	218
11.2.3	Implementation details	220
11.2.4	Classification of a pixel	222
11.2.5	Thinning	225
11.2.6	Algorithm	225
11.3	Evaluation and Results	227
11.3.1	Evaluation criteria for ridge/valley finding algorithms	227
11.3.2	Results	228
11.4	Parallel Algorithm and Hardware Architecture	233

11.4.1	Parallel algorithm	233
11.4.2	Hardware architecture	233
11.4.3	Time complexity	239
11.4.4	Circuit cost	239
11.5	Discussions and Conclusions	240
12.	Rough-Fuzzy Hybridization for Protein Sequence Analysis	243
	<i>P. Maji and S. K. Pal</i>	
12.1	Introduction	243
12.2	Bio-Basis Function, Rough Set, and Fuzzy Set	246
12.2.1	Bio-basis function	246
12.2.2	Rough sets	248
12.2.3	Fuzzy set	249
12.3	Rough-Fuzzy C-Medoids Algorithm	249
12.3.1	Hard C-medoids	250
12.3.2	Fuzzy C-medoids	250
12.3.3	Rough C-medoids	251
12.3.4	Rough-fuzzy C-medoids	253
12.3.5	Selection of initial bio-basis	255
12.4	Quantitative Measure	256
12.4.1	Using homology alignment score	257
12.4.2	Using mutual information	258
12.5	Experimental Results	259
12.5.1	Description of data set	259
12.5.2	Example	261
12.5.3	Performance analysis	262
12.6	Conclusion	273
13.	Knowledge Reuse in the Design of Models of Computational Intelligence	277
	<i>W. Pedrycz</i>	
13.1	Introduction	277
13.2	Problem Formulation	280
13.2.1	Performance index	280
13.2.2	Optimization of the level of knowledge reuse	281
13.2.3	Refinement of knowledge reuse	283
13.3	Fuzzy Rule-based Models and Their Experience-consistent Design	284

13.4	The Alignment of Information Granules	288
13.5	Granular Characterization of Experience-consistent Rule-based Models	289
13.6	Conclusions	292
<i>Index</i>		295