

## CONTENTS

|                     |      |
|---------------------|------|
| Preface             | xiii |
| Acknowledgments     | xv   |
| Workshop Photograph | xvi  |
| Workshop Delegates  | xix  |

### SECTION I SOUND TRANSMISSION TO AND FROM THE INNER EAR, AND WAVE PROPAGATION WITHIN IT

|   |    |
|---|----|
| Time average holography study of human tympanic membrane with altered middle ear ossicular chain<br><i>J.T. Cheng, M.E. Ravicz, J.J. Rosowski, N. Hulli, M.S. Hernandez-Montes and C. Furlong</i> | 3  |
| Measurements of middle ear pressure gain and cochlear input impedance in the chinchilla<br><i>M.C.C. Slama, M.E. Ravicz, H.H. Nakajima, W. Dong and J.J. Rosowski</i>                             | 9  |
| A middle-ear reverse transfer function computed from vibration measurements of otoacoustic emissions on the ear drum of the guinea pig<br><i>E. Dalhoff, D. Turcanu and A.W. Gummer</i>           | 15 |
| Differential intracochlear sound pressure measurements in normal human temporal bones<br><i>H.H. Nakajima, W. Dong, E.S. Olson, S.N. Merchant, M.E. Ravicz and J.J. Rosowski</i>                  | 19 |
| Comparing otoacoustic emissions and basilar membrane motion in individual ears<br><i>N.P. Cooper and C.A. Shera</i>   | 25 |
| The role of compression and traveling wave pressures in the transmission of sound out of the gerbil cochlea<br><i>W. Dong and E.S. Olson</i>  | 27 |
| Obvious and 'hidden' waves in the cochlea<br><i>E. de Boer and A.L. Nuttall</i>   | 34 |
| DP phases in mammalian cochleae, predicted from liquid-surface-wave formulas<br><i>R. Frosch</i>  | 41 |

|  |    |
|--|----|
| Distortion product emissions: Where do they come from?<br><i>X. Zhang and D.C. Mountain</i>                              | 48 |
| Retrograde propagation of cochlear distortion<br><i>S.T. Neely and Y.-W. Liu</i>   | 55 |
| Retrograde waves in the cochlea<br><i>S.T. Neely and J.B. Allen</i>  | 62 |
| Cochlear reflectivity and teoae transfer function<br><i>R. Sisto, A. Moleti and F. Sanjust</i>                           | 68 |
| Time domain model of a nonlinear inhomogeneous cochlea<br><i>S.J. Elliott, E.M. Ku and B. Lineton</i>                    | 74 |
| Periodicity in the spectrum of modelled spontaneous otoacoustic emissions<br><i>E.M. Ku, S.J. Elliott and B. Lineton</i> | 82 |
| Modeling stimulus-frequency otoacoustic emissions in the gecko<br><i>C. Bergevin and C.A. Shera</i>                      | 85 |

**SECTION II**  
**COCHLEAR AMPLIFICATION:**  
**CHARACTERISTICS, MODULATION AND CONTROL**

|   |     |
|---|-----|
| Nonlinear cochlear signal processing and phoneme perception<br><i>J.B. Allen, M. Régnier, S. Phatak and F. Li</i>   | 93  |
| Determining the identity of the cochlear amplifier: Electrical stimulation of the<br><i>Tecta</i> mouse cochlea<br><i>M.M. Mellado Lagarde, M. Drexel, V.A. Lukashkina, A.N. Lukashkin and<br/>I.J. Russell</i> | 106 |
| Differential measurement of basilar membrane vibration in sensitive gerbil<br>cochleae<br><i>T. Ren and W. He</i>   | 113 |
| Amplification in the cochlear apex<br><i>A. Fridberger and S. Jacob</i>   | 122 |
| Quantifying the passive substrate for active cochlear tuning<br><i>E.S. Olson, O. de la Rochefoucauld and W. Dong</i>   | 128 |
| Organ of corti micromechanics with local electrical stimulation<br><i>F. Chen, J. Zheng, N. Choudhury, S. Jaques and A.L. Nuttall</i>   | 135 |

|  |     |
|--|-----|
| Does the cochlea compromise on sensitivity and frequency selectivity?<br><i>A.N. Lukashkin, V.A. Lukashkina, G.P. Richardson and I.J. Russell</i>                                  | 141 |
| Novel roles for prestin in frequency tuning and neural excitation in the mouse cochlea<br><i>M.M. Mellado Lagarde, M. Drexler, A.N. Lukashkin, J. Zuo and I.J. Russell</i>         | 148 |
| Bias-tone effects on the first-peak versus later peaks of auditory-nerve responses<br><i>J. J. Guinan Jr.</i>  | 155 |
| Dual tuning in the mammalian cochlea: Dissociation of neural and basilar membrane responses at supra-threshold sound levels – A meta-analysis<br><i>M. Braun</i>                   | 162 |
| Slow oscillatory cochlear adaptation to brief over stimulation: Cochlear homeostasis dynamics<br><i>D.T. Kemp and O.J. Brill</i>   | 168 |
| Adaptive behaviour shown in ear-canal pressures related to distortion product magnitudes<br><i>E.L. LePage and N.M. Murray</i>   | 175 |
| The influence of language experience on contralateral suppression of click-evoked otoacoustic emissions in young adults<br><i>S.P. Bhagat and J. Xu</i>                            | 181 |
| Amplitude and frequency modulations of spontaneous otoacoustic emissions<br><i>L. Bian</i>   | 183 |
| Shifting the operating point of cochlear amplification? Impact of low frequency biasing and contralateral sound stimulation on DPOAE<br><i>A. Wittekindt, C. Abel and M. Kössl</i> | 190 |
| The effect of ear canal pressure on spontaneous otoacoustic emissions: Comparison between human and lizard ears<br><i>P. van Dijk and G.A. Manley</i>                              | 196 |
| Dependence of distortion-product otoacoustic emission components on primary-level ratio<br><i>G.R. Long, C. Jeung and C.L. Talmadge</i>  | 203 |
| Otoacoustic emissions evoked by two-tone bursts using linear and non-linear protocol<br><i>W.W. Jedrzejczak, J. Smurzynski, K.J. Blinowska, K. Kochanek and H. Skarzynski</i>      | 209 |

**SECTION III  
NEW MEASUREMENT TECHNIQUES**

|   |     |
|---|-----|
| Distortion product otoacoustic emissions evoked by tone complexes<br><i>S.W.F. Meenderink and M. van der Heijden</i>  | 217 |
| Removal of the DPOAE second generation source with a pulsed paradigm method improves hearing threshold estimation in humans<br><i>D. Turcanu, A. Vetesnik, E. Dalhoff and A.W. Gummer</i> | 223 |
| Hard X-rays can be used to visualize cochlear soft tissue displacements in a closed cochlea<br><i>C.-P. Richter, A. Fishman, L. Fan., S. Shintani and C. Rau</i>                          | 225 |

**SECTION IV  
MICROMECHANICS: BM, TM AND SUB-TECTORIAL SPACE**

|  |     |
|--|-----|
| Frequency-selective response of the tectorial membrane in the frog basilar papilla<br><i>R.L.M. Schoffelen, J.M. Segenhout and P. van Dijk</i> | 233 |
| Mechanical response of the basilar membrane to lateral micromanipulation<br><i>S.O. Newburg, A. Zosuls, P.E. Barbone and D.C. Mountain</i>     | 240 |
| Traveling waves... on the tectorial membrane<br><i>R. Ghaffari, A.J. Aranyosi and D.M. Freeman</i>   | 247 |
| The anisotropy of the tectorial membrane guides stereocilia deflection<br><i>R. Gueta, D. Barlam, R.Z. Shneck and I. Rousso</i>                | 255 |
| Tectorial membrane traveling waves: A new mechanism for longitudinal coupling<br><i>A.J. Aranyosi, R. Ghaffari and D.M. Freeman</i>            | 262 |
| Modeling Hensen's stripe as a topographic waveguide that defines the roles of the OHC and IHC<br><i>J.T. Fulton</i>                            | 269 |
| Measurement of anisotropic mechanical properties of the tectorial membrane<br><i>N. Gavara and R.S. Chadwick</i>                               | 276 |
| Deflection of IHC stereocilia in response to somatic OHC electromotility<br><i>C. Chiaradia, M. Nowotny and A.W. Gummer</i>                    | 283 |
| Fluid mechanics in the subtectorial space<br><i>J. Baumgart, C. Chiaradia, M. Fleischer, Y. Yarin, R. Grundmann and A.W. Gummer</i>            | 288 |

**SECTION V**  
**MODELLING THE COCHLEAR AMPLIFIER**  
**AND THE COCHLEA'S DYNAMICS**

|   |     |
|---|-----|
| Is stereocilia velocity or displacement feedback used in the cochlear amplifier?<br><i>S. Lu, D.C. Mountain and A. Hubbard</i>  | 297 |
| Cellular basis of the cochlear amplifier<br><i>K.H. Iwasa, B. Sul, J. Fang and G.P. Sinha</i>   | 303 |
| Tilt of the outer hair cell lattice: Origin of dual tuning tips and cochlear bandwidth<br><i>A. Bell and T. Maddess</i>   | 310 |
| Acoustic streaming in the cochlea<br><i>F. Böhnke and M. Scharff</i>  | 319 |
| Hook region represented in a cochlear model<br><i>C.R. Steele, N. Kim and S. Puria</i>  | 323 |
| Cochlear modeling using “time-averaged Lagrangian” method: Comparison with $V_{BM}$ , $P_{ST}$ , and $Z_C$ measurements<br><i>Y. Yoon, N. Kim, S. Puria and C.R. Steele</i> | 330 |
| A lumped-element model of the apical cochlea at low frequencies<br><i>T. Marquardt and J. Hensel</i>  | 337 |
| Cochlear mechanics: A sideways look<br><i>A.R. Gardner-Medwin</i>   | 340 |
| Nonlinear responses of a nonlinear cochlear model with the function of an outer hair cell model<br><i>Y. Murakami and M. Unoki</i>  | 343 |
| The influence on predicted harmonic generation of the position of the nonlinearity within micromechanical models<br><i>J. How, S.J. Elliott and B. Lineton</i>              | 350 |
| Brownian energy depot model of the BM-OHC system<br><i>Y. Zhang, C.K. Kim, K.-J.-B. Lee and Y. Park</i>   | 352 |
| Conjoined cochlear models: The TWAMP and the sandwich<br><i>A. Hubbard</i>  | 358 |

**SECTION VI**  
**HAIR CELLS AND ELECTRO-MECHANICAL TRANSDUCTION**

|   |     |
|---|-----|
| Firing up the amplifier: Temperature, pressure and voltage jump studies on OHC motor capacitance  | 363 |
| <i>J. Santos-Sacchi, L. Song and X. Li</i>  |     |
| Modeling the cochlear microphonic in prestin knockout mice  | 371 |
| <i>M.A. Cheatham, K. Naik, J. Siegel and P. Dallos</i>  |     |
| Using a large scale computational model to study the effect of longitudinal and radial electrical coupling in the cochlea                                       | 377 |
| <i>P. Mistrík and J.F. Ashmore</i>  |     |
| Voltage and frequency dependence of charge transfer by prestin:<br>An electro-diffusion model   | 385 |
| <i>S. Sun, B. Farrell, M. Chana, S. Feng, G. Oster, W.E. Brownell and A. Spector</i>  |     |
| Topological characterization by atomic force microscopy of prestin in the plasma membrane of prestin-transfected Chinese hamster ovary cells using quantum dots | 391 |
| <i>H. Wada, M. Murakoshi, K. Iida and S. Kumano</i>   |     |
| Membrane composition tunes the outer hair cell motor  | 393 |
| <i>L. Rajagopalan, J. Sfoudouris, J.S. Oghalai, F.A. Pereira and W.E. Brownell</i>  |     |
| Measurement of outer hair cell electromotility using a fast voltage clamp   | 400 |
| <i>M.G. Evans and R. Fettiplace</i>   |     |
| Assessment of the activity of purified prestin and the effect of salicylate on prestin-chloride binding studied by isothermal titration calorimetry             | 403 |
| <i>K. Iida, M. Murakoshi, S. Kumano, H. Wada, K. Tsumoto, K. Ikeda, T. Kobayashi and I. Kumagai</i>   |     |
| Increase in the activity by mutations of the motor protein prestin  | 405 |
| <i>S. Kumano, K. Iida, M. Murakoshi, H. Wada, K. Tsumoto, K. Ikeda, I. Kumagai and T. Kobayashi</i>   |     |
| Prestin distribution in rat outer cells – An ultrastructural study  | 407 |
| <i>S. Mahendrasingam, D.N. Furness, R. Fettiplace and C.M. Hackney</i>  |     |

**SECTION VII  
HAIR BUNDLES AND MECHANO-ELECTRICAL TRANSDUCTION**

|  |     |
|--|-----|
| Active hair-bundle motility by the vertebrate hair cell<br><i>J.-Y. Tinevez, P. Martin and F. Jülicher</i>   | 415 |
| <i>In vivo</i> dissection of fly auditory mechanotransduction<br><i>J.T. Albert, B. Nadrowski, T. Effertz and M.C. Göpfert</i>   | 425 |
| Transducer-based active amplification in the hearing organ of <i>drosophila melanogaster</i><br><i>B. Nadrowski, J.T. Albert and M.C. Göpfert</i>  | 431 |
| The dynein motor is the basis of active oscillations of mosquito antennae<br><i>B. Warren, A.N. Lukashkin and I. J. Russell</i>  | 437 |
| Trafficking of aminoglycosides into endolymph <i>in vivo</i><br><i>Q. Wang and P.S. Steyger</i>  | 439 |
| Big and powerful: A model of the contribution of bundle motility to mechanical amplification in hair cells of the bird basilar papilla<br><i>C. Köppl, K.H. Iwasa and B. Sul</i>                                   | 444 |
| The interplay between active hair bundle mechanics and electromotility in the cochlea<br><i>D. Ó Maoiléidigh and F. Jülicher</i>   | 451 |
| Mechanical properties of coupled hair bundles<br><i>K. Dierkes, B. Lindner and F. Jülicher</i>   | 457 |
| Connections between stereociliary rootlets and lateral wall: A possible route for interactions between bundle and prestin based cochlear amplification?<br><i>D.N. Furness, S. Mahendrasingam and C.M. Hackney</i> | 459 |

**SECTION VIII  
DISCUSSION**

|  |     |
|--|-----|
| Edited transcripts of the open discussion session held at Keele University on July 31, 2008<br><i>C.A. Shera and D.C. Mountain</i> | 467 |
| 1. Introduction  | 467 |
| 2. Experimental evidence of power amplification  | 468 |
| 3. Overcoming the outer hair cell's time constant  | 476 |

|   |     |
|---|-----|
| 4. Stimulating inner hair cells                           | 482 |
| 5. Differences between the base and apex of the cochlea   | 486 |
| 6. The role of compression waves in forwards transduction | 487 |
| 7. Robustness of measurement techniques                   | 490 |
| 8. Tectorial membrane motion                              | 492 |
| 9. Directions for future study                            | 494 |
| <br>  |     |
| Author Index  | 505 |