

BIOMOLECULAR NETWORKS: FROM ANALYSIS TO SYNTHESIS

GIL ALTEROVITZ

Division of Health Sciences and Technology, Harvard University/Massachusetts Institute of Technology, Cambridge, MA 02139, USA. Children's Hospital Informatics Program, Boston, MA 02115, USA. Department of Electrical Engineering and Computer Science, Cambridge, MA 02139, USA. Harvard Partners Center for Genetics and Genomics, Harvard Medical School, Boston, MA 02115, USA.

JUDITH A. BLAKE

The Jackson Laboratory, Bar Harbor, ME 04609, USA

JONATHAN M. DREYFUSS

Harvard Partners Center for Genetics and Genomics, Boston, MA 02115, USA.

DREW ENDY

Department of Bioengineering, Stanford University, CA 94305, USA

MARCO F. RAMONI

Children's Hospital Informatics Program, Boston, MA 02115, USA. Division of Health Sciences and Technology, Harvard University/Massachusetts Institute of Technology, Cambridge, MA 02139, USA. Harvard Partners Center for Genetics and Genomics, Harvard Medical School, Boston, MA 02115, USA.

1. Introduction

The study of biological networks is a very challenging research area in biocomputing. This field is of utmost importance, however. These networks underlie much of the emerging fields of synthetic and systems biology, which are revolutionizing molecular biology. Here, we use the term “biological networks” both to refer to biomolecular networks (e.g., gene regulatory networks) and to supporting knowledge representation networks (e.g., Gene Ontology).

There have been numerous recent advancements in synthetic biology. In academia, the Registry of Standard Biological Parts has been developed based on the concept of BioBricks, allowing scientists to browse through standardized and interchangeable biological parts for building synthetic biological systems. In the corporate world, the company Codon Devices is aiming to commercialize DNA synthesis on demand. Another milestone in the field is the first description of the

RNA ribo-regulator and other biological circuit components, such as the genetic toggle switch. Such progress has led to the development of engineered simple genetic circuits that mimic other common devices like oscillators and feedback loops¹. Other recent achievements include the development of non-native behaviors like optimized drug synthesis and programmed spatial formation².

Although scientists have made significant progress in the development of synthetic and systems biology, the fields must still overcome several challenges related to biological networks³. To this end, this session offers novel methodologies in two general areas: namely, in inferring network structure from vast amounts of data and in utilizing these networks for pressing applications.

2. Session Papers

Eliciting the structure of a biological network is a fundamental issue. **Kuchaiev and Przulj** introduce a novel generative model of protein-protein interaction networks that accepts only the high-confidence portion of a network but is able to reproduce other low-confidence network features. **Tari et al.** propose a new paradigm to determine network structure, which allows biologists to construct networks tailored to their specific needs using Medline abstracts. **Costello et al.** present a novel data-driven methodology that synthesizes an ontology from gene-gene interactions and annotations regarding those genes.

Biological networks are dynamic entities which are highly dependent on cellular state. **Sen et al.** produce gene regulatory networks that are intrinsically state-dependent and offer context-specific annotation in addition to gene-gene interactions. **Roy et al.** develop a novel technique to infer functional networks from condition-specific responses and examine gene ontology enrichment of their inferred networks among different cell types.

We also seek to understand how biological networks change over time and across species. **Cheng and Riedel** offer a methodology, based on a stochastic simulation with time-varying inputs, which allows insight and validation into the time-dependent dynamics of a system. **Tian and Samatova** develop a fast algorithm based on connected components that identifies maximally conserved regions across species.

Identification of biomarkers is a substantial application of biological networks. Using a network paradigm, **Dudley and Butte** identify protein biomarkers through a novel methodology which integrates biofluids proteome data and inter-disease genomic

relationships. **Sachs *et al.*** extend the Bayesian Network methodology, often used to identify biomarkers, by allowing cyclic pathways in the biological system to be modeled.

Acknowledgments

Thank you to all the authors who submitted their work to this session and to the reviewers who graciously contributed their time and expertise to the peer review process.

References

1. F. J. Isaacs, D. J. Dwyer, and J. J. Collins, *Nat. Biotechnol.* **24**, 5 (2006).
2. S. Basu, Y. Gerchman, C. H. Collins, F. H. Arnold, and R. Weiss, *Nature* **434**, 7037 (2005).
3. G. Alterovitz and M. F. Ramoni, *Systems Bioinformatics: An Engineering Case-Based Approach*. (Artech House Publishers, London, U.K.; Boston, 2007).