

CONTENTS

<i>Foreword</i>	v
INVITED PAPERS	
Space and sensors: development and perspectives <i>G.F. Bignami, M. Ruggeri</i>	3
A CMOS time of flight 3-D camera <i>D. Stoppa</i>	8
BIOSENSORS	
Development of a protein microarray system antibody based for mycotoxins determination <i>L. Mosiello, I. Lamberti, F. Vitali, S. Misiti, G. Di Giorgio</i>	15
Design and development of a receptor assay based on the inhibition of carboxypeptidase activity coupled with an electrochemical D-alanine sensor for the detection for β -lactamic antibiotics <i>S.H. Alarcón, G. Rivas, J.C. Feo Manga, A. Pepe, D. Compagnone</i>	20
Development of rapid immunoassay tests by using a micro-analytical flow system coupled with electrochemical detection <i>S. Laschi, G. Marrazza, M. Mascini</i>	26
Disposable electrochemical sensors coupled to magnetic beads for a rapid and sensitive immunodetection of food pollutants <i>S. Centi, A.I. Stoica, S. Laschi, I. Palchetti, M. Mascini, M. Fránek</i>	32
DNA electrochemical biosensors for DNA-PAH adduct detection <i>M. Del Carlo, M. Di Marcello, M. Mascini, M. Sergi, A. Pepe, D. Compagnone</i>	37
New immunosensors for atrazine pesticide determination <i>L. Campanella, D. Lelo, E. Martini, M. Tomassetti</i>	42

Two new screen-printed immunosensors for HIgG and lactoferrin determination: comparison by two corresponding classical amperometric immunosensors and a potentiometric one <i>L. Campanella, G. Favero, E. Martini, F. Mazzei, M. Tomassetti</i>	47
Gene delivery markers for gene doping detection: a model study by affinity-based biosensors <i>M. Minunni, S. Scarano, M.M. Spiriti, S. Tombelli, P. Bogani, M. Buiatti, M. Mascini</i>	51
Development of <i>label free</i> genomagnetic electrochemical sensor <i>M. Morvillo, S. Laschi, G. Marrazza, M. Mascini</i>	57
New nanostructures for genosensing <i>F. Berti, I. Palchetti, G. Marrazza, M. Mascini, L. Lozzi, S. Santucci, C. Baratto, E. Comini, S. Todros, G. Faglia, G. Sberveglieri</i>	63
Measurement of carbon dioxide hydration by carbonic anhydrase entrapped in submicrometer sized nanoreactor <i>M. Cataldo, C. Di Natale, A. D'Amico, A. Ramundo-Orlando, E. Zampetti, S. Pantalei, A. Macagnano</i>	68
SPR-based immunosensor for the direct detection of fraudulent adulteration in milk <i>G. Manera, M. F. Latronico, P. Siciliano, R. Rella</i>	74
BIOSENSING TECHNOLOGIES	
Anchorage of amphiphilic cyclodextrins with gold nanoparticles on solid substrates <i>A. Mazzaglia, G.M. Ingo, S. Kaciulis, A. Mezzi, G. Padeletti, L.M. Scolaro</i>	83
A new optical platform based on fluorescence anisotropy for immunosensing applications <i>F. Baldini, A. Carloni, R. Falciai, A. Giannetti, A. Mencaglia, C. Trono, G. Porro</i>	88
An automated imaging-based system for DNA-DNA interaction monitoring in SPR biosensors <i>A. Leone, C. Distante, M. G. Manera, M.F. Latronico, G. Strada</i>	94

Portable bio-amperometer for photoactive biomaterial monitoring <i>G. Pezzotti, A. Tibuzzi, T. Lavecchia, G. Rea, M.T. Giardi</i>	99
 GAS SENSORS	
Terpenes detection using an array based on polymer-carbon black composites sensors <i>A. De Girolamo Del Mauro, S. De Vito, G. Burrasca, E. Massera, G. Rametta, G. Di Francia</i>	107
Characterization of aminoacids monolayers as chemical sensors <i>M. Mascini, E. Martinelli, E. Mazzone, D. Monti, P. Paolesse, D. Compagnone, A. D'Amico, C. Di Natale</i>	113
Relative humidity QCM sensor based on pedot-pss [poly(3,4-ethylendioxythiophene)-poly(styrenesulfonate)] polymer films <i>G. Neri, G. Micali, G. Rizzo, A. Bonavita</i>	119
Surface acoustic wave vapor sensor coated with carbon nanotubes-based nanocomposite langmuir-blodgett film <i>M. Penza, P. Aversa, G. Cassano, R. Rossi, M. Alvisi, D. Suriano, E. Serra, M. Benetti, D. Cannatà, F. Di Pietrantonio, E. Verona</i>	124
Gas sensors fabricated from carbon nanotubes films functionalized with nanoclusters of Au, Pt and Pd <i>M. Penza, R. Rossi, M. Alvisi, G. Cassano, D. Suriano, R. Pentassuglia, M.A. Signore, Th. Dikonimos, E. Serra, R. Giorgi</i>	130
Sensitivity amplification in self-assembled tubular structures of porphyrins <i>F. Dini, E. Martinelli, G. Pomarico, D. Monti, D. Filippini, A. D'Amico, R. Paolesse, I. Lundström, C. Di Natale</i>	137
Metal-oxide solid solutions for light alkane sensing <i>A. Cervi, M.C. Carotta, A. Giberti, V. Guidi, C. Malagù, G. Martinelli, D. Puzzovio</i>	143
FIRB "square" project: nano-structured sensors for the detection of the polluting ic engine exhaust gases and for indoor air quality monitoring <i>D. Marzorati, E. Merlone Borla, M. Lattore, G. Carturan, E. Callone, G. Neri, G. Micali, A. Bonavita, E. Roncari, A. Sanson, C. Di Natale, E. Martinelli, G. Pennazza, R. Paolesse, P. Siciliano, A. Forleo, S. Capone, A.M. Taurino, B. Debenedetti, F. Deorsola, S. Iannotta, T. Toccoli, N. Coppedè, R. Licheri, R. Orrù, G. Cao</i>	151

Polysilicon mesoscopic wires coated by pd as H ₂ sensors <i>M. Benetti, D. Cannatà, F. Di Pietrantonio, E. Verona, C. Di Natale, A. D'Amico, S. Paletti, M. Lemme, A. Tibuzzi, B. Margesin, G. Soncini, G.F. Dalla Betta</i>	161
RF sputtered ZnO films for automotive applications <i>A. Donato, F. Della Corte, M. Gioffrè, G. Micali, G. Neri</i>	166
Selectivity and stability of palladium nanowires based hydrogen sensor <i>B. Alfano, V. La Ferrara, E. Massera, G. Di Francia</i>	171
Influence of room temperature on thick-film gas sensors <i>A. Giberti, M.C. Carotta, V. Guidi, C. Malagù, G. Martinelli</i>	177
Border effects in gas sensors and thermistors <i>A. D'Amico, C. Di Natale, C. Falconi, E. Martinelli, S. Iarossi, L. Dori, P. Maccagnani</i>	185
Role of surface bridging oxygen vacancies in photoluminescence of tin dioxide nanobelts <i>S. Lettieri, A. Setaro, M. Causà, F. Trani, D. Ninno, P. Maddalena</i>	191
Optochemical gas detection by luminescent marine diatoms: phenomenology and physical interpretation <i>S. Lettieri, A. Setaro, L. De Stefano, M. De Stefano, P. Maddalena</i>	196
Design and fabrication of a Kelvin probe based MEMS hydrogen sensor <i>A. Tibuzzi, B. Margesin, F. Giacomozzi, C. Di Natale, G. Soncini, A. D'Amico</i>	201
 CHEMICAL SENSORS ARRAY	
Study and application of chemical sensors for environmental monitoring <i>L. Capelli, S. Sironi, R. Del Rosso, P. Centola, M. Il Grande</i>	209
Detection of gasoline samples adulteration with a capacitances array and quartz microbalances <i>N.K.L. Wiziack, F.J. Fonseca, A. Catini, M. Santonico, G. Mantini, A. D'Amico, C. Di Natale, R. Paolesse</i>	214
Estimation of diesel contamination in engine oil using a metal oxide gas sensor array <i>S. Capone, M. Zuppa, F. Caione, C. Distante, P. Siciliano</i>	220

- A computer embedded capacitive sensors array 225
A. Catini, A. Berinucci, M. Foffo, A. D'amico, R.Paolesse, C. Di Natale

SENSORS FOR LIVING FUNCTIONS MONITORING

- Characterization of a new device for yeast cell growth monitoring 233
C. Ressa, S. Pedrotti, L. Lorenzelli, S. Passerotti, M. Malavolta, E. Candioli

- A nano-on-micro device for dielectrophoretic cancer cell separation and detection 238
R. Cunaccia, L. Odorizzi, E.Morganti, A. Adami, C. Collini, L. Lorenzelli, E. Jacchetti, C. Lenardi, P. Milani

- Development of a solid state analyzer for breath analysis 243
G. Neri G. Micali, S. Ipsale, N. Donato, F. Di Francesco, C. Loccioni, G. Pioggia, M. Ferro, S. Tabucchi, M. Onor

- Carbon nano tubes toxicity: physical behaviour in buffered solution 249
M.L. Miglietta, G. Rametta, G. Di Francia

- On-chip antenna structures for biomedical implantable sensors 255
F. Aquilino, F.G. Della Corte

- A current mode heart rate meter for very low voltage portable apparatus 259
P. Branchi, V. Stornelli

- Electrical detection and equivalent model of single cell over gold microelectrode biochip used for cell stimulation 264
A. De Toni, G. Cellere, A. Paccagnella, L. Bandiera, M. Borgo, L. Santoni, M. Dal Maschio, S. Girardi, L. Lorenzelli

- Progress toward a proton computed tomography apparatus 271
D. Menichelli, S. Valentini, M. Bruzzi, M. Bucciolini, L. Capineri, L. Marrazzo, C. Talamonti, M. Tesi, M. Brianzi, C. Civinini, D. Lo Presti, G. Candiano, G.A.P. Cirrone, G. Cuttone, N. Randazzo, M. Russo, A. Fucile, V. Sipala

PHYSICAL SENSORS

- A new physical sensor based on neural network for musical expressivity 281
G. Costantini, M. Todisco, M. Carota, D. Casali

A new kinematic sensor for human functional ability/disability classification <i>G. Costantini, M. Todisco, M. Carota, D. Casali</i>	289
Passive sensors based on contactless excitation and readout of miniaturized mechanical resonators <i>M. Bau, V. Ferrari, D. Marioli, E. Sardini, M. Serpelloni, A. Taroni</i>	295
Tactile sensing arrays for humanoid robots using piezo-polymer-fet devices <i>R.S. Dahiya, M. Valle, G. Metta, L. Lorenzelli</i>	301
Energy-resolving diamond detectors for x-ray spectroscopy <i>M. Girolami, P. Allegrini, A. Fabbri, S. Salvatori, G. Conte</i>	307
Pressure sensor based on SAW resonators <i>M. Benetti, D. Cannatà, F. Di Pietrantonio, E. Verona, C. Marchiori, P. Persichetti</i>	313
Moving object detection in stereo video sequences <i>G. Costantini, M. Todisco, M. Carota, D. Casali</i>	318
A CMOS compatible liquid flow meter <i>P. Bruschi, M. Dei, M. Piotto</i>	326
Frequency response of thermal gas velocity detectors <i>P. Bruschi, M. Dei, M. Piotto</i>	331
Portable multisensor for measurement of the thermo hygrometric variables in the determination of the comfort conditions <i>P. Coppa, G. Pezzotti</i>	336

APPLICATIONS OF OPTICAL SENSORS

Long-term temperature monitoring of active volcanic areas by distributed optical fiber sensors <i>R. Bernini, R. Gravina, A. Minardo, L. Zeni, Z. Petrillo, M. Piochi, R. Scarpa</i>	345
Brillouin-based fiber-optics sensors for vectorial dislocation monitoring of pipelines <i>R. Bernini, A. Minardo, L. Zeni</i>	350

Carbon nanoparticles detection and sizing in combustion systems by fluorescence analysis	355
<i>A. Bruno, C. De Lisio, F. Ossler, P. Minutolo, A. D'Alessio, N. Spinelli</i>	
Optical fiber spectroscopy for measuring quality indicators of lubricant oils	360
<i>A.G. Mignani, L. Ciaccheri, A.A. Mencaglia, N. Díaz-Herrera, H. Ottevaere, H. Thienpont, S. Francalanci, A. Paccagnini, F. Pavone</i>	
Fluorescence spectroscopy for the detection of M1 aflatoxin in milk	366
<i>A.G. Mignani, C. Cucci, L. Ciaccheri, C. Dall'Asta, G. Galaverna, A. Dossena, R. Marchelli</i>	
OPTICAL SENSORS TECHNOLOGIES	
Compact optical sensor for multispectral image spectrometry	375
<i>A. Piegari, M.L. Grilli, J. Bulir, A.K. Sytchkova</i>	
Peak-type operation for metal-cladding leaky waveguides for sensing applications	380
<i>R. Bernini, R. Gravina, A. Minardo, L. Zeni</i>	
Design, fabrication, and characterization of an α -Si:H/ α -SiCN multistack waveguide for electro optical modulation	385
<i>S. Rao, F.G. Della Corte, F. Suriano, C. Summonte</i>	
Layered growth of polycrystalline diamond for interface controlled field effect sensors	390
<i>A. Corsaro, S. Carta, P. Calvani, M.C. Rossi, G. Conte, V. Ralchenko</i>	
Recent advances of the use of nanomaterials in sensor technology, cultural heritage and nanomedicine	397
<i>F. Valentini, A. Diamanti, A. Magrini, A. Pietroiusti, J.M. Legramante, A. Galante, D. Moscone, G. Palleschi</i>	
Micromachined hybrid one-dimensional photonic crystals	406
<i>G. Barillaro, A. Diligenti, L.M. Strambini, V. Annovazzi-Lodi, M. Benedetti, S. Merlo</i>	
Ink jet functional materials deposition technique for all printed sensors	416
<i>G. Burrasca, A. De Girolamo Del Mauro, F. Loffredo, E. Massera, G. Di Francia, D. Della Sala</i>	

WIRELESS SENSOR SYSTEMS

- 13.56 MHz smart RFID tag with on-board microcontroller and temperature sensor 423
M. Merenda, F.G. Della Corte
- Signal processing and acoustic event detection for wireless smart sensors 427
M.A. López-Trinidad, M. Valle
- Localization of sensor networks using ultrasounds and radio frequency 435
R. Carotenuto
- 2.4 GHz fully integrated wireless temperature sensor with on-chip antenna 440
F. Aquilino, M. Merenda, F. Zito, F.G. Della Corte
- Wireless multisensing microsystem for food quality monitoring – FQM 445
A. Maierna, U. Mastromatteo, D. Truffelli, C. Combi
- Experimental results of piezoelectric bender generators for the energy supply of smart wireless sensors 450
L. Pinna, M. Valle, G.M. Bo

SENSORS FOR ENERGY MANAGEMENT AND PRODUCTION

- Designing CVD diamond betavoltaic batteries 459
D.M. Trucchi, E. Cappelli, P. Ascarelli
- Battery current consumption measurement system for lifetime estimation of wireless sensor nodes 464
L. Barboni, M. Valle
- New role for sensors in energy management systems 469
G. Mauri, D. Moneta, P. Gramatica
- Optical system for diagnostic of medium voltage distribution network 474
L. De Maria, P. Serragli, R. Marini, G. Rizzi
- LIBS system for salt detection on electrical insulators in high voltage lines 479
S. Musazzi, U. Perini, E. Golinelli, F. Barberis
- Laser based scanning system for high voltage power lines conductors monitoring 484
E. Golinelli, U. Perini, S. Musazzi, G. Pirovano

ELECTRONIC INTERFACES

- Dual – harmonic oscillator for enhanced sensing with quartz resonator sensors 491
M. Ferrari, V. Ferrari, K.K. Kanazawa
- An integrated gas-sensing interface circuit with embedden temperature control loop for SnO₂ sensors 498
A. Lombardi, M. Grassi, L. Bruno, P. Malcovati, A. Baschiroto
- A 150 μ w-11b readout circuit for lab-on-a-chip applications 506
P. Delizia, S. D'Amico, A. Baschiroto
- New low-voltage low-power current-mode resistive sensor interface with R/T conversion and DC excitation voltage 515
A. De Marcellis, C. Di Carlo, G. Ferri, V. Stornelli, A. Depari, A. Flammini, D. Marioli
- An integrated capacitive sensor front-end based on low voltage CCII astable multivibrator 521
S. Del Re, A. De Marcellis, C. Di Carlo, G. Ferri, V. Stornelli
- A CCII-based dynamic element matched high precision instrumentation amplifier for IC sensor applications 528
G. Ferri, V. Stornelli, A. De Marcellis, C. Di Carlo, C. Falconi, A. D'Amico
- An oscillator topology as wide range resistive capacitive-sensor interface 535
A. De Marcellis, G. Ferri, V. Stornelli
- A novel OP-AMP based front-end for high valued resistive sensors 540
A. De Marcellis, G. Ferri, V. Stornelli, A. Depari, A. Flammini, D. Marioli