

Contents

| | |
|--|----|
| <i>Preface</i> | v |
| 1. Introduction | 1 |
| 1.1 Unmanned Aerial Systems | 2 |
| 1.2 Cooperative Control | 3 |
| 1.3 Contingencies | 6 |
| 1.3.1 Faults and failures of UAV components | 7 |
| 1.3.2 Vehicle damage | 8 |
| 1.3.3 Information flow faults | 8 |
| 1.3.4 Team anomalies and collisions | 9 |
| 1.3.5 Environmental effects | 10 |
| 1.3.6 Book overview | 11 |
| 2. Health Management for the Individual Vehicle: A Review | 13 |
| 2.1 Passive and Active Fault-Tolerant Control Systems | 14 |
| 2.2 Fault/Failure Detection and Diagnosis | 16 |
| 2.3 Control Reconfiguration | 17 |
| 2.4 FTC and FDD Techniques for MAV and SUAV | 19 |
| 3. Health Monitoring and Adaptation for UAS Formations | 21 |
| 3.1 Models of Vehicle Dynamics, Flight Control, and Faults | 25 |
| 3.1.1 ALTAV dynamics and control | 26 |
| 3.1.2 Quadrotor dynamics and control | 29 |
| 3.1.3 Actuator faults | 31 |
| 3.2 Formation Control | 33 |
| 3.2.1 Elements of contraction theory | 35 |

- 3.2.2 Simplified modeling for the purpose of formation control synthesis 37
- 3.2.3 Formation control objective 42
- 3.2.4 Closed-loop representation of the formation 43
- 3.2.5 Convergence analysis of state trajectories 48
- 3.2.6 Modeling a formation of UAVs with realistic nonlinear dynamics 57
- 3.2.7 Trajectory of the leader and obstacle/threat avoidance 58
- 3.2.8 Formation control design algorithm 60
- 3.3 Observer-Based Decentralized Abrupt Fault Detector 61
 - 3.3.1 Context 61
 - 3.3.2 Simplified model of vehicle closed-loop dynamics 62
 - 3.3.3 Concept of observer with disturbance attenuation 65
 - 3.3.4 Synthesis of DAFD 69
 - 3.3.5 Threshold selection 77
 - 3.3.6 DAFD design algorithm 79
- 3.4 Signal-Based Decentralized Non-Abrupt Fault Detector 80
 - 3.4.1 Context 80
 - 3.4.2 Networked information and coupling effects 81
 - 3.4.3 Estimator of heading angle 85
 - 3.4.4 Statistical test for DNaFD 86
 - 3.4.5 DNaFD design algorithm 89
- 3.5 UAV Command Adaptation 90
- 3.6 Simulations and Experiments 93
 - 3.6.1 Formation control of unicycles 94
 - 3.6.2 Formation control of quadrotor aircraft 102
 - 3.6.3 DAFD and formation control of ALTAVs 104
 - 3.6.4 DAFD and quadrotor formation control 112
 - 3.6.5 DNaFD and formation control of ALTAVs 115
 - 3.6.6 Decentralized fault detection for mixed-type, concurrent actuator faults 123
 - 3.6.7 DAFD/DNaFD in closed loop with individual vehicle FDD system 126
 - 3.6.8 A note on the digital implementation 129
- 4. Decision Making and Health Management for Cooperating UAS 131
 - 4.1 Coordinated Rendezvous of UAS Formations 134

| | | |
|-------|--|-----|
| 4.1.1 | Context | 134 |
| 4.1.2 | Related work | 137 |
| 4.1.3 | Multi-formations | 138 |
| 4.1.4 | Models | 140 |
| 4.1.5 | UAS-threat encounters modeled as Markov decision processes | 152 |
| 4.1.6 | Problem formulation | 156 |
| 4.1.7 | Decision policies: perfect information | 160 |
| 4.1.8 | Decision policies: partially known environment | 164 |
| 4.1.9 | Design of CHM and decision making system | 173 |
| 4.2 | Cooperation Despite Information Flow Faults | 174 |
| 4.2.1 | Context | 174 |
| 4.2.2 | Impact of information flow fault on UAS decision policies | 175 |
| 4.2.3 | Health state estimation | 177 |
| 4.2.4 | Distributed computations of $\widetilde{W}'_{k, P_i, \gamma^E, \nu_j}$ | 182 |
| 4.3 | Numerical Simulations | 184 |
| 4.3.1 | Single target area and perfectly known environment | 184 |
| 4.3.2 | Sequence of targets and perfect knowledge of environment | 191 |
| 4.3.3 | The case of perturbed MDPs | 193 |
| 4.3.4 | Successive zones of surveillance in partially known environment | 197 |
| 4.3.5 | Information flow faults | 199 |
| 4.4 | Distributed and Parallel Implementation of Optimization Algorithms | 200 |
| 4.4.1 | Context | 200 |
| 4.4.2 | Architecture | 201 |
| 4.4.3 | Distributed and parallel simulation environment | 202 |
| 4.4.4 | Experiments | 204 |
| | <i>Bibliography</i> | 207 |
| | <i>Index</i> | 221 |