

---

◇

# CONTENTS

---

◇



## Volume III

Chapter 1. Isles of Eden	1
1. Recap of Main Results from Parts I to VI	2
1.1. Local rules and Boolean cubes	2
1.2. Threshold of complexity	2
1.3. Only 88 local rules are independent	8
1.4. Robust characterization of 70 independent local rules	9
1.4.1. Steady-state behavior 1: Period-1 attractors or period-1 isles of Eden	9
1.4.2. Steady-state behavior 2: Period-2 attractors or period-2 isles of Eden	9
1.4.3. Steady-state behavior 3: Period-3 attractors	9
1.4.4. Steady-state behavior 4: Bernoulli $\sigma_r$ -shift attractors or isles of Eden	9
1.4.5. There are ten complex Bernoulli and eight hyper Bernoulli shift rules	14
2. Basin Tree Diagrams of Ten Complex Bernoulli Shift Rules	15
2.1. Basin of attraction and basin trees	15
2.2. Garden of Eden	17
2.3. Isle of Eden	18

2.4. Gallery of basin tree diagrams	18
2.4.1. Highlights from Rule <span style="border: 1px solid black; padding: 0 2px;">18</span>	28
2.4.2. Highlights from Rule <span style="border: 1px solid black; padding: 0 2px;">22</span>	40
2.4.3. Highlights from Rule <span style="border: 1px solid black; padding: 0 2px;">54</span>	53
2.4.4. Highlights from Rule <span style="border: 1px solid black; padding: 0 2px;">73</span>	65
2.4.5. Highlights from Rule <span style="border: 1px solid black; padding: 0 2px;">90</span>	75
2.4.6. Highlights from Rule <span style="border: 1px solid black; padding: 0 2px;">105</span>	89
2.4.7. Highlights from Rule <span style="border: 1px solid black; padding: 0 2px;">122</span>	98
2.4.8. Highlights from Rule <span style="border: 1px solid black; padding: 0 2px;">126</span>	107
2.4.9. Highlights from Rule <span style="border: 1px solid black; padding: 0 2px;">146</span>	116
2.4.10. Highlights from Rule <span style="border: 1px solid black; padding: 0 2px;">150</span>	130
3. Global Analysis of Local Rule <span style="border: 1px solid black; padding: 0 2px;">90</span>	131
3.1. Rule <span style="border: 1px solid black; padding: 0 2px;">90</span> has no Isle of Eden	132
3.2. Period of Rule <span style="border: 1px solid black; padding: 0 2px;">90</span> grows with L	132
3.3. Global state-transition formula for rule <span style="border: 1px solid black; padding: 0 2px;">90</span>	133
3.4. Periodicity constraints of rule <span style="border: 1px solid black; padding: 0 2px;">90</span>	138
4. Global Analysis of Local Rules <span style="border: 1px solid black; padding: 0 2px;">150</span> and <span style="border: 1px solid black; padding: 0 2px;">105</span>	144
4.1. Rules <span style="border: 1px solid black; padding: 0 2px;">150</span> and <span style="border: 1px solid black; padding: 0 2px;">105</span> are composed of Isles of Eden if L is not divisible by 3	145
4.2. Global state-transition formula for Rules <span style="border: 1px solid black; padding: 0 2px;">150</span> and <span style="border: 1px solid black; padding: 0 2px;">105</span>	146
4.3. Rules <span style="border: 1px solid black; padding: 0 2px;">150</span> and <span style="border: 1px solid black; padding: 0 2px;">105</span> are globally quasi-equivalent	170
5. Concluding Remarks	171
Chapter 2. More Isles of Eden	175
1. The Beginning of the End	175
2. Basin Tree Diagrams of Eight Hyper Bernoulli Shift Rules	177
2.1. Highlights from rule <span style="border: 1px solid black; padding: 0 2px;">26</span>	177
2.2. Highlights from rule <span style="border: 1px solid black; padding: 0 2px;">30</span>	182
2.3. Highlights from rule <span style="border: 1px solid black; padding: 0 2px;">41</span>	197
2.4. Highlights from rule <span style="border: 1px solid black; padding: 0 2px;">45</span>	207
2.5. Highlights from rule <span style="border: 1px solid black; padding: 0 2px;">60</span>	220
2.6. Highlights from rule <span style="border: 1px solid black; padding: 0 2px;">106</span>	241
2.7. Highlights from rule <span style="border: 1px solid black; padding: 0 2px;">110</span>	252
2.8. Highlights from rule <span style="border: 1px solid black; padding: 0 2px;">154</span>	253

3. Global Analysis of Local Rule [60]	282
3.1. Rule [60] has no Isles of Eden	283
3.2. Period of rule [60] grows with L	283
3.3. Global state-transition formula for rule [60]	285
3.4. Periodicity constraints of rule [60]	290
4. Global Analysis of Local Rule [154] and [45]	296
5. Dense Isles-of-Eden Property	307
5.1. Notations and definitions	307
5.2. Four basic lemmas	308
5.3. Locating points with multiple preimages	311
5.4. Constructing the Isles of Eden digraph	313
5.5. The full Isles of Eden digraph	315
5.6. Nondegenerate cycles and Isles of Eden	315
5.7. Effect of global equivalence transformations on Isles of Eden digraphs	316
5.8. Dense Isles of Eden from rule [45] and rule [154]	317
5.8.1. Another Proof for Theorem 5.2	317
5.8.2. Isles-of-Eden density criterion for rule [154]	317
5.8.3. Another Proof for Theorem 5.3	319
5.9. Dense Isles of Eden from rule [105] and rule [150]	319
5.10. Gallery of Isles of Eden digraphs of eight representative local rules	321
6. Concluding Remarks	327
Errata for Volume I	329
Errata for Volume II	330
References	331
Index (for Volume III)	333
Book Review	339

## Volume I

Chapter 1. Threshold of Complexity	1
1. Introduction	1
2. Cellular Automata is a Special Case of CNN	3
3. Every Local Rule is a Cube with Eight Colored Vertices	4
4. Every Local Rule is a Code for Attractors of a Dynamical System	6
4.1. Dynamical system for rule 110	78
4.2. There are eight attractors for each local rule	79
5. Every Local Rule has a Unique Complexity Index	83
5.1. Geometrical interpretation of projection $\sigma$ and discriminant $w(\sigma)$	83
5.2. Geometrical interpretation of transition points of discriminant function $w(\sigma)$	84
5.3. Geometrical structure of local rules	86
5.4. A local rule with three separation planes	87
5.5. Linearly separable rules	95
5.6. Complexity index	96
5.7. Every local rule is a member of an equivalence class	102
5.8. Making non-separable from separable rules	110
5.9. Index 2 is the threshold of complexity	111
Chapter 2. Universal Neuron	113
1. Firing and Quenching Patterns	113
2. A Universal Neuron	119
3. Gallery of One-Dimensional Cellular Automata	121
4. Genealogic Classification of Local Rules	190
4.1. Primary and secondary firing patterns	190
4.2. Partitioning 256 local rules into 16 gene families	192
4.3. Each gene family has 16 gene siblings	192
5. The Double-Helix Torus	198
5.1. Algorithm for generating all 16 local rules belonging to each gene family	198
5.2. "8/24" Distribution pattern in gene siblings	198
5.3. Coding local rules on a double helix	206

6. Explaining and Predicting Pattern Features	210
6.1. Gallery of gene family patterns	210
6.2. Predicting the background	210
Chapter 3. Predicting the Unpredictable	229
1. Introduction	229
2. Local versus Global Equivalence	233
3. Predicting the Unpredictable	241
3.1. Partitioning 256 local rules into 89 global equivalence classes	241
3.2. The Vierergruppe $\mathcal{V}$ : Key for defining global transformations $\mathbf{T}^\dagger$ , $\overline{\mathbf{T}}$ , and $\mathbf{T}^*$	248
3.3. Proof of global equivalence	259
4. Predicting the Predictable	264
4.1. The rotation group $\mathcal{R}$	265
4.2. Local equivalence classes	270
4.3. Finding all rotations which map any $N \in S_m^n$ to any $N' \in S_m^n$	295
4.4. Truth-table mapping matrices for the rotation group $\mathcal{R}$	296
4.5. Combining transformations from the Vierergruppe $\mathcal{V}$ and the rotation group $\mathcal{R}$	338
4.6. Laterally symmetric interaction group for local equivalence classes	338
4.7. Mapping parameter vectors between rule <span style="border: 1px solid black; padding: 0 2px;">110</span> and its locally-equivalent rules	338
5. Concluding Remarks	359
References	361
Index (for Volume I)	363

---

**Volume II**

Chapter 4. From Bernoulli Shift to $1/f$ Spectrum	369
1. Introduction	369
1.1. Computing all 256 rules from one CA difference equation	371
2. Mapping Local Rules onto Global Characteristic Functions	371

2.1. CA characteristic functions	372
2.2. Algorithm for plotting the graph of CA characteristic functions	372
2.3. A glimpse of some time- $\tau$ characteristic functions $\chi_{\boxed{N}}^{\tau}$	373
3. Transient Regimes and Attractors	379
3.1. Mapping CA attractors onto time- $\tau$ maps	382
3.2. A gallery of time-1 maps and power spectrum	387
3.3. Three general properties of time-1 maps	452
3.4. Invertible time- $\tau$ maps	453
4. Period- $k$ Time-1 Maps: $k = 1, 2, 3$	454
4.1. Period-1 rules	454
4.2. Period-2 rules	459
4.3. Period-3 rules	460
4.4. Invariant orbits	463
5. Bernoulli $\sigma_{\tau}$ -Shift Rules	463
5.1. Gallery of Bernoulli $\sigma_{\tau}$ -shift rules	463
5.2. Predicting the dynamic evolution from $\{\beta, \tau\}$	475
5.3. Two limiting cases: Period-1 and palindrome rules	487
5.4. Resolving the multivalued paradox	491
6. Predictions from Power Spectrum	494
6.1. Characteristic features of Bernoulli rules	494
6.2. Turing-universal rules: $\{\boxed{110}, \boxed{124}, \boxed{137}, \boxed{193}\}$ exhibit $1/f$ power-frequency characteristics	499
7. Concluding Remarks	499
Chapter 5. Fractals Everywhere	509
1. Characteristic Functions: Global Representation of Local Rules	509
1.1. Deriving explicit formula for calculating $\chi_{\boxed{N}}^1$	511
1.2. Graphs of characteristic functions $\chi_{\boxed{N}}^1$	528
1.3. Deriving the Bernoulli map from $\chi_{\boxed{170}}^1$	528
1.4. Deriving inverse Bernoulli map from $\chi_{\boxed{240}}^1$	528
1.5. Deriving affine (mod 1) characteristic functions	593
2. Lameray Diagram on $\chi_{\boxed{N}}^1$ Gives Attractor Time-1 Maps	596
2.1. Lameray diagram of $\boxed{170}$	597
2.2. Lameray diagram of $\boxed{240}$	597
2.3. Lameray diagram of $\boxed{2}$	597
2.4. Lameray diagram of $\boxed{3}$	597

2.5. Lameray diagram of [46]	597
2.6. Lameray diagram of [110]	603
2.7. Lameray diagram of [30]	607
3. Characteristic Functions are Fractals	610
4. Predicting the Fractal Structures	618
4.1. Two-level fractal stratifications	618
4.1.1. Stratification prediction procedure	623
4.1.2. Examples illustrating stratification prediction procedure	623
4.1.3. $\{\Phi_1, \Phi_2, \Phi_3, \Phi_4\}$ — stratified families	625
4.2. Rules having no fractal stratifications	630
4.3. Origin of the fractal structures	630
5. Gardens of Eden	634
6. Isle of Eden	655
7. Concluding Remarks	656
Chapter 6. From Time-Reversible Attractors to the Arrow of Time	657
1. Recap on Time- $\tau$ Characteristic Functions and Return Maps	658
2. Rule [62] Has Four Distinct Topological Dynamics	660
2.1. Period-1 attractor $\Lambda_1$ ([62]) and its basin tree $\mathcal{B}_{I+1}[\Lambda_1$ ([62])]	667
2.2. Period-3 “isle of Eden” orbits $\Lambda_2$ ([62])	675
2.3. Period-3 attractors $\Lambda_3$ ([62]) and their basin trees $\mathcal{B}_{I+1}[\Lambda_3$ ([62])]	675
2.4. Bernoulli $\sigma_\tau$ -shift attractors $\Lambda_4$ ([62]) and their basin trees $\mathcal{B}_{I+1}[\Lambda_4$ ([62])]	676
3. Concept of a Time-Reversible Attractor	700
4. Time-Reversible Rules	705
4.1. Relationship between invertible and time-reversible attractors	706
4.2. Time reversible does not imply invertible	706
4.3. Time-reversible implies invertible if it is not period-1	707
4.4. Table of time-reversible rules	707
5. There are 84 Time-Reversible Bernoulli $\sigma_\tau$ -Shift Rules	715
5.1. There are 42 time-reversible Bernoulli $\sigma_\tau$ -shift rules (with $ \sigma  = 1$ , $\beta = 2^\sigma > 0$ , and $\tau = 1$ ) having only one Bernoulli attractor	715
5.2. Four canonical Bernoulli shift maps	732

5.3.	There are eight time-reversible time-2 Bernoulli $\sigma_\tau$ -shift rules (with $ \sigma  = 1$ , $\beta = 2^\sigma > 0$ , and $\tau = 2$ ) having only one Bernoulli attractor	732
5.4.	There are 32 time-reversible Bernoulli $\sigma_\tau$ -shift rules with two invertible attractors	732
5.5.	Composition of 84 time-reversible Bernoulli rules	732
6.	What Bit Strings Are Allowed in an Attractor or Invariant Orbit?	765
6.1.	Laws governing period-1 bit strings	765
6.2.	Laws governing period-2 bit strings	792
6.3.	Laws governing period-3 bit strings	792
6.4.	Laws governing Bernoulli $\sigma_\tau$ -shift bit strings	792
6.4.1.	Shift left or shift right by one bit	792
6.4.2.	Unfolding Bernoulli orbits in complex plane	816
6.4.3.	Shift left or shift right by one bit and followed by complementation	816
6.4.4.	Shift left or shift right by one bit every two iterations	827
6.4.5.	Time-reversible rules with two Bernoulli attractors	827
6.4.6.	Time-irreversible rules with two Bernoulli attractors	827
6.4.7.	Time-irreversible rules with three Bernoulli attractors	827
6.4.8.	Deriving bit string laws for globally-equivalent rules is trivial	827
7.	Mathematical Foundation of Bernoulli $\sigma_\tau$ -Shift Maps	867
7.1.	Exact formula for time-1 Bernoulli maps for rules <span style="border: 1px solid black; padding: 0 2px;">170</span> , <span style="border: 1px solid black; padding: 0 2px;">240</span> , <span style="border: 1px solid black; padding: 0 2px;">85</span> , or <span style="border: 1px solid black; padding: 0 2px;">15</span>	867
7.1.1.	Exact formula for Bernoulli right-copycat shift map <span style="border: 1px solid black; padding: 0 2px;">170</span>	867
7.1.2.	Exact formula for Bernoulli left-copycat shift map <span style="border: 1px solid black; padding: 0 2px;">240</span>	871
7.1.3.	Exact formula for Bernoulli shift map for <span style="border: 1px solid black; padding: 0 2px;">85</span>	873
7.1.4.	Exact formula for Bernoulli shift map for <span style="border: 1px solid black; padding: 0 2px;">15</span>	874

7.1.5.	Exact formula for Bernoulli shift maps with $\beta = 2^\sigma$ (left shift), or $\beta = 2^{-\sigma}$ (right shift), $\sigma = 1$ and $\tau = 1$	874
7.1.6.	Exact formula for Bernoulli shift maps for [184]	875
7.2.	Exact formula for time- $\tau$ Bernoulli maps for rules [170], [240], [85], or [15]	876
7.2.1.	Geometrical interpretation of <i>time-<math>\tau</math></i> maps	876
7.2.2.	Exact formula for time-2 Bernoulli left-shift map for rule [170]	881
7.2.3.	Exact formula for time-2 Bernoulli right-shift map for rule [240]	884
7.2.4.	Exact formulas for generalized Bernoulli maps	888
7.2.5.	Analytical proof of period-3 “Isle of Eden” $\Lambda_2$ ([62]) with $I = 4$ as subshift of time-1 Bernoulli $\sigma_\tau$ -shift map (with $\sigma = 1$ ) $\phi_n = 2\phi_{n-1} \bmod \nu(I)$ for rule [170]	889
7.2.6.	Analytical proof of time-2 map of $\Lambda_2$ ([62]) with $I = 4$ is a subshift of time-2 Bernoulli $\sigma_\tau$ -shift map (with $\sigma = -1$ ) of Eq. (85) of rule [240]	892
7.2.7.	Analytical proof of time-1 map of $\Lambda_4$ ([62]) with $I = 4$ is a subshift of time-1 Bernoulli $\sigma_\tau$ -shift map (with $\sigma = 2$ ) of Eq. (63) of rule [170]	893
7.3.	$\Lambda_4$ ([62]) is a subshift of $\Lambda$ ([240])	895
8.	The Arrow of Time	899
8.1.	Rule [6]	899
8.2.	Rule [9]	899
8.3.	Rule [25]	899
8.4.	Rule [74]	910
9.	Concluding Remarks	910
9.1.	Attractors of 206 local rules	910
9.2.	Time reversality	911
9.3.	Paradigm shift via nonlinear dynamics	913
	Errata for Volume I	934
	Epilogue	935
	References	937
	Index (for Volumes I and II)	939