

CONTENTS

Preface	vii
---------------	-----

1. INTRODUCTION TO TRANSMISSION LINES AND THEIR APPLICATION TO ELECTROMAGNETIC PHENOMENA ... 1

1.1 Simple Experimental Example.....	4
1.2 Examples of Impulse Sources.....	6
1.3 Model Outline.....	9
1.4 Application of Model to Small Node Resistance.....	17
1.5 Transmission Line Theory Background.....	17
1.6 Initial Conditions of Special Interest	22

One Dimensional TLM Analysis. Comparison with Finite Difference Method..... 24

1.7 TLM Iteration Method.....	24
1.8 Reverse TLM Iteration	25
1.9 Derivation of Scattering Coefficients For Reverse Iteration.....	29
1.10 Complete TLM Iteration (Combining Forward and Reverse Iterations)....	31
1.11 Finite Difference Method. Comparison with TLM Method.....	32

Two Dimensional TLM Analysis. Comparison with Finite Difference Method..... 33

1.12 Boundary Conditions at 2D Node	35
1.13 Static Behavior about 2D Node.....	37
1.14 Non-static Example: Wave Incident on 2D node	38
1.15 Integral Rotational Properties of Field about the Node.....	42
1.16 2D TLM Iteration Method for Nine Cell Core Matrix	46
1.17 2D Finite Difference Method. Comparison with TLM Method	50
1.18 Final Comments: Inclusion of Time Varying Signals and Phase Coherence.	56

Appendices 57

App. 1A.1 Effect of Additional Paths on Weighing Process.....	57
App. 1A.2 Novel Applications of TLM Method: Description of Neurological Activity Using the TLM Method	60

2. NOTATION AND MAPPING OF PHYSICAL PROPERTIES.....	65
2.1 1D Cell Notation and Mapping of Conductivity and Field	67
2.2 Neighboring 1D Cells with Unequal Impedance	70
2.3 2D Cell Notation, Mapping of Conductivity and Field.....	72
2.4 Simultaneous Conductivity Contributions	80
2.5 3D Cell Notation, Mapping of Conductivity and Field.....	82
Other Node Controlled Properties	88
2.6 Node Control of 2D Scattering Coefficients Due to Finite Node Resistance	89
2.7 Signal Gain	90
2.8 Signal Generation. Use of Node Coupling.....	91
2.9 Mode Conversion	94
Example of Mapping: Node Resistance in Photoconductive Semiconductor.	95
2.10 Semiconductor Switch Geometry (2D).....	95
2.11 Node Resistance Profile in Semiconductor.....	98
3. SCATTERING EQUATIONS	101
3.1 1D Scattering Equation.....	101
3.2 2D Scattering Equations	104
3.3 Effect of Symmetry on Scattering Coefficients.....	113
3.4 3D Scattering Equations: Coplanar Scattering.....	116
General Scattering, Including Scattering Normal to Propagation Plane	124
3.5 Simple 3D Equivalent TLM Circuit	125
3.6 Quasi-Coupling.....	126
3.7 Neglect of Quasi-Coupling	127
3.8 Simple Quasi-Coupling Circuit. First Order Approximation.....	129
3.9 Correction to Quasi-Coupling Circuit: Second Order Approximation ...	133
3.10 Calculation of Load Impedance with Quasi-Coupling.....	136
3.11 Small Coupling Approximation of Second Order Quasi-Coupling	138
3.12 General 3D Scattering Process Using Cell Notation.	140
3.13 Complete Iterative Equations	150
3.14 Contribution of Electric and Magnetic Fields to the Total Energy.....	153
Plane Wave Behavior	154
3.15 Response of 2D Cell Matrix to Input Plane Wave.....	154

3.16 Response of 2D Cell Matrix to Input Waves with Arbitrary Amplitudes 163

3.17 Response of 3D Cell Matrix to Input Plane Wave..... 164

3.18 Final Comments of Uniform Waves versus Plane Waves 167

Appendices 168

App.3A.1 Consistency of 3D Circuit with the TLM Static Solutions..... 168

App. 3A.2 3D Scattering Coefficients, Without Quasi-Coupling in Terms of Circuit Parameters 169

App. 3A.3 3D Scattering Coefficients with Both Coplanar and Aplanar Contributions into Unit Cell Lines (yz and zx Planes)..... 172

App. 3A.4 3D Scattering Equations: with Both Coplanar and Aplanar Contributions into Unit Cell Lines (yz and zx Planes)..... 174

4. CORRECTIONS FOR PLANE WAVES AND GRID ANISOTROPY EFFECTS 177

4.1 Partition of TLM Waves into Component Waves..... 177

4.2 Scattering Corrections for 2D Plane Waves: Plane Wave Correlations Between Cells 179

4.3 Changes to 2D Scattering Coefficients 186

Corrections to Plane Wave Correlations 188

4.4 Correlation of Waves in Adjoining Media with Differing Dielectric Constants 188

4.5 Modification of Wave Correlation Adjacent a Conducting Boundary..... 190

Decorrelation Processes 192

4.6 Decorrelation Due to Sign Disparity of Plane and Symmetric Waves..... 192

4.7 Related Scattering Criteria and Sign Conditions for Removal of the Sign Disparity 196

4.8 Minimal Solution Using Differing Decorrelation Factors to Remove Sign Disparities..... 198

4.9 Decorrelation of Forward and Backward Plane Waves with Same Polarity in Neighboring Series TLM Lines Without Losses 202

4.10 Decorrelation of Forward and Backward Plane Waves with the Same Polarity Occupying the Same TLM Line 205

4.11 Decorrelation Treatment at Boundary Interfaces 208

4.12 Comments on Interaction of Plane Wave Front with a Half-Infinite Conducting Plane..... 210

4.13 Summary of Correlation/Decorrelation Processes 212

Treatment of Grid Orientation Effects	213
4.14 Dependence of Wave Energy Dispersal on Grid Orientation for Symmetric and Plane Waves.....	213
4.15 Selection of Grid for Plane Waves	216
4.16 Transformation Properties between Grids	217
4.17 Possible Mini-Plane Wave Fronts Associated with Each Cell. Plane Wave Partitioning	218
Grid(s) Selection. Propagation Vector Independence	220
4.18 Transformation of Fields to Principal Grid.....	220
4.19 Incorporation of Symmetric Waves	221
4.20 Iteration Method Using Principal Grid Transformations	222
4.21 Treatment of Separate TLM Correlated Wave Sources.....	224
4.22 Final Comments.....	226
Appendices	226
App. 4A.1 3D Scattering Corrections of Plane Waves (Plane Wave Correlations)	226
App. 4A.2 Consistency of Plane Wave Correlations with a Simple Quantum Mechanical Model.....	229
5. BOUNDARY CONDITIONS AND DISPERSION.....	233
5.1 Dielectric-Dielectric Interface	234
Node Coupling: Nearest Node and Multi-Coupled Node Approximations	238
5.2 Nearest Nodes for 1D Interface.....	241
5.3 Nearest Nodes at 2D Interface.....	242
5.4 Truncated Cells and Oblique Interface.....	244
5.5 Cell Index Notation at a Dielectric Interface Used in Simulations	245
5.6 Simplified Iteration Neglecting the Nearest Node Approximation.....	247
5.7 Non-Uniform Dielectric. Use of Cluster Cells.....	248
Other Boundary Conditions	251
5.8 Dielectric – Open Circuit Interface.....	251
5.9 Dielectric – Conductor Interface.....	252
5.10 Input/Output Conditions	254
5.11 Composite Transmission Line	256
5.12 Determination of Initial Static Field by TLM Method.....	257

Dispersion.....260

5.13 TLM Methods for Treating Dispersion260

5.14 Dispersion Sources262

5.15 Dispersion Example.....262

5.16 Propagation Velocity Dispersion.....265

5.17 Node Resistance Dispersion266

5.18 Anomalous Dispersion.....267

Incorporation of Dispersion into TLM Formulation.....268

5.19 Dispersion Approximations268

5.20 Outline of Dispersion Calculation Using the TLM Method.....269

5.21 One Dimensional Dispersion Iteration.....269

5.22 Initial Conditions with Dispersion Present280

5.23 Stability of Initial Profiles with Dispersion Present.....281

5.24 Replacement of Non-uniform Field in Cell with Effective Uniform
Field.....284

Appendix284

App. 5A.1 Specification of Input/Output Node Resistance to Eliminate
Multiple Reflections284

**6. CELL DISCHARGE PROPERTIES AND INTEGRATION OF
TRANSPORT PHENOMENA INTO THE TRANSMISSION
LINE MATRIX287**

6.1 Charge Transfer between Cells.....288

6.2 Relationship between Field and Cell Charge291

6.3 Dependence of Conductivity on Carrier Properties.295

**Integration of Carrier Transport Using TLM Notation. Changes in
Cell Occupancy and Its Effect on the TLM Iteration.....296**

6.4 General Continuity Equations296

6.5 Carrier Generation Due to Light Activation.....296

6.6 Carrier Generation Due to Avalanching : Identical Hole and
Electron Drift Velocities297

6.7 Avalanching with Differing Hole and Electron Drift Velocities300

6.8 Two Step Generation Process303

6.9 Recombination304

6.10 Limitations of Simple Exponential Recovery Model306

6.11 Carrier Drift307

6.12	Cell Charge Iteration. Equivalence of Drift and Inter-Cell Currents Using TLM Notation	310
6.13	Carrier Diffusion.....	315
6.14	Frequency of Transport Iteration	317
6.15	Total Contribution to Changes in Carrier Cell Occupancy	318
7.	DESCRIPTION OF TLM ITERATION	321
7.1	Specification of Geometry.....	324
7.2	Use of TLM Matrix.....	326
7.3	Various Regions which Incorporate Plane Wave Correlation/ Decorrelation (PWC Effects) into the Iteration.....	329
7.4	Simplified Decorrelation Procedure Used for Simulations in Chapter VII	330
7.5	Description of Inputs, Arrays, and Initial Conditions.....	336
7.6	Plane Wave Correlation (PWC) Inputs	338
7.7	Iteration Outline	339
7.8	Node Resistance $R(n,m)$ Changes. Use of Light Activation	340
	Symmetric Scattering Simulations	345
7.9	Symmetric Field Evolution with and without Node Activation	345
	PWC Simulations. Comparison of PWC and Symmetric Results	356
7.10	Comparison of Output Waveforms and Static Profiles for Symmetric and PWC Simulations.....	356
7.11	Comparison of Forward and Backward Waves when Using Wave Correlation.....	362
7.12	Risetime and Alternating Field Effects in the Guided Region.....	364
7.13	Field Profile Evolution during Transient Charge-up Phase	366
7.14	Effect of Load Mismatch on Output and Field Profiles.....	368
7.15	Node Recovery and its Effect on Output Pulse and Field Profile.....	370
7.16	Effects of Risetime on Conductivity.....	374
7.17	Partial Activation of Nodes and Effect on Profiles and Output.....	375
7.18	Cell Charge Following Recovery	377
7.19	Role of TLM Waves at Charged Boundary	380
7.20	Incorporation of 3D Scattering Parameters into 2D Iteration. Application to Magnetostatic Solutions.....	381
7.21	Summary: Comparison of PWC and Symmetric Simulation Results.....	383
	Appendices	385
7A.1.	Outline Discussion of Program Statements for Activated Semiconductor Switch	385

7A.2 Program Statements for Optically Activated Semiconductor Switch..... 397

7A.3 Matching Node Resistors for Input & Output Sections 437

7A.4 Field Decay in Semiconductor Using the TLM Formulation..... 438

8. SPICE SOLUTIONS 441

8.1 Photoconductive/Avalanche Switch 441

8.2 Traveling Wave Marx Generator..... 445

8.3 Traveling Marx Wave in a Layered Dielectric 450

**Pulse Transformation and Generation Using Non-Uniform
Transmission Lines 451**

8.4 Use of Cell Chain to Simulate Pulse Transformer 452

8.5 Pulse Transformer Simulation Results..... 455

8.6 Pulse Source Using Non-Uniform TLM Lines (Switch at Output)..... 456

8.7 Radial Pulse Source (Switch at Output) 458

8.8 Pulse Sources with Gain (PFXL Sources) 459

Darlington Pulser..... 466

8.9 TLM Formulation of Darlington Pulser 469

8.10 SPICE Simulation of Lossy Darlington Pulser 470

Appendices 470

8A.1 Introduction To SPICE Format 470

8A.2 Discussion of Format for Photoconductive Switch 470

8A.3 TLM Analysis of Leading Edge Pulse in a Transformer..... 477

8A.4 TLM Analysis of Leading Edge Wave in PFXL..... 480

Biography of Maurice Weiner 487

Index 489