
CONTENTS

Preface	v
Chapter I. Introduction	1
1.1. Nuclear Matter: An Brief Overview	1
1.2. Development of Kuo–Brown Effective Interactions	8
1.3. Towards a Unique Low-Momentum Nucleon–Nucleon Interaction	12
1.4. Brown–Rho Scaling and Density-Dependent Nuclear Interactions	15
 Chapter II. Nuclear Many-Body Problems and the Brueckner G-matrix	 20
Commentary	20
G.E. Brown and T.T.S. Kuo “Structure of finite nuclei and the free nucleon–nucleon interaction — General discussion of the effective force” <i>Nucl. Phys.</i> A92 , 481 (1967)	24
T.T.S. Kuo and G.E. Brown “Structure of finite nuclei and the free nucleon–nucleon interaction — An application to ^{18}O and ^{18}F ” <i>Nucl. Phys.</i> 85 , 40 (1966)	38
T.T.S. Kuo, S.Y. Lee and K.F. Ratcliff “A folded-diagram expansion of the model-space effective Hamiltonian” <i>Nucl. Phys.</i> A176 , 65 (1971)	85
E.M. Krenciglowa and T.T.S. Kuo “Convergence of effective Hamiltonian expansion and partial summations of folded diagrams” <i>Nucl. Phys.</i> A235 , 171 (1974)	109
E.M. Krenciglowa, C.L. Kung, T.T.S. Kuo and E. Osnes “The nuclear reaction matrix” <i>Ann. Phys.</i> 101 , 154 (1976)	128
M.R. Anastasio, T.T.S. Kuo, T. Engeland and E. Osnes “Hartree-Fock self-consistent potential and linked-valence expansion of the effective interaction” <i>Nucl. Phys.</i> A271 , 109 (1976)	169

T.T.S. Kuo, F. Osterfeld and S.Y. Lee “Theory of energy-independent nuclear optical-model potentials” <i>Phys. Rev. Lett.</i> 45 , 786 (1980)	193
T.T.S. Kuo, J. Shurpin, K.C. Tam, E. Osnes and P.J. Ellis “A simple method for evaluating Goldstone diagrams in an angular momentum coupled representation” <i>Ann. Phys.</i> 132 , 237 (1981)	198
H.M. Sommermann, H. Müther, K.C. Tam, T.T.S. Kuo and A. Faessler “Contributions from high-momentum intermediate states to effective nucleon-nucleon interactions” <i>Phys. Rev. C</i> 23 , 1765 (1981)	238
J. Shurpin, T.T.S. Kuo and D. Strottman “Folded diagrams and 1s-0d shell effective interactions derived from Reid and Paris nucleon-nucleon potentials” <i>Nucl. Phys.</i> A408 , 310 (1983)	250
A. Polls, H. Müther, A. Faessler, T.T.S. Kuo and E. Osnes “Three-body forces in sd-shell nuclei” <i>Nucl. Phys.</i> A401 , 124 (1983)	299
T.T.S. Kuo, Z.Y. Ma and R. Vinh Mau “Model-space nuclear matter calculations with the Paris nucleon-nucleon potential” <i>Phys. Rev. C</i> 33 , 717 (1986)	318
H.Q. Song, S.D. Yang and T.T.S. Kuo “Infinite order summation of particle-particle ring diagrams in a model-space approach for nuclear matter” <i>Nucl. Phys.</i> A462 , 491 (1987)	326
Chapter III. Low-Momentum NN Interactions in a Renormalization Group Approach	362
Commentary	362
S. Bogner, T.T.S. Kuo and L. Coraggio “Low momentum nucleon-nucleon potentials with half-on-shell T-matrix equivalence” <i>Nucl. Phys.</i> A684 , 432c (2001)	365
S. Bogner, T.T.S. Kuo, L. Coraggio, A. Covello and N. Itaco “Low-momentum nucleon-nucleon potential and shell model effective interactions” <i>Phys. Rev. C</i> 65 , 051301(R) (2002)	370
A. Schwenk, G.E. Brown and B. Friman “Low-momentum nucleon-nucleon interaction and Fermi liquid theory” <i>Nucl. Phys.</i> A703 , 745 (2002)	375

S.K. Bogner, T.T.S. Kuo and A. Schwenk “Model-independent low momentum nucleon interaction from phase shift equivalence” <i>Phys. Rep.</i> 386 , 1 (2003)	400
S.K. Bogner, T.T.S. Kuo and A. Schwenk, D.R. Entem and R. Machleidt “Towards a model-independent low-momentum nucleon-nucleon interaction” <i>Phys. Lett.</i> B576 , 265 (2003)	427
J.D. Holt, T.T.S. Kuo and G.E. Brown “Family of hermitian low-momentum nucleon interactions with phase shift equivalence” <i>Phys. Rev. C</i> 69 , 034329 (2004)	435
J.D. Holt, T.T.S. Kuo, G.E. Brown and S.K. Bogner “Counter terms for low-momentum nucleon-nucleon interactions” <i>Nucl. Phys.</i> A733 , 153 (2004)	444
J.D. Holt, J.W. Holt, T.T.S. Kuo, G.E. Brown and S.K. Bogner “Low momentum shell model effective interactions with all-order core polarizations” <i>Phys. Rev. C</i> 72 , 041304(R) (2005)	456
B.-J. Schaefer, M. Wagner, J. Wambach, T.T.S. Kuo and G.E. Brown “Low-momentum hyperon-nucleon interaction” <i>Phys. Rev. C</i> 73 , 011001(R) (2006)	462
J.W. Holt and G.E. Brown “Hans Bethe and the nuclear many-body problem” in <i>Hans Bethe and His Physics</i> , ed. G.E. Brown and C.-H. Lee, p. 201 (World Scientific, Singapore, 2006)	467
L. Coraggio, A. Covello, A. Gargano, N. Itaco and T.T.S. Kuo “Shell model calculations and realistic effective interaction” <i>Prog. Part. Nucl. Phys.</i> 62 , 135 (2009)	504
Chapter IV. Brown–Rho Scaling in Nuclei, Nuclear Matter and Neutron Stars	552
Commentary	552
G.E. Brown and M. Rho “Scaling effective Lagrangians in a dense medium” <i>Phys. Rev. Lett.</i> 66 , 2720 (1991)	555
J.W. Holt, G.E. Brown, J.D. Holt and T.T.S. Kuo “Nuclear matter with Brown–Rho-scaled Fermi liquid interactions” <i>Nucl. Phys.</i> A785 , 322 (2007)	559

- J.W. Holt, G.E. Brown, T.T.S. Kuo, J.D. Holt and R. Machleidt
“Shell model description of the ^{14}C beta decay with Brown–Rho-scaled
NN interactions” *Phys. Rev. Lett.* **100**, 062501 (2008) 576
- L.-W. Siu, J.W. Holt, T.T.S. Kuo and G.E. Brown
“Low-momentum NN interactions and all-order summation of ring
diagrams of symmetric nuclear matter” *Phys. Rev. C* **79**, 054004 (2009) 580
- H. Dong, T.T.S. Kuo and R. Machleidt
“Neutron stars, β -stable ring-diagram equation of state and
Brown–Rho scaling” *Phys. Rev. C* **80**, 065803 (2009) 587