

Contents

<i>Preface</i>	vii
<i>Acknowledgements</i>	xiii
1. Tools for the rigorous proof of chaos and bifurcations	1
1.1 Introduction	1
1.2 A chain of rigorous proof of chaos	3
1.3 Poincaré map technique	7
1.3.1 Characteristic multiplier	7
1.3.2 The generalized Poincaré map	8
1.3.3 Interval methods	10
1.3.4 Mean value form	13
1.4 The method of fixed point index	14
1.4.1 Periodic points of the TS -map	16
1.4.2 Existence of semiconjugacy	17
1.5 Smale's horseshoe map	19
1.5.1 Some basic properties of Smale's horseshoe map	20
1.5.2 Dynamics of the horseshoe map	22
1.5.3 Symbolic dynamics	23
1.6 The Sil'nikov criterion for the existence of chaos	26
1.6.1 Sil'nikov criterion for smooth systems	26
1.6.2 Sil'nikov criterion for continuous piecewise linear systems	27
1.7 The Marotto theorem	28
1.8 The verified optimization technique	30
1.8.1 The checking routine algorithm	30
1.8.2 Efficacy of the checking routine algorithm	31

1.9	Shadowing lemma	33
1.9.1	Shadowing lemmas for ODE systems and discrete mappings	35
1.9.2	Homoclinic orbit shadowing	36
1.10	Method based on the second-derivative test and bounds for Lyapunov exponents	38
1.11	The Wiener and Hammerstein cascade models	39
1.11.1	Algorithm based on the Wiener model	39
1.11.2	Algorithm based on the Hammerstein model	42
1.12	Methods based on time series analysis	43
1.13	A new chaos detector	46
1.14	Exercises	47
2.	2-D quadratic maps: The invertible case	49
2.1	Introduction	49
2.2	Equivalences in the general 2-D quadratic maps	50
2.3	Invertibility of the map	59
2.4	The Hénon map	63
2.5	Methods for locating chaotic regions in the Hénon map	64
2.5.1	Finding Smale's horseshoe maps	64
2.5.2	Topological entropy	65
2.5.3	The verified optimization technique	68
2.5.4	The Wiener and Hammerstein cascade models	69
2.5.5	Methods based on time series analysis	70
2.5.6	The validated shadowing	71
2.5.7	The method of fixed point index	72
2.5.8	A new chaos detector	72
2.6	Bifurcation analysis	73
2.6.1	Existence and bifurcations of periodic orbits	73
2.6.2	Recent bifurcation phenomena	74
2.6.3	Existence of transversal homoclinic points	76
2.6.4	Classification of homoclinic bifurcations	94
2.6.5	Basins of attraction	99
2.6.6	Structure of the parameter space	100
2.7	Exercises	103
3.	Classification of chaotic orbits of the general 2-D quadratic map	105

3.1	Analytical prediction of system orbits	105
3.1.1	Existence of unbounded orbits	105
3.1.2	Existence of bounded orbits	107
3.2	A zone of possible chaotic orbits	109
3.2.1	Zones of stable fixed points	111
3.3	Boundary between different attractors	112
3.4	Finding chaotic and nonchaotic attractors	123
3.5	Finding hyperchaotic attractors	131
3.6	Some criteria for finding chaotic orbits	139
3.7	2-D quadratic maps with one nonlinearity	140
3.8	2-D quadratic maps with two nonlinearities	148
3.9	2-D quadratic maps with three nonlinearities	149
3.10	2-D quadratic maps with four nonlinearities	151
3.11	2-D quadratic maps with five nonlinearities	153
3.12	2-D quadratic maps with six nonlinearities	153
3.13	Numerical analysis	154
3.13.1	Some observed catastrophic solutions in the dy- namics of the map	155
4.	Rigorous proof of chaos in the double-scroll system	159
4.1	Introduction	159
4.2	Piecewise linear geometry and its real Jordan form	164
4.2.1	Geometry of a piecewise linear vector field in \mathbb{R}^3	164
4.2.2	Straight line tangency property	166
4.2.3	The real Jordan form	168
4.2.4	Canonical piecewise linear normal form	171
4.2.5	Poincaré and half-return maps	175
4.3	The dynamics of an orbit in the double-scroll	176
4.3.1	The half-return map π_0	177
4.3.2	Half-return map π_1	185
4.3.3	Connection map Φ	192
4.4	Poincaré map π	194
4.4.1	V_1 portrait of V_0	195
4.4.2	Spiral image property	196
4.5	Method 1: Sil'nikov criteria	197
4.5.1	Homoclinic orbits	197
4.5.2	Examination of the loci of points	202
4.5.3	Heteroclinic orbits	210
4.5.4	Geometrical explanation	214

4.5.5	Dynamics near homoclinic and heteroclinic orbits	215
4.6	Subfamilies of the double-scroll family	219
4.7	The geometric model	220
4.8	Method 2: The computer-assisted proof	229
4.8.1	Estimating topological entropy	230
4.8.2	Formula for the topological entropy in terms of the Poincaré map	236
4.9	Exercises	238
5.	Rigorous analysis of bifurcation phenomena	239
5.1	Introduction	239
5.2	Asymptotic stability of equilibria	240
5.3	Types of chaotic attractors in the double-scroll	244
5.4	Method 1: Rigorous mathematical analysis	245
5.4.1	The pull-up map	246
5.4.2	Construction of the trapping region for the double- scroll	247
5.4.3	Finding trapping regions using confinors theory .	252
5.4.4	Construction of the trapping region for the Rössler-type attractor	257
5.4.5	Macroscopic structure of an attractor for the double-scroll system	265
5.4.6	Collision process	268
5.4.7	Bifurcation diagram	279
5.5	Method 2: One-dimensional Poincaré map	281
5.5.1	Introduction	281
5.5.2	Construction of the 1-D Poincaré map	281
5.5.3	Properties of the 1-D Poincaré map π^*	289
5.5.4	Numerical examples for the 1-D Poincaré map π^*	291
5.5.5	Periodic points of the 1-D Poincaré map π^*	292
5.5.6	Bifurcation diagrams using confinors theory . . .	307
5.6	Exercises	312
	<i>Bibliography</i>	315
	<i>Index</i>	337