

# Contents

<b>1. Introduction</b>	<b>1</b>
References	4
<b>2. Chemotaxis—A Basic and Universal Phenomenon Among Microorganisms and Eukaryotic Cells</b>	<b>7</b>
1. Introduction	7
2. Cell Motility Is a Basic and Universal Phenomenon Among Living Organisms	10
2.1. Active swimming by means of flagella and cilia	10
2.2. Swarming movements	11
2.3. Gliding and twitching movements	12
2.4. Crawling and amoeboid movements	13
2.5. Problems related to nomenclature	14
3. The Physiological Role of Chemotaxis: Sensory Aspects	15
3.1. Chemotaxis among the prokaryotes	16
3.1.1. Chemosensing and metabolic activities are coupled	16
3.1.2. Cellular energy levels are central in chemosensing	18
3.1.3. Cellular sensors are variable in structure	20
3.1.4. The role of protein synthesis in chemosensing and learning	21
3.2. Chemotaxis among eukaryotic organisms	22

3.2.1. The importance of model organisms	23
3.2.2. Primitive eukaryotic groups showing true chemotaxis	24
4. The Role of Chemotaxis in Fertilization and Reproduction	28
4.1. The role of chemotaxis in fertilization	29
4.2. The role of gametes in the brown algae and in fungi	30
4.3. The role of gametes in the archegoniata	31
4.4. Embryophyta use chemotropism in fertilization	34
4.5. Relations to other eukaryotic chemosensory systems	34
5. The Role of Chemotaxis in Colonizing New Biotopes: Social Aspects	36
5.1. Problems related to tests in natural habitats	36
5.2. Cooperative consortia, biofilms, and other associations	37
5.3. Microbial associations in natural habitats	39
6. The Role of Chemotaxis in Differentiation Processes of Multicellular Organisms	41
6.1. The cytoskeleton is central in amoeboid crawling movements	42
6.2. Physical guidance must not be confused with chemotaxis	43
6.3. Model systems to analyze motility in differentiation processes	44
7. Conclusions	47
References	48
<b>3. Bacterial Chemotaxis</b>	<b>53</b>
1. Introduction	53
2. Bacterial Motility	54
2.1. Motility types	54
2.1.1. Flagellar motility	54
2.1.2. "Swimming" without flagella	57
2.1.3. Gliding motility	58
2.1.4. Twitching motility	60
2.1.5. Propulsion by actin filaments	61
2.2. Bacterial flagella	61
2.2.1. Structure of flagella	63
2.2.2. Genes involved in motility	66
2.2.3. Function of flagella	71
2.2.4. The energy source of flagellar rotation	71
2.2.5. The flagellar motor	73

2.2.6.	The flagellar switch	77
2.2.7.	Assembly of flagella	80
2.3.	Modes of swimming behavior	84
2.3.1.	Swimming in the absence of chemotactic stimuli	84
2.3.2.	Swimming in a gradient of a chemotactic stimulus	86
2.4.	The gradient sensed by bacteria: temporal vs. spatial	87
2.5.	Excitation and adaptation	89
3.	Techniques to Measure Motility and Chemotaxis	90
3.1.	Assays in which a gradient of the stimulant is established by diffusion	90
3.1.1.	Capillary assay	90
3.1.2.	Chemical-in-plug assay	93
3.1.3.	Capillary arrays	94
3.1.4.	Stable diffusion gradient assay	94
3.1.5.	Diffusion gradient over a membrane	94
3.1.6.	Stopped-flow diffusion chamber assay	95
3.2.	Population migration in a preformed liquid gradient	95
3.3.	Ring forming assay on semisolid agar	95
3.4.	Tracking free-swimming bacteria (behavioral assays)	97
3.4.1.	Three-dimensional tracking	97
3.4.2.	Two-dimensional tracking—temporal assay	98
3.5.	Flagellar rotation	98
3.5.1.	Tethering assay	98
3.5.2.	Visualization of functional flagella	99
3.5.3.	Chi phage assay	100
4.	Chemotactic Stimuli for Bacteria	101
4.1.	Types of stimuli	101
4.2.	General characteristics of stimuli	103
4.3.	Diversity of stimuli in different species	104
4.4.	Are the stimuli themselves detected or their metabolic products?	105
5.	Chemotaxis-Related Genes	109
6.	Chemotaxis Receptors	113
6.1.	Chemotaxis-specific receptors	113
6.1.1.	Structure of the MCPs	114
6.1.2.	Functions of the MCPs and structure-function relationship	116
6.1.3.	Receptor clustering	119
6.1.4.	MCPs in species other than <i>E. coli</i> and <i>Salmonella</i>	122

6.2. Dual-function receptors	123
6.2.1. Periplasmic binding proteins	124
6.2.2. Phosphotransferase receptors	125
6.3. Chemorepellent receptors	125
7. Other Chemotaxis Proteins	127
7.1. CheA	127
7.1.1. Function of CheA	127
7.1.2. Structure of CheA	127
7.1.3. Two forms of CheA	129
7.1.4. CheA in species other than <i>E. coli</i> and <i>Salmonella</i>	129
7.2. CheB	130
7.3. CheR	132
7.4. CheW	132
7.5. CheY	134
7.5.1. Function of CheY	134
7.5.2. Structure of CheY	139
7.5.3. Active CheY mutants and analogs	141
7.5.4. CheY in species other than <i>E. coli</i> and <i>Salmonella</i>	143
7.6. CheZ	143
8. Signal Transduction During Chemotaxis	147
8.1. History	147
8.2. Mechanism of excitation	147
8.2.1. The flagellar motor has a default direction of rotation, counterclockwise	148
8.2.2. CheY is the clockwise signal	148
8.2.3. Regulation of CheY activity	149
8.2.4. Mechanism of switching	150
8.2.5. Sequence of events	151
8.2.6. Coordinating signals of different intensity	152
8.2.7. Signal amplification	154
8.2.8. Variations on excitatory signal transduction in <i>E. coli</i>	155
8.2.9. Some open questions	157
8.3. Mechanism of adaptation	159
8.3.1. Involvement of MCP methylation in adaptation	159
8.3.2. The signal for adaptation	161

8.3.3. Exactness and robustness of adaptation	162
8.3.4. Methylation-independent adaptation	162
8.4. A nonconventional signal transduction pathway in <i>E. coli</i>	163
8.5. Variations in signal transduction pathways in other bacterial species	164
8.5.1. More than one signal transduction pathway	164
8.5.2. Lack of CheZ	165
8.5.3. Variations in Che proteins	167
8.5.4. Different inputs	167
8.5.5. Different outputs	168
8.5.6. Signal transduction in large bacterial species	168
References	168
<b>4. Chemotaxis as a Means of Cell–Cell Communication in Bacteria</b>	<b>216</b>
1. Introduction	216
2. Pattern Formation by <i>E. coli</i> and <i>Salmonella</i>	217
2.1. Pattern formation in minimal medium and the role of the Tar receptor	217
2.2. Pattern formation by <i>Salmonella</i> in complex medium	220
2.3. A potential biological role for pattern formation in <i>E. coli</i> and <i>Salmonella</i>	220
3. Chemotaxis Systems in Bacterial Swarming	221
3.1. Swarming motility	221
3.2. Intercellular signaling and swarming	222
4. Pattern Formation in <i>Paenibacilli</i>	224
4.1. <i>Paenibacillus dendritiformis</i> morphotypes	224
4.2. Pattern formation by <i>P. vortex</i>	226
4.3. Morphotype “nebula”	226
4.4. Mutants of <i>P. dendritiformis</i> defective in pattern formation: phenotypes and reconstitution	227
4.5. Pattern formation by other bacteria	230
5. Chemotaxis in the Life Cycle of the Myxobacteria	230
5.1. Introduction to the myxobacteria	230
5.2. Direct evidence for chemotaxis	234
5.3. Sensory transduction systems	237
5.3.1. The Frz system	237
5.3.2. The Dif system	239
5.3.3. Other chemotaxis gene clusters	240

5.4. The role of intercellular signaling in development	241
5.4.1. A-signal	242
5.4.2. E-signal	242
5.4.3. C-signal	242
6. Concluding Remarks	244
References	245
<b>5. Molecular Mechanisms of Chemotaxis in Amoebae</b>	<b>253</b>
1. Introduction	253
1.1. Functions of amoeboid chemotaxis	254
2. Amoeboid Motility	256
2.1. The motility cycle	257
2.1.1. Extension	257
2.1.2. Adhesion	260
2.1.3. Contraction	261
2.1.4. Detachment	262
2.1.5. Translocation	262
2.2. The cytoskeleton	262
2.2.1. Actin and myosin	263
2.2.2. Microtubules	267
2.3. Adhesion	267
2.3.1. Close contacts	268
2.3.2. Focal contacts	268
2.4. The gradient sensed by amoebae: temporal vs. spatial sensing	270
2.5. Excitation and adaptation	272
3. Techniques to Measure Motility and Chemotaxis	273
3.1. Assays in which a gradient of the stimulant is established by diffusion	274
3.1.1. Micropipet assay	274
3.1.2. Semistable diffusion gradient assays	275
3.1.3. Boyden chambers	275
3.1.4. Agar assays	275
3.2. Assays utilizing global temporal increases (upshift)	276
3.2.1. Actin polymerization assays	276
3.2.2. Adhesion assays	277
3.2.3. Behavioral assays	277
3.3. Tracking amoebae <i>in situ</i>	277

4. Signal Transduction During Chemotaxis	278
4.1. <i>Dictyostelium</i>	278
4.1.1. Molecular mechanisms of <i>Dictyostelium</i> chemotaxis	278
4.1.2. Receptor	279
4.1.3. The phosphoinositide 3-kinase pathway	279
4.1.4. Other pathways	285
4.2. Mesenchymal cells	287
4.2.1. Receptors	287
4.2.2. Receptor coupling to intracellular pathways	288
4.2.3. Stimulation of extension	289
4.2.4. Adhesion	290
4.2.5. Contraction	291
4.2.6. Negative feedback	291
4.2.7. Integration mechanisms for spatial gradient sensing	292
4.2.8. Coupling between receptor tyrosine kinase and G-protein-coupled receptor signaling pathways	293
5. Conclusion	293
References	294
<b>6. Physiology and Molecular Mechanisms of Chemotaxis of White Blood Cells</b>	<b>308</b>
1. Introduction	308
2. Neutrophil Chemoattractants	309
3. The Transition from Circulating to Migrating Cells	310
4. Neutrophil Migration	315
4.1. Overview	315
4.2. Assays of neutrophil motility	317
4.2.1. Indirect assays	317
4.2.2. Population-based assays	321
4.2.3. Single cell tracking assays and analysis	325
4.2.4. Relationship between population and cell tracking data	328
5. Cell Polarization	328
5.1. Morphological and behavioral aspects of polarization	329
5.1.1. Cells in a uniform concentration of chemoattractant	329
5.1.2. Cells in a chemoattractant gradient	329

5.2. Molecular aspects of polarization	331
5.3. Development of polarity	332
6. Two-Dimensional Versus Three-Dimensional Migration	334
6.1. Migration on a two-dimensional surface	334
6.2. Migration in a three-dimensional matrix	335
7. Force Generation During Migration	336
7.1. Lamellipodium extension	336
7.1.1. The case for actin polymerization	336
7.1.2. The oscillatory motor	337
7.1.3. Is myosin important for lamellipodium formation?	337
7.2. Traction	338
7.3. Rear retraction	338
8. Migratory Responses to Multiple Stimuli	339
8.1. Contact guidance	339
8.2. Multiple chemoattractants	339
9. Signal Transduction	340
9.1. Ligand-receptor binding and processing	341
9.1.1. The nature of $LR_s$	342
9.1.2. The nature of $LR_x$	342
9.1.3. Relationship of receptor states in intact neutrophils and reconstituted systems	344
9.1.4. Receptor internalization and recycling	345
9.1.5. Global inhibition and local activation hypothesis of signaling in the lamellipodium	346
9.2. Heterotrimeric G-proteins	347
9.2.1. The G-protein cycle	348
9.2.2. Precoupled receptor/G-protein complexes	349
9.3. G-protein effectors in neutrophils	351
9.3.1. Phosphatidylinositol 3-kinase	351
9.3.2. Small GTP-binding proteins and regulation of neutrophil chemotaxis	356
9.3.3. Ras and the mitogen-activated protein kinase (MAPK) cascades	367
9.3.4. Serine/threonine protein phosphatases and ezrin/radixin/moesin proteins	371
9.3.5. Other signaling events in neutrophils	373
9.4. Regulation of G-protein-effector coupling	377
9.5. Integration of the signaling pathways	378
References	379

<b>7. Sperm Chemotaxis</b>	<b>409</b>
1. Introduction	409
2. Sperm Motility	409
2.1. The flagellum	410
2.2. Flagellar function	412
2.3. Techniques for measuring sperm motility	412
2.3.1. Determination of the sperm head position as a function of time	413
2.3.2. Analysis of the sperm tail movement	414
2.3.3. Distribution of swimming distances	414
2.3.4. Migration through a membrane	414
2.3.5. Intrinsic motility forces	414
2.4. Types of sperm motility in different species	414
2.5. Types of sperm motility within the female genital tract	415
3. Criteria and Assays for Sperm Chemotaxis	418
3.1. Accumulation assays	419
3.1.1. Sperm accumulation in an ascending chemoattractant gradient	419
3.1.2. Sperm accumulation in a descending chemoattractant gradient	419
3.1.3. Choice assays	421
3.2. Directionality assays	422
4. Chemotaxis of Nonmammalian Spermatozoa	424
5. Chemotaxis of Mammalian Spermatozoa	427
5.1. Early observations interpreted as sperm chemotaxis	428
5.2. Recent studies of sperm chemotaxis in mammals	429
5.2.1. Chemotaxis to follicular fluid	429
5.2.2. Chemotaxis to other fluids	429
5.3. Mammalian sperm chemoattractants	431
5.3.1. Progesterone	432
5.3.2. Atrial natriuretic peptide (ANP)	433
5.3.3. Other hormones	434
5.3.4. Other substances in follicular fluid	434
5.3.5. Odorants	435
5.3.6. Other potential chemoattractants and chemorepellents	435
5.4. Physiological significance of mammalian sperm chemotaxis	436
5.4.1. Involvement in fertilization	436
5.4.2. Role in fertilization	437

5.4.3. Potential locations of sperm chemotaxis <i>in vivo</i>	439
5.4.4. Potential applications to fertility and contraception	441
6. Species Specificity of Sperm Chemotaxis	442
7. Molecular Mechanism of Sperm Chemotaxis	443
9. Open questions	445
References	445
<b>8. Chemotropic Guidance of Axons in the Nervous System</b>	<b>456</b>
1. Growthcone Guidance by Short- and Long-Range Cues	456
2. Chemoattraction and Chemorepulsion in the Nervous System	458
2.1. Chemoattraction	458
2.1.1. Nerve growth factor	458
2.1.2. Maxillary arch	458
2.1.3. Floor plate	459
2.2. Chemorepulsion	462
2.2.1. Septum	462
2.2.2. Ventral spinal cord	463
2.2.3. Floor plate	463
2.2.4. Roof plate	466
3. Molecular Mechanism of Chemoattraction and Chemorepulsion	467
3.1. Chemoattractants and chemorepellents	467
3.1.1. Netrins	467
3.1.2. Class III semaphorins	469
3.1.3. Slits	470
4. Switching Mechanism of Chemoattraction and Chemorepulsion	470
5. Future Challenges	471
References	472
<b>9. Commonality and Diversity of Chemotaxis</b>	<b>477</b>
1. Motility Mechanisms	477
2. Behavioral Mechanisms of Chemotaxis	479
3. Molecular Mechanisms of Chemotaxis	480
4. Other Taxes	482
4.1. Thermotaxis	483
4.2. Phototaxis	484
References	485