

Contents

<i>Preface</i>	v
1. Fundamentals of Zero-Dimensional Nanostructures	1
1.1 Introduction	1
1.2 Structural Information on Quantum Dots	3
1.3 Single-Particle Electronic States in Quantum Dots	7
1.3.1 Eigenstates in the absence of external perturbations	7
1.3.2 Effect of “external” fields	12
1.3.2.1 Electric field effects	12
1.3.2.2 Magnetic field effects	14
1.3.3 Dot-dot interaction in stacked dots; quantum dot molecules	16
1.4 Optical Properties	17
1.4.1 The idealized quantum dot: a two-level atom. Populations and coherence.	17
1.4.2 Optical properties of dot ensembles. Broadening and selection rules	19
1.4.3 Single dot spectroscopy: the failure of the simple ideas	21
1.5 Phonons and Carrier Coupling to the Phonons in Quantum Dots	26
1.6 Carrier-Carrier Interaction in Quantum Dots	32
1.6.1 Electron-hole interaction in quantum dots	33
1.6.2 Excitonic complexes and optical properties of highly excited quantum dots: new phenomena and a new approach	36

1.6.3	Auger scattering in quantum dots	39
2.	Growth and Characterization of Self-Assembled Semiconductor Macroatoms	51
2.1	Introduction	51
2.1.1	Semiconductor quantum dots	53
2.2	Fabrication and Structural Analysis of InGaAs/GaAs Quantum Dots	54
2.3	Nanotechnological Strategies for the Fabrication of Single-Dot Structures	61
2.4	Modeling of the Carrier Wavefunctions	64
2.5	Photoluminescence Experiments	73
2.6	Single-Dot Spectroscopy	78
2.6.1	Wavefunction spectroscopy	78
2.6.2	Optical spectroscopy	85
2.7	Conclusions	92
3.	Ultrafast Coherent Spectroscopy of Single Semiconductor Quantum Dots	101
3.1	Introduction	101
3.2	Semiconductor Quantum Dots	104
3.2.1	Interface quantum dots	104
3.2.2	Self-assembled quantum dots	107
3.3	Experimental Techniques	114
3.3.1	Coherent spectroscopy on interface quantum dots	115
3.3.2	Coherent spectroscopy on self-assembled quantum dots	119
3.4	Results	123
3.4.1	Coherent control in single interface quantum dots	123
3.4.1.1	Ultrafast optical nonlinearities of single interface quantum dots	123
3.4.1.2	Optical Stark effect and Rabi oscillations in a quantum dot: ultrafast control of single exciton polarizations	128
3.4.2	Coherent control in single self-assembled quantum dots	138
3.5	Outlook	143
4.	Few-Particle Effects in Semiconductor Macroatoms/Molecules	151

4.1	Introduction	151
4.2	Excitons	152
4.2.1	Semiconductors of higher dimension	152
4.2.2	Semiconductor quantum dots	153
4.2.2.1	Weak confinement regime	153
4.2.2.2	Strong confinement regime	154
4.2.3	Spin structure	155
4.3	Biexcitons	157
4.3.1	Weak confinement regime	157
4.3.2	Strong confinement regime	158
4.4	Few-Particle States	159
4.4.1	Multi excitons	160
4.4.2	Multi-charged excitons	161
4.4.3	Configuration interactions	161
4.5	Optical Spectroscopy	162
4.5.1	Excitons and biexcitons	163
4.5.1.1	Weak confinement regime	163
4.5.1.2	Strong confinement regime	164
4.5.2	Multi excitons	165
4.5.3	Multi-charged excitons	167
4.6	Inter-dot Coupling: Tunneling <i>vs.</i> Coulomb Correlations . .	167
4.7	Inter-Dot Coupling: Role of the Electric Field	175
5.	Electron-Phonon Interaction in Semiconductor Quantum Dots	183
5.1	Introduction	183
5.2	Energy Relaxation in Bulk and Quantum Well Structures .	185
5.3	Magneto-Absorption in Quantum Dots: the Evidence of Polarons	192
5.4	Energy Relaxation in the Polaron Framework	207
5.5	Excitonic Polarons in Quantum Dots	209
5.6	Diagonal Non-Perturbative Interaction Between Electrons and Acoustic Phonons	212
5.7	Conclusions	215
6.	Phonon-Induced Decoherence in Semiconductor Quantum Dots	221
6.1	Introduction	221
6.2	Model for Phonon-Induced Pure Dephasing	224

6.3	Analytical Results for Excitations with Ultrafast Pulses . . .	226
6.3.1	Linear single-dot spectra	227
6.3.2	The initial decay of four-wave-mixing signals	230
6.3.3	Impact of pure dephasing on electronic and phononic occupations	234
6.4	Influences of Temporal and Spectral Properties of the Laser Excitation on the Decoherence	237
6.4.1	Phonon-induced damping of Rabi oscillations in quantum dots	237
6.4.2	Optimal gating strategy: a trade-off between different types of decoherence	241
6.5	Conclusions	244
7.	All-Optical Schemes for Quantum Information Processing with Semiconductor Macroatoms	249
7.1	Introduction	249
7.2	All-Optical Quantum Information/Computation with Semiconductor Macroatoms	252
7.2.1	Single-dot encoding schemes	252
7.2.2	Coupled-dot encoding schemes	257
7.2.2.1	GaAs-based quantum hardware	257
7.2.2.2	GaN-based quantum hardware	262
7.2.3	Combination of charge and spin degrees of freedom	268
7.2.3.1	Artificial molecules as qubits and Raman adiabatic passages for the optical gating	271
7.3	Summary and Conclusions	278
8.	Novel Devices for the Measurement of Electronic States in Semiconductor Quantum Dots	283
8.1	Introduction	283
8.2	Field-Induced Exciton-Exciton Coupling in Semiconductor Quantum Dots with no Intrinsic Bias	286
8.3	Modeling Few Particle Interactions in Quantum Dots with Intrinsic Bias	294
8.3.1	Engineering electronic structure and optical spectrum in coupled GaN quantum dots	294
8.3.2	Semi-analytical model	297
8.3.2.1	Single exciton system	298

8.3.2.2	Biexciton system	299
8.4	Semiconductor Double Quantum Dot as Storage Qubit . . .	303
8.4.1	Definition	303
8.4.2	Measurement using a STIRAP process	305
8.4.2.1	Failure of the adiabatic condition	308
8.4.2.2	Failure of the energy conservation requirement	310
8.5	All-Optical Read-Out Device	311
<i>Index</i>		317