

# Contents

*Preface*

vii

|       |  |    |
|-------|--|----|
| 1     | Wakes and Impedances                                     | 1  |
| 1.1   | Wake Fields . . . . .                                    | 1  |
| 1.1.1 | Two Approximations . . . . .                             | 2  |
| 1.1.2 | Panofsky–Wenzel Theorem . . . . .                        | 3  |
| 1.1.3 | Cylindrically Symmetric Chamber . . . . .                | 6  |
| 1.2   | Coupling Impedances . . . . .                            | 11 |
| 1.3   | Parasitic Loss . . . . .                                 | 19 |
| 1.3.1 | Coherent Loss . . . . .                                  | 19 |
| 1.3.2 | Incoherent Loss . . . . .                                | 22 |
| 1.4   | Exercises . . . . .                                      | 26 |
| 1.5   | Appendix: A Collection of Wakes and Impedances . . . . . | 29 |
| 2     | Potential-Well Distortion                                | 37 |
| 2.1   | Longitudinal Phase Space . . . . .                       | 37 |
| 2.1.1 | Momentum Compaction . . . . .                            | 37 |
| 2.1.2 | Equations of Motion . . . . .                            | 40 |
| 2.2   | Mode Approach . . . . .                                  | 47 |
| 2.2.1 | Vlasov Equation . . . . .                                | 48 |
| 2.2.2 | Coasting Beams . . . . .                                 | 49 |
| 2.3   | Static Solution . . . . .                                | 50 |
| 2.4   | Reactive Force . . . . .                                 | 52 |
| 2.4.1 | Space-Charge Impedance . . . . .                         | 53 |
| 2.4.2 | Other Distributions . . . . .                            | 55 |

|       |   |     |
|-------|---|-----|
| 2.5   | Bunch-Shape Distortion . . . . .                  | 58  |
| 2.5.1 | Haissinski Equation . . . . .                     | 58  |
| 2.5.2 | Elliptical Phase-Space Distribution . . . . .     | 61  |
| 2.6   | Synchrotron Tune Shift . . . . .                  | 64  |
| 2.6.1 | Incoherent Synchrotron Tune Shift . . . . .       | 64  |
| 2.6.2 | Coherent Synchrotron Tune Shift . . . . .         | 68  |
| 2.7   | Potential-Well Distortion Compensation . . . . .  | 69  |
| 2.7.1 | Space-Charge Cancellation . . . . .               | 69  |
| 2.7.2 | Ferrite Insertion . . . . .                       | 71  |
| 2.8   | Potential-Well Distortion in Barrier RF . . . . . | 75  |
| 2.8.1 | RF Barriers . . . . .                             | 76  |
| 2.8.2 | Asymmetric Beam Profile . . . . .                 | 76  |
| 2.9   | Exercises . . . . .                               | 80  |
| 3     | Betatron Tune Shifts . . . . .                    | 89  |
| 3.1   | Static Transverse Forces . . . . .                | 89  |
| 3.1.1 | Electric Image Forces . . . . .                   | 91  |
| 3.1.2 | Magnetic Image Forces . . . . .                   | 93  |
| 3.2   | Space-Charge Self-Force . . . . .                 | 96  |
| 3.2.1 | Incoherent Self-Force Tune Shift . . . . .        | 96  |
| 3.2.2 | Tune-Shift Distribution . . . . .                 | 101 |
| 3.2.3 | Incoherence versus Coherence . . . . .            | 106 |
| 3.3   | Tune Shift for a Beam . . . . .                   | 107 |
| 3.3.1 | Image Formation . . . . .                         | 107 |
| 3.3.2 | Coasting Beams . . . . .                          | 109 |
| 3.3.3 | Bunched Beams . . . . .                           | 110 |
| 3.4   | Other Vacuum Chamber Geometries . . . . .         | 112 |
| 3.4.1 | Circular Vacuum Chamber . . . . .                 | 113 |
| 3.4.2 | Elliptical Vacuum Chamber . . . . .               | 114 |
| 3.4.3 | Rectangular Vacuum Chamber . . . . .              | 117 |
| 3.4.4 | Closed Yoke . . . . .                             | 120 |
| 3.5   | Connection with Impedance . . . . .               | 121 |
| 3.5.1 | Impedance from Images . . . . .                   | 121 |
| 3.5.2 | Impedance from Self-Force . . . . .               | 124 |
| 3.6   | Exercises . . . . .                               | 127 |
| 4     | Envelope Equation . . . . .                       | 133 |

|     |   |     |
|-----|---|-----|
| 4.1 | The Integer Resonance . . . . .                                 | 133 |
| 4.2 | The Kapchinsky–Vladimirsky Equation . . . . .                   | 136 |
|     | 4.2.1 Least-Square Value . . . . .                              | 139 |
|     | 4.2.2 One Dimension . . . . .                                   | 139 |
|     | 4.2.3 Two Dimensions . . . . .                                  | 141 |
| 4.3 | Collective Oscillations of Beams . . . . .                      | 144 |
|     | 4.3.1 One Dimension . . . . .                                   | 144 |
|     | 4.3.2 Two Dimensions . . . . .                                  | 148 |
| 4.4 | Simulations . . . . .   | 152 |
|     | 4.4.1 One Dimension . . . . .                                   | 152 |
|     | 4.4.2 Two Dimensions . . . . .                                  | 153 |
| 4.5 | Application to Synchrotrons . . . . .                           | 156 |
| 4.6 | Exercises . . . . .   | 157 |
| 5   | Longitudinal Microwave Instability for Coasting Beams . . . . . | 159 |
| 5.1 | Microwave Instability . . . . .                                 | 159 |
|     | 5.1.1 Dispersion Relation . . . . .                             | 162 |
|     | 5.1.2 Stability Curve and Keil–Schnell Criterion . . . . .      | 166 |
|     | 5.1.3 Landau Damping . . . . .                                  | 170 |
|     | 5.1.4 Self-Bunching . . . . .                                   | 170 |
|     | 5.1.5 Overshoot . . . . .                                       | 173 |
| 5.2 | Observation and Cure . . . . .                                  | 174 |
| 5.3 | Ferrite Insertion and Instability . . . . .                     | 177 |
|     | 5.3.1 Microwave Instability . . . . .                           | 177 |
|     | 5.3.2 Cause of Instability . . . . .                            | 179 |
|     | 5.3.3 Heating the Ferrite . . . . .                             | 183 |
|     | 5.3.4 Application at the PSR . . . . .                          | 187 |
| 5.4 | Exercises . . . . .   | 190 |
| 6   | Longitudinal Microwave Instability for Short Bunches . . . . .  | 193 |
| 6.1 | Bunch Modes . . . . .   | 193 |
|     | 6.1.1 A Particle in Synchrotron Oscillation . . . . .           | 193 |
|     | 6.1.2 Coherent Azimuthal Modes . . . . .                        | 199 |
|     | 6.1.3 Measurement of Coherent Modes . . . . .                   | 201 |
| 6.2 | Collective Instability . . . . .                                | 203 |
|     | 6.2.1 Dispersion Relation of a Sideband . . . . .               | 203 |
|     | 6.2.2 Landau Damping of a Sideband . . . . .                    | 208 |

|       |  |     |
|-------|--|-----|
| 6.2.3 | Stability of a Bunch . . . . .                     | 213 |
| 6.3   | Coupling of Azimuthal Modes . . . . .              | 219 |
| 6.4   | Bunch Lengthening and Scaling Law . . . . .        | 224 |
| 6.5   | Sawtooth Instability . . . . .                     | 228 |
| 6.5.1 | Possible Cure . . . . .                            | 233 |
| 6.6   | Exercises . . . . .                                | 237 |
| 7     | Beam-Loading and Robinson's Instability . . . . .  | 241 |
| 7.1   | Equivalent Circuit . . . . .                       | 241 |
| 7.2   | Beam-Loading in an Accelerator Ring . . . . .      | 247 |
| 7.2.1 | Steady-State Compensation . . . . .                | 249 |
| 7.3   | Robinson's Stability Criteria . . . . .            | 257 |
| 7.3.1 | Phase Stability at Low Intensity . . . . .         | 257 |
| 7.3.2 | Phase Stability at High Intensity . . . . .        | 258 |
| 7.3.3 | Robinson's Damping . . . . .                       | 262 |
| 7.4   | Transient Beam-Loading . . . . .                   | 263 |
| 7.4.1 | Fundamental Theorem of Beam-Loading . . . . .      | 264 |
| 7.4.2 | From Transient to Steady State . . . . .           | 266 |
| 7.4.3 | Transient Beam-Loading of a Bunch . . . . .        | 270 |
| 7.4.4 | Transient Compensation . . . . .                   | 278 |
| 7.5   | Examples . . . . .                                 | 284 |
| 7.5.1 | Fermilab Main Ring . . . . .                       | 284 |
| 7.5.2 | Fermilab Booster . . . . .                         | 285 |
| 7.5.3 | Fermilab Main Injector . . . . .                   | 286 |
| 7.5.4 | Proposed Prebooster . . . . .                      | 288 |
| 7.6   | Exercises . . . . .                                | 296 |
| 8     | Longitudinal Coupled-Bunch Instabilities . . . . . | 301 |
| 8.1   | Sacherer's Integral Equation . . . . .             | 301 |
| 8.1.1 | Frequency Domain . . . . .                         | 304 |
| 8.1.2 | Synchrotron Tune Shift . . . . .                   | 308 |
| 8.1.3 | Robinson's Instability . . . . .                   | 309 |
| 8.2   | Time Domain Derivation . . . . .                   | 315 |
| 8.3   | Observation and Cures . . . . .                    | 321 |
| 8.3.1 | Higher-Harmonic Cavity . . . . .                   | 324 |
| 8.3.2 | Passive Landau Cavity . . . . .                    | 326 |
| 8.3.3 | Rf-Voltage Modulation . . . . .                    | 336 |

|        |  |     |
|--------|--|-----|
| 8.3.4  | Uneven Fill . . . . .  | 339 |
| 8.4    | Exercises . . . . .  | 352 |
| 9      | Transverse Instabilities . . . . .                                   | 359 |
| 9.1    | Transverse Focusing and Transverse Wake . . . . .                    | 359 |
| 9.2    | Betatron Fast and Slow Waves . . . . .                               | 361 |
| 9.3    | Separation of Transverse and Longitudinal Motions . . . . .          | 364 |
| 9.4    | Sacherer's Integral Equation . . . . .                               | 366 |
| 9.5    | Solution of Sacherer's Integral Equations for Radial Modes . . . . . | 370 |
| 9.5.1  | Chebyshev Modes . . . . .  | 372 |
| 9.5.2  | Legendre Modes . . . . .   | 373 |
| 9.5.3  | Hermite Modes . . . . .  | 374 |
| 9.5.4  | Longitudinal Integral Equation . . . . .                             | 375 |
| 9.6    | Frequency Shifts and Growth Rates . . . . .                          | 376 |
| 9.6.1  | Broadband Impedance . . . . .  | 376 |
| 9.6.2  | Narrowband Impedance . . . . .                                       | 380 |
| 9.7    | Approximate Solutions and Effective Impedances . . . . .             | 381 |
| 9.7.1  | Sacherer's Sinusoidal Modes . . . . .                                | 383 |
| 9.8    | Chromaticity Frequency Shift . . . . .                               | 386 |
| 9.9    | Exercises . . . . .  | 389 |
| 10     | Transverse Coupled-Bunch Instabilities . . . . .                     | 393 |
| 10.1   | Resistive-Wall Instabilities . . . . .                               | 393 |
| 10.1.1 | Resistive-Wall Impedance at Low Frequencies . . . . .                | 398 |
| 10.1.2 | Bypass Inductance . . . . .  | 400 |
| 10.2   | Derivation of Resistive-Wall Impedance . . . . .                     | 407 |
| 10.2.1 | Wave Equations . . . . .   | 407 |
| 10.2.2 | Source Fields . . . . .  | 411 |
| 10.2.3 | Thin-Wall Model . . . . .  | 414 |
| 10.2.4 | Thick-Wall Model . . . . .   | 418 |
| 10.2.5 | Layered Wall . . . . .   | 426 |
| 10.2.6 | Laminations . . . . .  | 427 |
| 10.3   | Applications . . . . .   | 428 |
| 10.3.1 | Fermilab Booster . . . . .   | 428 |
| 10.3.2 | Bench Measurement . . . . .  | 437 |
| 10.4   | Narrow Resonances . . . . .  | 439 |
| 10.5   | Exercises . . . . .  | 441 |

|        |   |     |
|--------|---|-----|
| 11     | Mode-Coupling Instabilities                                 | 445 |
| 11.1   | Transverse Mode-Coupling . . . . .                          | 445 |
| 11.2   | Space-Charge and Mode-Coupling . . . . .                    | 451 |
| 11.3   | Two-Particle Model . . . . .                                | 456 |
| 11.4   | Longitudinal Mode-Coupling . . . . .                        | 459 |
| 11.4.1 | Long Bunches . . . . .                                      | 460 |
| 11.4.2 | Short Bunches . . . . .                                     | 462 |
| 11.5   | TMCI for Long Bunches . . . . .                             | 464 |
| 11.5.1 | High Energy Accelerators . . . . .                          | 464 |
| 11.5.2 | TMCI Threshold for Present Proton Machines . . . . .        | 467 |
| 11.5.3 | Possible Observation . . . . .                              | 468 |
| 11.6   | Exercises . . . . .   | 470 |
| 12     | Head-Tail Instabilities                                     | 473 |
| 12.1   | Transverse Head-Tail . . . . .                              | 473 |
| 12.1.1 | Two-Particle Model . . . . .                                | 474 |
| 12.1.2 | For a Bunch . . . . .                                       | 478 |
| 12.1.3 | Application to the Tevatron . . . . .                       | 481 |
| 12.2   | Longitudinal Head-Tail . . . . .                            | 489 |
| 12.3   | Exercises . . . . .   | 495 |
| 13     | Landau Damping  | 499 |
| 13.1   | Harmonic Beam Response . . . . .                            | 500 |
| 13.2   | Shock Response . . . . .                                    | 503 |
| 13.3   | Landau Damping . . . . .                                    | 507 |
| 13.4   | Transverse Bunched Beam Instabilities . . . . .             | 510 |
| 13.5   | Longitudinal Bunched Beam Instabilities . . . . .           | 516 |
| 13.6   | Transverse Unbunched Beam Instabilities . . . . .           | 519 |
| 13.6.1 | Resistive-Wall Instabilities . . . . .                      | 523 |
| 13.7   | Longitudinal Unbunched Beam Instabilities . . . . .         | 533 |
| 13.8   | Beam Transfer Function and Impedance Measurements . . . . . | 537 |
| 13.9   | Decoherence versus Landau damping . . . . .                 | 543 |
| 13.9.1 | Landau damping of a beam . . . . .                          | 545 |
| 13.9.2 | Longitudinal Decoherence . . . . .                          | 550 |
| 13.10  | Exercises . . . . .   | 555 |

|      |  |     |
|------|--|-----|
| 14   | Beam Breakup   | 557 |
| 14.1 | Two-Particle Model . . . . .                                   | 558 |
| 14.2 | Long Bunch . . . . .   | 561 |
|      | 14.2.1 Balakin–Novokhatsky–Smirnov Damping . . . . .           | 561 |
|      | 14.2.2 Autophasing . . . . .                                   | 563 |
| 14.3 | Linac . . . . .  | 567 |
|      | 14.3.1 Adiabatic Damping . . . . .                             | 567 |
|      | 14.3.2 Detuned Cavity Structure . . . . .                      | 569 |
|      | 14.3.3 Multi-Bunch Breakup . . . . .                           | 573 |
|      | 14.3.4 Analytic Treatment . . . . .                            | 575 |
|      | 14.3.5 Misaligned Linac . . . . .                              | 587 |
| 14.4 | Quadrupole Wake . . . . .                                      | 593 |
|      | 14.4.1 Two-Particle Model . . . . .                            | 596 |
|      | 14.4.2 Observation . . . . .                                   | 599 |
| 14.5 | Exercises . . . . .  | 602 |
| 15   | Two-Stream Instabilities                                       | 609 |
| 15.1 | Trapped Electrons . . . . .                                    | 609 |
|      | 15.1.1 Single-Electron Mechanics . . . . .                     | 612 |
|      | 15.1.2 Electron Bounce Frequency . . . . .                     | 612 |
|      | 15.1.3 Coupled-Centroid Oscillation . . . . .                  | 619 |
|      | 15.1.4 Production of Electrons . . . . .                       | 628 |
|      | 15.1.5 Discussion and Conclusion . . . . .                     | 641 |
| 15.2 | Fast Beam-Ion Instability . . . . .                            | 643 |
|      | 15.2.1 The Linear Theory . . . . .                             | 644 |
|      | 15.2.2 Application to Electron/Positron Rings . . . . .        | 657 |
|      | 15.2.3 Application to Fermilab Linac . . . . .                 | 662 |
|      | 15.2.4 Application to Fermilab Designed Damping Ring . . . . . | 672 |
| 15.3 | Half-Integer Stopband . . . . .                                | 679 |
| 15.4 | Exercises . . . . .  | 684 |
| 16   | Instabilities Near and Across Transition                       | 691 |
| 16.1 | Bunch Shape Near Transition . . . . .                          | 692 |
|      | 16.1.1 Nonadiabatic Time . . . . .                             | 692 |
|      | 16.1.2 Simple Estimation . . . . .                             | 694 |
|      | 16.1.3 More Sophisticated Approximation . . . . .              | 698 |
| 16.2 | Space-Charge Mismatch . . . . .                                | 707 |

|        |   |     |
|--------|---|-----|
| 16.2.1 | Mathematical Formulation . . . . .              | 710 |
| 16.2.2 | Transition Jump . . . . .                       | 713 |
| 16.3   | Negative-Mass Instability . . . . .             | 714 |
| 16.3.1 | Growth at Cutoff . . . . .                      | 715 |
| 16.3.2 | Schottky-Noise Model . . . . .                  | 726 |
| 16.3.3 | Self-Bunching Model . . . . .                   | 741 |
| 16.4   | Instability of Isochronous Rings . . . . .      | 744 |
| 16.4.1 | Higher-Order Momentum Compaction . . . . .      | 745 |
| 16.4.2 | $\eta_1$ -Dominated Bucket . . . . .            | 748 |
| 16.4.3 | $\eta_2$ -Dominated Bucket . . . . .            | 751 |
| 16.4.4 | Microwave Instability Near Transition . . . . . | 753 |
| 16.5   | Exercises . . . . .                             | 764 |